

FORM
2A

Rev
08/13

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400585920

Date Received:

09/24/2014

Oil and Gas Location Assessment

New Location Refile Amend Existing Location Location#: _____

Submit signed original form. This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

439730

Expiration Date:

11/05/2017

This location assessment is included as part of a permit application.

CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 47120
 Name: KERR MCGEE OIL & GAS ONSHORE LP
 Address: P O BOX 173779
 City: DENVER State: CO Zip: 80217-3779

Contact Information

Name: Cheryl Light
 Phone: (720) 929-6461
 Fax: (720) 929-7461
 email: cheryl.light@anadarko.com

RECLAMATION FINANCIAL ASSURANCE

- Plugging and Abandonment Bond Surety ID: 20010124 Gas Facility Surety ID: _____
- Waste Management Surety ID: _____

LOCATION IDENTIFICATION

Name: VOLLMAR Number: 29C-11HZ
 County: WELD
 QuarterQuarter: NENW Section: 14 Township: 2N Range: 67W Meridian: 6 Ground Elevation: 4942

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1227 feet FNL from North or South section line
1862 feet FWL from East or West section line
 Latitude: 40.141952 Longitude: -104.860604
 PDOP Reading: 1.8 Date of Measurement: 01/20/2014
 Instrument Operator's Name: BART PFEIFER

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:	<u>LOCATION ID #</u>	<u>FORM 2A DOC #</u>
Production Facilities Location serves Well(s)	<u>332918</u>	<u> </u>
	<u>319259</u>	<u> </u>
	<u>332868</u>	<u> </u>
	<u>331568</u>	<u> </u>
	<u>332335</u>	<u> </u>

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells <u>4</u>	Oil Tanks <u> </u>	Condensate Tanks <u>1</u>	Water Tanks <u>1</u>	Buried Produced Water Vaults <u> </u>
Drilling Pits <u> </u>	Production Pits <u> </u>	Special Purpose Pits <u> </u>	Multi-Well Pits <u> </u>	Temporary Large Volume Above Ground Tanks <u> </u>
Pump Jacks <u>4</u>	Separators <u>9</u>	Injection Pumps <u> </u>	Cavity Pumps <u> </u>	
Gas or Diesel Motors <u> </u>	Electric Motors <u> </u>	Electric Generators <u> </u>	Fuel Tanks <u> </u>	Gas Compressors <u> </u>
Dehydrator Units <u> </u>	Vapor Recovery Unit <u>3</u>	VOC Combustor <u>1</u>	Flare <u> </u>	LACT Unit <u>1</u>
				Pigging Station <u> </u>

OTHER FACILITIES

<u>Other Facility Type</u>	<u>Number</u>
----------------------------	---------------

FLOW LINES	24
GAS PIPELINE	3
TEMPORARY 500 BBL TANKS	2
OIL PIPELINE	1

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Two 500 BBL skid-mounted frac tanks will be temporarily placed on-site for use of the pre-spud rig only. One tank will store water and the other will store water based mud.

Please see comments section for other information. Description of pipelines and flow lines does not fit in space provided.

CONSTRUCTION

Date planned to commence construction: 11/01/2014 Size of disturbed area during construction in acres: 10.00
 Estimated date that interim reclamation will begin: 06/01/2015 Size of location after interim reclamation in acres: 3.00
 Estimated post-construction ground elevation: 4942

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H₂S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Recycle/reuse

Cutting Disposal: ONSITE Cuttings Disposal Method: Other

Other Disposal Description:

Please see Comments section. Disposal description will not fit in space provided.

Beneficial reuse or land application plan submitted? Yes

Reuse Facility ID: _____ or Document Number: _____

Centralized E&P Waste Management Facility ID, if applicable: 149021

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: KERR MCGEE GATHERING LLC Phone: 720-929-6000

Address: 1099 18TH STREET Fax: _____

Address: SUITE 1800 Email: _____

City: DENVER State: CO Zip: 80202

Surface Owner: Fee State Federal Indian

Check all that apply. The Surface Owner: is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: _____ Surface Surety ID: _____

Date of Rule 306 surface owner consultation 11/25/2013

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe): _____

Subdivided: Industrial Commercial Residential

Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe): _____

Subdivided: Industrial Commercial Residential

CULTURAL DISTANCE INFORMATION

Distance to nearest:

Building: 285 Feet
 Building Unit: 285 Feet
 High Occupancy Building Unit: 5280 Feet
 Designated Outside Activity Area: 5280 Feet
 Public Road: 744 Feet
 Above Ground Utility: 166 Feet
 Railroad: 5280 Feet
 Property Line: 82 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
 - Enter 5280 for distance greater than 1 mile.
 - Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
 - Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: Buffer Zone
 Exception Zone
 Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
 - Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
 - Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____
 Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: 05/19/2014

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 72 VONA LOAMY SAND, 0 TO 3 PERCENT SLOPES
 NRCS Map Unit Name: _____
 NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No
 Plant species from: NRCS or, field observation Date of observation: 02/28/2014
 List individual species: Curly Dock - Rumex Crispus Intermediate Wheatgrass - Thinopyrum Intermedium Smooth Brome - Bromus Inermi Prickly Lettuce - Lactuca Serriola

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

WATER RESOURCES

Is this a sensitive area: No Yes

Distance to nearest

downgradient surface water feature: 3200 Feet

water well: 86 Feet

Estimated depth to ground water at Oil and Gas Location 4 Feet

Basis for depth to groundwater and sensitive area determination:

Well location elevation: 4,942'

Surface water features:

Ditch: 272' NNW Elevation: 4955'

Ditch: 3,200' E Elevation: 4880' (downgradient)

Nearest water well(s):

86' W, permit 262156, well depth 20', no static water level, well elevation 4,941' - Fox Hills

543' W, permit 272439, well depth 25', static water level 5', well elevation 4,951'

SENSITIVE AREA: Surface water feature within 1,000' and depth to groundwater equal to or less than 20'

Is the location in a riparian area: No Yes

Was an Army Corps of Engineers Section 404 permit filed No Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 318A

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments The proposed production facility is located in the exception zone. The proposed wells are located in the buffer zone.

The distances listed on the Cultural Setback tab were measured from the edge of the proposed facility as noted by #5 in the attached Location Drawing. The shortest distance from the proposed well site to the nearest property line is 206', therefore no additional property line waiver is necessary. The shortest distance from the proposed well site to the nearest above ground utility line is 618' E (this can be seen in attached Location Pictures and on the Location Drawing).

The existing facility located approximately 1,200' SW of the proposed well location will be removed.

OTHER DISPOSAL DESCRIPTION:
 Drilling fluids disposal: KMG will reuse water-based drilling fluids to the maximum extent at which point they will either be land applied or taken to a licensed, commercial disposal site; decided upon based off of laboratory analysis of fluids.

Cuttings disposal: The surface owner (KMG) has agreed to disposal of water-based cuttings onsite using bioremediation/solidification product.

FLOW LINE AND PIPELINE DESCRIPTION:
 Flow Lines: Ten flow lines will flow to the production facility location (four flow lines for the new proposed wells which are ~ 275' in length each; six flow lines for the existing wells described in Related Remote Locations section that are ~ 5,900' in total length). During production, flow direction in the flow lines is from the well head to the production facility. The size of flow lines is typically 2". Flow lines will be constructed from steel pipe, buried, and will equal the distance between the well heads and the tank battery, approximately 7,000' in total length.

Ten fuel gas supply lines will also be installed from the well head to the production facility (four fuel gas supply lines for the new proposed wells which are ~ 275' in length each; six fuel gas supply lines for the existing wells described in Related Remote Locations section that are ~ 5,900' in total length). During operation flow direction in the supply lines will be from the production facility to the well head. The size of the supply lines is typically 1". Supply lines will be constructed from poly or steel pipe, buried, and will equal the distance between the well heads and the tank battery, approximately 7,000' in total length.

Gas lift lines are also occasionally installed (one per new well) from the well head to the production facility. During operation flow direction in the gas lift lines will be from the production facility to the well head. The size of the gas lift lines is typically 2". Gas lift lines will be constructed from steel pipe, buried, and will equal the distance between the well heads and the tank battery, approximately 275' in length each for the four new proposed wells or approximately 1,100' in total length.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 09/24/2014 Email: DJRegulatory@anadarko.com

Print Name: Mike McConaughey Title: Sr Regulatory Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 11/6/2014

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type	Description
	Operator shall provide notice to COGCC 48 hours prior to commencing construction of this Oil and Gas Location via Form 42.

Best Management Practices

No	BMP/COA Type	Description
1	Planning	604c.(2).E. Multiwell Pads: In order to reduce surface impact, this application is for a four-well pad.
2	Planning	604c.(2).Q. Guy Line Anchors: Should guy line anchors be left buried for future use, they shall be identified by a bright marker greater than four (4) feet high and no more than one (1) foot east of the guy line anchor.
3	Planning	604c.(2).R. Tank Specifications: A geosynthetic liner will be laid under the tanks on this location and a metal containment will be constructed. Storage tanks will be designed, constructed and maintained in accordance with National Fire Protection Association (NFPA) Code 30 (2008 version). KMG will maintain written records to verify proper design, construction and maintenance. All records will be available for inspection by the Director. Two 500 barrel skid-mounted frac tanks will be temporarily placed on-site for use of the pre-spud rig only. One tank will store water and the other will store water based mud.
4	Planning	604c.(2).S. Access Roads: KMG will utilize a lease access road from County Road 22 for drilling operations and maintenance equipment. The road will be properly constructed and maintained to accommodate for local emergency vehicle access. Water will be placed on dirt access roads to mitigate dust as needed. If feasible, magnesium chloride will also be used as needed on access roads to further abate dust.
5	Planning	604c.(2).V. Development From Existing Well Pads: Drilling from an existing well pad was not feasible for the development of the wells on this proposed oil and gas location; however, this well pad will be considered for future well locations.
6	Traffic control	604c.(2).D. Traffic Plan: If required by the local government, a traffic plan will be coordinated with the local jurisdiction prior to commencement of operations.
7	General Housekeeping	604c.(2).O. Loadlines: All loadlines shall be bullplugged or capped.
8	General Housekeeping	604c.(2).P. Removal of Surface Trash: A commercial size trash bin for removing debris will be located on site. This bin will be for use by all parties affiliated with the operation.
9	Storm Water/Erosion Control	604c.(2).W. Site-Specific Measures: KMG maintains a Stormwater Management Plan that assesses erosion control for every KMG operated location. This location will be added to this plan once construction begins. This site will be inspected every fourteen (14) days during construction activities, every thirty (30) days after construction is completed, and after any major weather event.
10	Material Handling and Spill Prevention	604c.(2).N. Control of Fire Hazards: KMG and its contractors will employ best management practices during the drilling and production of its wells and facilities and will comply with appropriate COGCC rules concerning safety and fire. KMG will ensure that any material that might be deemed a fire hazard will remain no less than twenty-five (25) feet from the wellhead(s), tanks and separator(s).
11	Material Handling and Spill Prevention	604c.(2).F. Leak Detection Plan: Automation technology will be utilized at this facility. This technology includes the use of fluid level monitoring for the tanks and produced water sumps, high-level shut offs, and electronic sensors to monitor the interstitial space of double-walled produced water sumps. All automation is monitored by Kerr-McGee's Integrated Operations Center (IOC,) which is manned 24 hours per day, 7 days per week.
12	Construction	604c.(2).M. Fencing Requirements: The completed wellsites will be surrounded with a fence and gate with adequate lock to restrict access to authorized personnel only. KMG personnel will monitor the wellsites regularly upon completion of the wells. Authorized representatives and/or KMG personnel shall be on-site during drilling and completion operations.
13	Construction	604c.(2).G. Berm Construction: Kerr-McGee will create tertiary containment by construction of a berm or diversion dike, site grading, or other comparable measures sufficient to further protect the water well located 543' W of the proposed oil and gas location (permit #272439).

14	Noise mitigation	<p>604c.(2).A. Noise: Pending a safety review after construction of the location, sound mitigation barriers (hay bales) will be placed on the pad location to dampen noise during drilling and completions to the nearby building units.</p> <p>Sound surveys that have been conducted on each rig type are utilized to anticipate any additional noise mitigation once a drilling rig is determined.</p> <p>Directional lighting will also be utilized on the pad location in an effort to minimize the impact to the building units.</p>
15	Drilling/Completion Operations	604c.(2).B. Closed Loop Drilling System: KMG will use a closed loop or "pitless" system for drilling and fluid management and will not construct a reserve pit.
16	Drilling/Completion Operations	604c.(2).H. BOPE: Our rigs at a minimum will have a double ram with blind and pipe ram; and annular preventer.
17	Drilling/Completion Operations	604c.(2).I. BOPE Testing for Drilling Operations: Upon initial rig-up, BOPEs will be tested at a minimum of every 30 days.
18	Drilling/Completion Operations	604c.(2).J. BOPE for Well Servicing Operations: Blowout prevention equipment will be used on any servicing operations associated with this well. Backup stabbing valves will be used during any future servicing operations during reverse circulation. Valves shall be pressure tested before each well servicing operation using low-pressure air and high-pressure fluid.
19	Drilling/Completion Operations	604c.(2).K. Pit Level Indicators: All tanks (used in lieu of pits) contain pit level monitors with Electronic Drilling Recorders (EDR). KMG uses EDRs with pit level monitor(s) and alarm(s) for production rigs. Basic level gauges are used on tanks utilized for the surface rig.
20	Drilling/Completion Operations	604c.(2).L. Drill Stem Tests: No drill stem tests are planned and none will be performed without prior approval from the Director.
21	Drilling/Completion Operations	604c.(2).C. Green Completions: KMG will install Vapor Recovery Unit(s) (VRU) to prevent uncontrolled venting of flash gas. Environmental Control Devices or Volatile Organic Compound Combustors (VOC) will be used to control working and breathing vapor losses for oil and water tanks. Temporary above ground polyethylene water pipelines will deliver water to location operations from larger trunk lines to reduce truck traffic and minimize air pollution.
22	Final Reclamation	604c.(2).T. Well Site Cleared: The wellsite will be cleared of all non-essential equipment within ninety (90) days after all wells associated with the pad have been plugged and abandoned.
23	Final Reclamation	604c.(2).U. Identification of Plugged and Abandoned Wells: Pursuant to rule 319.a.(5)., once the well has been plugged and abandoned, KMG will identify the location of the wellbore with a permanent monument that will detail the well name and date of plugging.

Total: 23 comment(s)

Attachment Check List

Att Doc Num	Name
1668597	NRCS MAP UNIT DESC
1668598	LOCATION DRAWING
1668599	REFERENCE AREA PICTURES
1668600	RULE 306.E. CERTIFICATION
400585920	FORM 2A SUBMITTED
400598048	WELL LOCATION PLAT
400598053	MULTI-WELL PLAN
400598056	ACCESS ROAD MAP
400598083	WASTE MANAGEMENT PLAN
400598095	LOCATION PICTURES
400611942	OTHER
400654741	HYDROLOGY MAP
400692532	SURFACE AGRMT/SURETY
400693980	FACILITY LAYOUT DRAWING

Total Attach: 14 Files

General Comments

User Group	Comment	Comment Date
Permit	Final Review Completed. No LGD or public comment received.	11/6/2014 9:36:23 AM
OGLA	OGLA review is complete. No public comments received. OGLA task passed.	11/5/2014 5:13:01 PM
OGLA	In the BMP section, number 3 addresses 604.c.(3)B.i and 604.c.(3)B.ii is addressed and number 13 addresses 604.c.(3)B.iii. BMP number 13 sites 604c.(2).G for berm construction, containment of 150% and inspections is not mentioned. The operator is still required to meet Rule 604c.(2).G.	11/5/2014 4:59:05 PM
OGLA	Operator sent reference pictures with the lat/long as a reference, sent new location drawing with water wells and updated distance to 86 feet, and sent additional NRCS map units.	11/5/2014 1:47:48 PM
OGLA	Sent Operator email requesting refrence map, clarification on water well distance, and to revise soil information. Email sent 10/28/14 request info back by 11/28/14	10/29/2014 9:19:07 AM
Permit	The Certification of Compliance with Rule 305.a is under other. ok to pass.	10/3/2014 9:56:35 AM
Permit	Passed Completeness	9/26/2014 9:58:10 AM
OGLA	Passed completeness review for Exception Zone	9/25/2014 2:07:07 PM
Permit	Within Exception Zone, sent to John Noto for further review.	9/25/2014 7:25:16 AM

Total: 9 comment(s)