

FORM
2A

Rev
08/13

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400716892

0

Date Received:

10/28/2014

Oil and Gas Location Assessment

New Location Refile Amend Existing Location Location#: _____

Submit signed original form. This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

440093

Expiration Date:

11/20/2017

This location assessment is included as part of a permit application.

CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 10071
 Name: BARRETT CORPORATION* BILL
 Address: 1099 18TH ST STE 2300
 City: DENVER State: CO Zip: 80202

Contact Information

Name: Venessa Langmacher
 Phone: (303) 312-8172
 Fax: (303) 291-0420
 email: vlangmacher@billbarrettcop.com

RECLAMATION FINANCIAL ASSURANCE

- Plugging and Abandonment Bond Surety ID: 20040060 Gas Facility Surety ID: _____
- Waste Management Surety ID: _____

LOCATION IDENTIFICATION

Name: Anschutz Windmill Number: 10-34 EXT
 County: WELD
 Quarter: SESE Section: 28 Township: 5N Range: 62W Meridian: 6 Ground Elevation: 4635

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 201 feet FSL from North or South section line
950 feet FEL from East or West section line
 Latitude: 40.363992 Longitude: -104.322964
 PDOP Reading: 1.3 Date of Measurement: 02/03/2014
 Instrument Operator's Name: Zane Bullard

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID # FORM 2A DOC #

Production Facilities Location serves Well(s)

424573

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells _____	Oil Tanks* _____ 1	Condensate Tanks* _____	Water Tanks* _____	Buried Produced Water Vaults* _____
Drilling Pits _____	Production Pits* _____	Special Purpose Pits _____	Multi-Well Pits* _____	Modular Large Volume Tanks _____
Pump Jacks _____	Separators* _____ 1	Injection Pumps* _____	Cavity Pumps* _____	Gas Compressors* _____
Gas or Diesel Motors* _____	Electric Motors _____	Electric Generators* _____	Fuel Tanks* _____	LACT Unit* _____
Dehydrator Units* _____	Vapor Recovery Unit* _____	VOC Combustor* _____	Flare* _____	Pigging Station* _____ 1

OTHER FACILITIES*

Other Facility Type

Number

Gas Pipeline, 8" steel	1
Meter Run/House	1

Those facilities indicated by an asterisk () shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

One 8" gas pipeline will be on location from Anschutz 10-34H extending onwards to BCEI.

CONSTRUCTION

Date planned to commence construction: 12/01/2014 Size of disturbed area during construction in acres: 0.41

Estimated date that interim reclamation will begin: 12/01/2014 Size of location after interim reclamation in acres: 0.41

Estimated post-construction ground elevation: 4634

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: No

Is H₂S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: _____ Drilling Fluids Disposal Method: _____

Cutting Disposal: _____ Cuttings Disposal Method: _____

Other Disposal Description:

Beneficial reuse or land application plan submitted? _____

Reuse Facility ID: _____ or Document Number: _____

Centralized E&P Waste Management Facility ID, if applicable: _____

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: State of Colorado Phone: 3038663454
 Address: 1127 Sherman St, Suite 300 Fax: 3038663152
 Address: _____ Email: _____
 City: Denver State: CO Zip: 80203
 Surface Owner: Fee State Federal Indian
 Check all that apply. The Surface Owner: is the mineral owner
 is committed to an oil and Gas Lease
 has signed the Oil and Gas Lease
 is the applicant
 The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Indian
 The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: No
 The right to construct this Oil and Gas Location is granted by: Surface Use Agreement
 Surface damage assurance if no agreement is in place: _____ Surface Surety ID: _____
 Date of Rule 306 surface owner consultation _____

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):
 Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

Future Land Use (Check all that apply):
 Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP
 Non-Crop Land: Rangeland Timber Recreational Other (describe): _____
 Subdivided: Industrial Commercial Residential

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	_____ Feet	5280 Feet
Building Unit:	_____ Feet	5280 Feet
High Occupancy Building Unit:	_____ Feet	5280 Feet
Designated Outside Activity Area:	_____ Feet	5280 Feet
Public Road:	_____ Feet	5280 Feet
Above Ground Utility:	_____ Feet	5280 Feet
Railroad:	_____ Feet	5280 Feet
Property Line:	_____ Feet	150 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

Buffer Zone

Exception Zone

Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 70: Valent Sand 3-9% slopes _____

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: 02/03/2014

List individual species:

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
 Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
 Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
 Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
 Mountain Riparian (Cottonwood, Willow, Blue Spruce)
 Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
 Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
 Alpine (above timberline)
 Other (describe): _____

WATER RESOURCES

Is this a sensitive area: No Yes

Distance to nearest

downgradient surface water feature: 5280 Feet

water well: 1946 Feet

Estimated depth to ground water at Oil and Gas Location 62 Feet

Basis for depth to groundwater and sensitive area determination:

Is the location in a riparian area: No Yes

Was an Army Corps of Engineers Section 404 permit filed No Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule N/A

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
 Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
 Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
 Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
 Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments: This location is for a facility extension for the Anschutz Windmill 10-34H. The only surface disturbance will be for what is needed on the pad, therefore no reclamation is needed.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.
Signed: _____ Date: 10/28/2014 Email: vlangmacher@billbarrettcorp.com

Print Name: Venessa Langmacher Title: Sr Permit Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 11/21/2014

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

<u>COA Type</u>	<u>Description</u>

Best Management Practices

No	BMP/COA Type	Description
1	Storm Water/Erosion Control	<p>STORM WATER AND SPILL CONTROL PRACTICES</p> <p>GENERAL</p> <ul style="list-style-type: none"> · Utilize diking and other forms of containment and diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads. Alternatively secondary containment may be provided around the entire perimeter of the location when containment structures are not feasible in immediate vicinity of storage vessels. · Use drip pans, sumps, or liners where appropriate · Limit the amount of land disturbed during construction of pad, access road, and facilities · Employ spill response plan (SPCC) for all facilities · Dispose properly offsite any wastes fluids and other materials <p>MATERIAL HANDLING, ACTIVITIES, PRACTICES AND STORM WATER DIVERSION</p> <ul style="list-style-type: none"> · Secondary containment of tanks, drums, and storage areas is mandatory to prohibit discharges to surface waters. A minimum of 110% capacity required of largest storage tank within a containment area · Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters · Proper loading, and transportation procedures to be followed for all materials to and from locations <p>EROSION CONTROL</p> <ul style="list-style-type: none"> · Pad and access road to be designed to minimize erosion · Pad and access road to implement appropriate erosion control devices where necessary to minimize erosion · Routine inspections of sites and controls to be implemented with additions, repairs, and optimization to occur as necessary to minimize erosion <p>SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING</p> <ul style="list-style-type: none"> · All employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually · Conduct internal storm water inspections per applicable stormwater regulations · Conduct routine informal inspections of all tanks and storage facilities at least weekly · All containment areas are to be inspected weekly or following a heavy rain event. · Any excessive precipitation accumulation within containment should be removed as appropriate and disposed of properly · All structural berms, dikes, and containment will be inspected periodically to ensure they are operating correctly <p>SPILL RESPONSE Spill response procedures as per the BBC field SPCC Plan</p> <p>VEHICLE & LOCATION PROCEDURES</p> <ul style="list-style-type: none"> · Vehicles entering location are to be free of chemical, oil, mud, weeds, trash, and debris · Location to be treated to kill weeds and bladed when necessary

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400716892	FORM 2A SUBMITTED
400716958	ACCESS ROAD MAP
400716959	FACILITY LAYOUT DRAWING
400716960	LOCATION DRAWING
400716961	LOCATION PICTURES
400716963	REFERENCE AREA MAP
400716964	REFERENCE AREA PICTURES
400718618	NRCS MAP UNIT DESC
400718619	HYDROLOGY MAP
400718620	SURFACE AGRMT/SURETY
400718621	WASTE MANAGEMENT PLAN

Total Attach: 11 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	Changed Right-of-Way to Surface Use Agreement per Operator Concurrence via telephone conversation - 11/20/2014	11/21/2014 10:44:12 AM
Permit	Final Review Completed. No LGD or public comment received.	11/20/2014 1:01:23 PM
	Discussed the layout with the Operator during a telephone conversation on 11/18/2014. Remote Tank is being placed adjacent to the Sales Meter and the gas pipeline. Two phase line will run from the wellhead to the separator at this proposed Location. Flowlines will run from the separator to the oil tank (for any oil produced) and gas flowline will tie directly into the gas pipeline.	11/19/2014 10:53:47 AM
Permit	ok to pass.	11/13/2014 1:33:36 PM
Permit	Passed completeness.	10/30/2014 2:43:29 PM

Total: 5 comment(s)