

**FORM INSP**  
Rev 05/11

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:  
11/25/2014

Document Number:  
673900634

Overall Inspection:  
SATISFACTORY

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>423619</u>	<u>423607</u>	<u>Rains, Bill</u>	<input type="checkbox"/>	

**Operator Information:**

OGCC Operator Number: 10071

Name of Operator: BARRETT CORPORATION\* BILL

Address: 1099 18TH ST STE 2300

City: DENVER State: CO Zip: 80202

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Hirtler, Chrisinta	303-312-8511	chirtler@billbarrettcorp.com	All inspections
Hirtler, Chrisinta	303-312-8511	chirtler@billbarrettcorp.com	All inspections
Fallang, Tracey	303-312-8134	tfallang@billbarrettcorp.com	All Inspections

**Compliance Summary:**

QtrQtr: LOT1 Sec: 19 Twp: 6N Range: 61W

**Inspector Comment:**

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
423619	WELL	WO	10/14/2013	OW	123-33649	Greasewood 09-19H	PR	<input checked="" type="checkbox"/>

**Equipment:**

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: <u>2</u>	Electric Motors: <u>1</u>
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: <u>1</u>	VOC Combustor: <u>1</u>	Oil Tanks: <u>3</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: <u>1</u>	Fuel Tanks: _____

**Location**

**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			
CONTAINERS	SATISFACTORY			

Inspector Name: Rains, Bill

BATTERY	SATISFACTORY			
---------	--------------	--	--	--

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:**

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

**Equipment:**

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Gas Meter Run	2	SATISFACTORY			
Ancillary equipment	1	SATISFACTORY	CHEM PUMP AND TANK		
Vertical Separator	2	SATISFACTORY			
Bird Protectors	2	SATISFACTORY			
Prime Mover	1	SATISFACTORY	ELECTRIC MOTOR		
Pump Jack	1	SATISFACTORY			
VRU	1	SATISFACTORY			
Flare	1	SATISFACTORY			
Horizontal Heated Separator	1	SATISFACTORY			
Emission Control Device	1	SATISFACTORY			

**Facilities:**  New Tank Tank ID: \_\_\_\_\_

Contents	#	Capacity	Type	SE GPS
			CENTRALIZED PAD	,

S/A/V: \_\_\_\_\_ Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Corrective Date: \_\_\_\_\_

**Paint**

Condition: \_\_\_\_\_

Other (Content) \_\_\_\_\_

Other (Capacity) \_\_\_\_\_

Other (Type) \_\_\_\_\_

**Berms**

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action \_\_\_\_\_ Corrective Date \_\_\_\_\_

Comment \_\_\_\_\_

**Facilities:**  New Tank Tank ID: \_\_\_\_\_

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	400 BBLs	STEEL AST	,

S/A/V: SATISFACTORY Comment: \_\_\_\_\_

Inspector Name: Rains, Bill

Corrective Action:	Corrective Date:
--------------------	------------------

Paint

Condition	Adequate
-----------	----------

Other (Content) \_\_\_\_\_

Other (Capacity) \_\_\_\_\_

Other (Type) \_\_\_\_\_

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action	Corrective Date
-------------------	-----------------

Comment	
---------	--

**Facilities:**       New Tank      Tank ID: \_\_\_\_\_

Contents	#	Capacity	Type	SE GPS
CRUDE OIL	3	400 BBLS	STEEL AST	40.479750,-104.259230

S/A/V:	SATISFACTORY	Comment:	
--------	--------------	----------	--

Corrective Action:	Corrective Date:
--------------------	------------------

Paint

Condition	Adequate
-----------	----------

Other (Content) \_\_\_\_\_

Other (Capacity) \_\_\_\_\_

Other (Type) \_\_\_\_\_

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action	Corrective Date
-------------------	-----------------

Comment	
---------	--

**Venting:**

Yes/No	Comment	
NO		

**Flaring:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 423619

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/A/V:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	andrewsd	Operators or their designated representatives shall conduct regular visual inspections of the exterior wall and general area for any integrity deficiencies. These inspections will be recorded and maintained for a period of at least 5 years per Rule 205. Inspection records shall be provided to the COGCC upon request.	10/22/2013
OGLA	andrewsd	LVSTs will be brought into service incrementally, by loading to 25%, 50%, 75%, and 100% capacity (subject to freeboard) and held at each level without leaks for 24-hours prior to increasing load.	10/22/2013
OGLA	andrewsd	Site preparation oversight will be provided by a Colorado Licensed Professional Engineer or their designated representative.	10/22/2013
OGLA	andrewsd	LVSTs shall not be located on non-engineered fill material	10/22/2013
OGLA	andrewsd	Signs shall be posted on each LVST to indicate contents are freshwater and that no E&P waste fluids are allowed. Location and additional signage shall conform to Rule 210.	10/22/2013
OGLA	andrewsd	Access to the tanks shall be controlled by the operator and limited to operational personnel, COGCC, or other Local Government Designee personnel.	10/22/2013
OGLA	andrewsd	LVST installation oversight shall be provided by a Colorado Licensed Professional Engineer or their designated representative.	10/22/2013
OGLA	andrewsd	LVSTs may only be utilized for the storage of freshwater. E&P wastes, including treated E&P wastes, are not allowed.	10/22/2013
OGLA	andrewsd	Operator shall develop a Contingency Plan for any LVST leak or catastrophic failure of the tank integrity and resulting loss of fluid. The plan Should include a notification process to the COGCC and local Emergency authority (municipality, county, or both) for any failure and resulting loss of fluid. Best Management Practices shall be employed to prevent injuries, property damage or environmental impacts, such as erosion of onsite sediment into nearby surface water. The Contingency Plan shall be submitted to the COGCC as an attachment to the Form 2A or Form 4 Sundry Notice prior to construction and operation of the LVSTs.	10/22/2013
OGLA	andrewsd	LVSTs will be operated with a minimum of 1 foot freeboard.	10/22/2013
OGLA	andrewsd	Setback rules applicable to tanks at the time of permit application shall apply to the siting of the LVSTs.	10/22/2013
OGLA	andrewsd	All liner seams shall be welded at the liner manufacturers facility; field welded liners shall not be used. Liner material shall not be reused	10/22/2013
OGLA	andrewsd	The operator shall notify the COGCC 48 hours prior to start of LVST construction, liner installation, start of hydrostatic testing, and start of hydraulic stimulation operations using COGCC Form 42.	10/22/2013

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
<p>Drilling/Completion Operations</p>	<p>NOTIFICATIONS</p> <ul style="list-style-type: none"> <li>• Proper notifications required by COGCC regulations or policy memos will be adhered to</li> </ul> <p>TRENCHES/PITS/TEMPORARY FRAC TANKS</p> <ul style="list-style-type: none"> <li>• Unlined pits will not be constructed on fill material.</li> <li>• Any free liquids accumulated in the containment would be removed and hauled to an approved waste disposal facility. Drill cuttings would either be hauled to an approved spread field or waste disposal facility or would be treated and disposed of onsite. Disposal methods would comply with COGCC regulations.</li> <li>• Flowback and stimulation fluids from the wells being completed will be sent to tanks and/or filters to allow the sand to settle out before the fluids are hauled to a state approved disposal facility.</li> <li>• Temporary frac tanks installed on location will have proper secondary containment according to SPCC regulations such as either putting a perimeter berm around location or around the frac tanks.</li> </ul>
<p>Drilling/Completion Operations</p>	<p>Large Volume Above Ground Storage Tanks:                      BBC will be utilizing 1 40,000 bbls tank provided by Well Water Solutions. The tanks are approximately 156 feet in diameter and 12 feet tall. Well Water Solution's tanks are manufactured in accordance with designs and specifications that have been reviewed and certified by a Professional Engineer. The tanks will be erected by Well Water Solutions or a contractor authorized by Well Water Solutions to set up their tanks. The tanks will be filled with fresh water obtained from local fresh water sources. The tanks will be placed within the perimeter berm that will be constructed around the entire pad.                      The tank will be placed on cut only. We also bring in dirt and create a solid, flat, and level area for the tank to sit on before the vender starts work on the tank. Then the vender digs a small trench and lays down a geo pad before starting to assemble the tank.                      During initial pad construction, compactors are utilized along with wetting of soil while compacting. This is standard BBC procedure. Also all fittings and flow lines are schedule 80 (2400 psi WP) along with all connections being welded. Tanks will be placed on a bed of sand with a 36 mil synthetic liner that is attached to 3' corrugated containment.                      Please see diagrams attached.</p>

Storm Water/Erosion Control

GENERAL

- Utilize diking and other forms of containment and diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads
- Use drip pans, sumps, or liners where appropriate
- Limit the amount of land disturbed during construction of pad, access road, and facilities
- Employ spill response plan (SPCC) for all facilities
- Dispose properly offsite any wastes fluids and other materials

MATERIAL HANDLING, ACTIVITIES, PRACTICES AND STORM WATER DIVERSION

- Secondary containment of tanks, drums, and storage areas is mandatory to prohibit discharges to surface waters. A minimum of 110% capacity required of largest storage tank within a containment area
- Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters
- Proper loading, and transportation procedures to be followed for all materials to and from locations

EROSION CONTROL

- Pad and access road to be designed to minimize erosion
- Pad and access road to implement appropriate erosion control devices where necessary to minimize erosion
- Routine inspections of sites and controls to be implemented with additions, repairs, and optimization to occur as necessary to minimize erosion

SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING

- All employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually
- Conduct internal storm water inspections per applicable stormwater regulations
- Conduct routine informal inspections of all tanks and storage facilities at least weekly
- All containment areas are to be inspected weekly or following a heavy rain event.
- Any excessive precipitation accumulation within containment should be removed as appropriate and disposed of properly
- All structural berms, dikes, and containment will be inspected periodically to ensure they are operating correctly

SPILL RESPONSE

- Spill response procedures as per the BBC field SPCC Plan

VEHICLE & LOCATION PROCEDURES

- Vehicles entering location are to be free of chemical, oil, mud, weeds, trash, and debris
- Location to be treated to kill weeds and bladed when necessary

S/A/V: \_\_\_\_\_ Comment: \_\_\_\_\_

CA: \_\_\_\_\_ Date: \_\_\_\_\_

Stormwater:

Comment: \_\_\_\_\_

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Inspector Name: Rains, Bill

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

**Facility**

Facility ID: 423619 Type: WELL API Number: 123-33649 Status: WO Insp. Status: PR

**Producing Well**

Comment: PR

**BradenHead**

Comment: BRADENHEAD EXPOSED TO SURFACE

CA: \_\_\_\_\_

CA Date: \_\_\_\_\_

**Environmental**

**Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_

Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS: \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): Y \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: ON \_\_\_\_\_ Wildlife Protection Devices (fired vessels): YES \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: DRY LAND

Comment: \_\_\_\_\_

1003a. Debris removed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Waste Material Onsite? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Unused or unneeded equipment onsite? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors removed? Pass CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? Pass Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? Pass Subsidence over on drill pit? Pass

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? Pass Segregated soils have been replaced? Pass

RESTORATION AND REVEGETATION

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced Pass Recontoured Pass 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: DRY LAND \_\_\_\_\_

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Inspector Name: Rains, Bill

Overall Final Reclamation \_\_\_\_\_ Well Release on Active Location  Multi-Well Location

<b>Storm Water:</b>						
Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass	Ditches	Pass	MHSP	Pass	
Gravel		Gravel				

S/A/V: SATISFACTOR Corrective Date: \_\_\_\_\_  
Y \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT