

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400735261

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-38911-00

7. Well Name: BERRY FARMS

8. Location: QtrQtr: NENE Section: 8 Township: 3N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 30N-8HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/23/2014 End Date: 10/25/2014 Date of First Production this formation: 11/06/2014
Perforations Top: 7444 Bottom: 11384 No. Holes: 0 Hole size:

Provide a brief summary of the formation treatment:

Open Hole: ☒

"COMPLETED THROUGH AN OPEN HOLE LINER FROM 7444-11,384.
109,093 BBL SLICKWATER, - 109,093 BBL TOTAL FLUID
2,905,496# 40/70 GENOA/SAND HILLS, - 2,905,496# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 109093

Max pressure during treatment (psi): 7375

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.92

Total acid used in treatment (bbl): 0

Number of staged intervals: 32

Recycled water used in treatment (bbl): 0

Flowback volume recovered (bbl): 982

Fresh water used in treatment (bbl): 109093

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 2905496

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 11/24/2014 Hours: 24 Bbl oil: 172 Mcf Gas: 256 Bbl H2O: 51
Calculated 24 hour rate: Bbl oil: 172 Mcf Gas: 256 Bbl H2O: 51 GOR: 1488
Test Method: FLOWING Casing PSI: 800 Tubing PSI: Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1350 API Gravity Oil: 48
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth:

** Sacks cement on top:

** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: ILA BEALE

Title: STAFF REG. SPECIALIST Date: Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)