

STATE OF
COLORADO

Andrews - DNR, Doug <doug.andrews@state.co.us>

COGCC Form 2A review of Noble Energy's HESTON LD06-635 Pad - Doc #400651851

4 messages

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: smiller@nobleenergyinc.com

Wed, Dec 3, 2014 at 3:03 PM

Susan,

I have reviewed the referenced Form 2A Oil & Gas Location Assessment and have the following comment.

During my review, I identified a pond on both aerial photos and the USGS Topographic Map approximately 1,600 feet southwest of this proposed oil and gas location. This pond is also visible just beyond the 1,000 foot buffer on the Hydrology Map. This pond appears to be topographically downgradient of the proposed oil and gas location. Therefore, I would like to change the distance to the nearest downgradient water well from 3,500 feet to 1,600 feet in the Water Resources section.

Please respond to this correspondence by January 3, 2015. If you have any questions, please contact me. Thank you.

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area

**COLORADO**
Oil & Gas Conservation
Commission

Department of Natural Resources

1120 Lincoln St., Suite 801

Denver, CO 80203

doug.andrews@state.co.us

303-894-2100 Ext. 5180

SMiller@nobleenergyinc.com <SMiller@nobleenergyinc.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

Wed, Dec 3, 2014 at 3:19 PM

Doug,

Did you mean to say you want to change the distance to the nearest down gradient surface water feature and not water well? The nearest water well is located 3115' east of the location. Thank you.

Susan Miller
Regulatory Analyst
EHSR

direct: 303-228-4246
cell: 303-946-1657
fax: 303-228-4286
smiller@nobleenergyinc.com



From: "Andrews - DNR, Doug" <doug.andrews@state.co.us>
To: smiller@nobleenergyinc.com
Date: 12/03/2014 03:03 PM
Subject: EXTERNAL: COGCC Form 2A review of Noble Energy's HESTON LD06-635 Pad - Doc #400651851

[Quoted text hidden]

The information contained in this e-mail and any attachments may be confidential. If you are not the intended recipient, please understand that dissemination, copying, or using such information is prohibited. If you have received this e-mail in error, please immediately advise the sender by reply e-mail and delete this e-mail and its attachments from your system.

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: SMiller@nobleenergyinc.com

Wed, Dec 3, 2014 at 3:24 PM

Whoops, my mistake. Yes I would like to change the distance to the nearest downgradient surface water feature. My apologies for the confusion.

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area



1120 Lincoln St., Suite 801
Denver, CO 80203
doug.andrews@state.co.us
303-894-2100 Ext. 5180

[Quoted text hidden]

SMiller@nobleenergyinc.com <SMiller@nobleenergyinc.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

Fri, Dec 5, 2014 at 7:08 AM


Doug,

Noble concurs with your proposed change to the distance to the nearest downgradient surface water feature from 3500' to 1600' for the subject APD.

Thank you.

Susan Miller
Regulatory Analyst
EHSR

direct: 303-228-4246
cell: 303-946-1657
fax: 303-228-4286
smiller@nobleenergyinc.com

 noble energy

From: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

To: SMiller@nobleenergyinc.com

Date: 12/03/2014 03:25 PM

Subject: EXTERNAL: Re: COGCC Form 2A review of Noble Energy's HESTON LD06-635 Pad - Doc #400651851

[Quoted text hidden]