

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400646435

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>96155</u>	4. Contact Name: <u>Elvera Berryman</u>
2. Name of Operator: <u>WHITING OIL &amp; GAS CORPORATION</u>	Phone: <u>(303) 390-4221</u>
3. Address: <u>1700 BROADWAY STE 2300</u>	Fax: <u>(303) 390-1598</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80290</u>	Email: <u>elvera.berryman@whiting.com</u>

5. API Number <u>05-123-38345-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>Razor Federal</u>	Well Number: <u>26J-3509A</u>
8. Location: QtrQtr: <u>NWSE</u> Section: <u>26</u> Township: <u>10N</u> Range: <u>58W</u> Meridian: <u>6</u>	
9. Field Name: <u>DJ HORIZONTAL NIOBRARA</u> Field Code: <u>16950</u>	

### Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/22/2014 End Date: 07/29/2014 Date of First Production this formation: 08/15/2014  
Perforations Top: 5998 Bottom: 12250 No. Holes: 1476 Hole size: 3/8

Provide a brief summary of the formation treatment: Open Hole:

Cemented liner: 40 stage Clearstar 30 XL Gel 72398 bbl; 30# Linear Gel 13780 bbl; Slickwater 25391 bbl; 15% HCl 212 bbl.  
Total Slurry Volume: 117990 bbl.  
Proppant: 20/40 White Sand: 5624180 lb; 40/70 White Sand: 143380 lb.  
See attached Frac Summary Report and Wellbore Diagram for details.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 111781 Max pressure during treatment (psi): 7691  
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 3.88  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.83  
Total acid used in treatment (bbl): 212 Number of staged intervals: 40  
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 12315  
Fresh water used in treatment (bbl): 111781 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 5767560 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 10/21/2014 Hours: 24 Bbl oil: 326 Mcf Gas: 194 Bbl H2O: 97  
Calculated 24 hour rate: Bbl oil: 326 Mcf Gas: 194 Bbl H2O: 97 GOR: 595  
Test Method: Separator Casing PSI: 850 Tubing PSI: 330 Choke Size: 26/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1393 API Gravity Oil: 37  
Tubing Size: 2 + 7/8 Tubing Setting Depth: 5651 Tbg setting date: 08/19/2014 Packer Depth: 5651

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:  
Well drilled 23' passed 600' setback. Form 5A will be submitted documenting that the bottom 60' of wellbore will not produce. Landing Collar is a 12250. Cement fills the hole from 12250 to TD.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.  
Signed: \_\_\_\_\_ Print Name: Elvera Berryman  
Title: elvera.berryman@whiting.c Date: \_\_\_\_\_ Email: Engineering Technician

### Attachment Check List

Att Doc Num	Name
400749631	WELLBORE DIAGRAM

Total Attach: 1 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)