

FORM
5

Rev
09/14

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:
400745264

Date Received:

DRILLING COMPLETION REPORT

This form is to be submitted within 30 days of the setting of production casing, the plugging of a dry hole, the deepening or sidetracking of a well, or any time the wellbore configuration is changed. If the well is deepened or sidetracked a new Form 5 is required. If an attempt has been made to complete/produce a well, then the operator shall submit Form 5A (Completed Interval Report.) If the well has been plugged, a form 6 (Well Abandonment Report) is required.

Completion Type Final completion Preliminary completion

OGCC Operator Number: 100185 Contact Name: Toby Sachen
Name of Operator: ENCANA OIL & GAS (USA) INC Phone: (720) 876-5845
Address: 370 17TH ST STE 1700 Fax:
City: DENVER State: CO Zip: 80202-

API Number 05-123-38445-00 County: WELD
Well Name: Bohrer Well Number: 2E-19H-E368
Location: QtrQtr: SWNW Section: 19 Township: 3n Range: 68w Meridian: 6
Footage at surface: Distance: 1402 feet Direction: FNL Distance: 762 feet Direction: FWL
As Drilled Latitude: 40.214370 As Drilled Longitude: -105.052448

GPS Data:

Date of Measurement: 11/25/2014 PDOP Reading: 2.9 GPS Instrument Operator's Name: Chris Bettencourt

** If directional footage at Top of Prod. Zone Dist.: 1533 feet. Direction: FNL Dist.: 760 feet. Direction: FWL

Sec: 19 Twp: 3n Rng: 68w

** If directional footage at Bottom Hole Dist.: 1603 feet. Direction: FNL Dist.: 521 feet. Direction: FEL

Sec: 19 Twp: 3n Rng: 68w

Field Name: WATTENBERG Field Number: 90750

Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 05/03/2014 Date TD: 06/12/2014 Date Casing Set or D&A: 06/13/2014

Rig Release Date: 06/06/2014 Per Rule 308A.b.

Well Classification:

Dry Oil Gas/Coalbed Disposal Stratigraphic Enhanced Recovery Storage Observation

Total Depth MD 11300 TVD** 6927 Plug Back Total Depth MD 11276 TVD** 6927

Elevations GR 5059 KB 5091 Digital Copies of ALL Logs must be Attached per Rule 308A

List Electric Logs Run:

CBL, MWD, Open Hole Logs run on the Bohrer 2F-19H-E368.

CASING, LINER AND CEMENT

| Casing Type | Size of Hole | Size of Casing | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Top | Cmt Bot | Status |
|-------------|--------------|----------------|-------|---------------|---------------|-----------|---------|---------|--------|
| CONDUCTOR | 30 | 16 | 30 | 0 | 112 | 114 | 0 | 112 | |
| SURF | 12+1/4 | 9+5/8 | 40 | 0 | 871 | 628 | 0 | 885 | |
| 1ST | 8+3/4 | 7 | 26 | 0 | 7,330 | 631 | 0 | 7,330 | |
| 2ND | 6+1/8 | 4+1/2 | 13.5 | 0 | 11,277 | 435 | 5,300 | 11,300 | |

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

| Method used | String | Cementing tool setting/perf depth | Cement volume | Cement top | Cement bottom |
|-------------|--------|-----------------------------------|---------------|------------|---------------|
| | | | | | |

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

| FORMATION NAME | Measured Depth | | Check if applies | | COMMENTS (All DST and Core Analysis must be submitted to COGCC) |
|----------------|----------------|--------|------------------|-------|---|
| | Top | Bottom | DST | Cored | |
| SHARON SPRINGS | 6,714 | | | | |
| NIOBRARA | 6,828 | | | | |
| FORT HAYS | 7,428 | | | | |
| CODELL | 7,572 | | | | |

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Toby Sachen

Title: Regulatory Analyst Date: _____ Email: toby.sachen@encana.com

Attachment Check List

| Att Doc Num | Document Name | attached ? | |
|-----------------------------|--|---|--|
| Attachment Checklist | | | |
| 400755344 | CMT Summary * | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| | Core Analysis | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> |
| 400755343 | Directional Survey ** | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| | DST Analysis | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> |
| | Logs | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| | Other | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> |
| Other Attachments | | | |
| 400755319 | PDF-CEMENT BOND | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| 400755326 | PDF-MEASUREMENT/LOGGING WHILE DRILLING | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| 400755341 | PDF-MEASUREMENT/LOGGING WHILE DRILLING | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| 400755342 | LAS-MEASUREMENT/LOGGING WHILE DRILLING | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| 400755350 | DIRECTIONAL DATA | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
| | | |

Total: 0 comment(s)