



DE	ET	OE	ES
Document Number: <div>400694602</div>			
Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <div>96850</div> Contact Name <div>Jessie Pahler (agent)</div>	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: <div>WPX ENERGY ROCKY MOUNTAIN LLC</div> Phone: <div>(970) 242-0170</div>	
Address: <div>1001 17TH STREET - SUITE #1200</div> Fax: <div>()</div>	
City: <div>DENVER</div> State: <div>CO</div> Zip: <div>80202</div> Email: <div>jpahler@westernwaterandland.com</div>	
API Number : <div>05-0452249000</div> OGCC Facility ID Number: <div>438500</div>	<div>Survey Plat</div>
Well/Facility Name: <div>WPX GM</div> Well/Facility Number: <div>414-33</div>	<div>Directional Survey</div>
Location QtrQtr: <div>NWSW</div> Section: <div>33</div> Township: <div>6S</div> Range: <div>96W</div> Meridian: <div>6</div>	<div>Srvc Eqpmt Diagram</div>
County: <div>GARFIELD</div> Field Name: <div>GRAND VALLEY</div>	<div>Technical Info Page</div>
Federal, Indian or State Lease Number: <div>COC24099</div>	<div>Other</div>

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

3

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

3

Number of Water Source Exceptions requested per Rule 609.c.

2

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Access request letters were sent to landowners with potential water sources within the 1/2 mile radius of location GM 13-33 (Location ID 323902). Access was granted to sample all sources. However, two sources were determined to be unsuitable for testing. One source lacked power to its pump, and one source was unsuitable due to its status as a hydrocarbon recovery remediation well. The only source sampled was Facility 753285. Please see attached document for details. This sundry applies to the following API numbers:

05-045-22490

05-045-22491

05-045-22492

05-045-22493

Operator Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jessie Pahler

Title: Project Scientist Email: jpahler@westernwaterandland.com Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
-------------------	----------------	---------------------

------	------	------

Total: 0 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
--------------------	-------------

400756475	WATER ANALYSIS
-----------	----------------

Total Attach: 1 Files