

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 400766111			
Date Received: 01/07/2015			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10071 Contact Name Mary Pobuda
 Name of Operator: BARRETT CORPORATION* BILL Phone: (303) 312-8511
 Address: 1099 18TH ST STE 2300 Fax: (303) 291-0420
 City: DENVER State: CO Zip: 80202 Email: mpobuda@billbarrettcorp.com

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 123 40127 00 OGCC Facility ID Number: 438794
 Well/Facility Name: Anschutz State Well/Facility Number: 5-62-35-0108BH2
 Location QtrQtr: NWNW Section: 35 Township: 5N Range: 62W Meridian: 6
 County: WELD Field Name: WATTENBERG
 Federal, Indian or State Lease Number: CO97998

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 - _____ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
 - _____ Number of Water Source Exceptions requested per Rule 609.c.
 - _____ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - _____ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

No action, no active wells in sampling range. Olsson samples all wells on the Anschutz Equus Ranch annually. Please see attached sundry figure.

This sundry is for all wells on this pad:

Anschutz State 5-62-35-0108BH2- API# 05-123-40127

Anschutz State 5-62-35-1609BH2- API# 05-123-40131

Anschutz State 5-62-35-1609CH2- API# 05-123-40128

Anschutz State 5-62-35-1724CH2- API# 05-123-40129

Operator Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Nikki Graber
 Title: Associate Geologist Email: ngrab@olssonassociates.com Date: 1/7/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSELL, ARTHUR Date: 1/7/2015

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
#Error	A review of DWR data on the COGCC website indicates that there are no water features that meet the 100 series rule definition of a water source within the governmental quarter section of the proposed oil and gas well or within any un-sampled governmental ¼ section within a ½ mile radius of the proposed oil and gas well.	1/7/2015 2:13:53 PM

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400766111	FORM 4 SUBMITTED
400766140	OTHER

Total Attach: 2 Files