

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



|                                      |    |    |    |
|--------------------------------------|----|----|----|
| DE                                   | ET | OE | ES |
| Document Number:<br><b>400767428</b> |    |    |    |
| Date Received:<br><b>01/08/2015</b>  |    |    |    |

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10399 Contact Name Brett Forkner  
 Name of Operator: NIGHTHAWK PRODUCTION LLC Phone: (303) 962-5538  
 Address: 1805 SHEA CENTER DR #290 Fax: (303) 433-1432  
 City: HIGHLANDS RANCH State: CO Zip: 80129 Email: bforkner@ltenv.com

Complete the Attachment  
Checklist  
OP OGCC

API Number : 05- 073 06667 00 OGCC Facility ID Number: 439251  
 Well/Facility Name: MARY JANE Well/Facility Number: 8-5  
 Location QtrQtr: SENE Section: 5 Township: 7S Range: 54W Meridian: 6  
 County: LINCOLN Field Name: ARIKAREE CREEK  
 Federal, Indian or State Lease Number: \_\_\_\_\_

|                     |  |  |
|---------------------|--|--|
| Survey Plat         |  |  |
| Directional Survey  |  |  |
| Srvc Eqpmt Diagram  |  |  |
| Technical Info Page |  |  |
| Other               |  |  |

**GROUND WATER SAMPLING**

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
  - 2 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
  - 4 Number of Water Source Exceptions requested per Rule 609.c.
  - 1 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
  - 1 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

\_\_\_\_\_ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
|           |             |             |                |
|           |             |             |                |
|           |             |             |                |
|           |             |             |                |

**COMMENTS**

There are two qualifying water wells within one half mile of proposed production well (Receipt number: 9042678 and Receipt number: 3647041).  
 Receipt number 9042678 was inoperable and confirm by field inspection.  
 Receipt number 3647041 was not sample due to landowner failure to grant access.

**Operator Comments:**

There are two qualifying water wells within one half mile of proposed production well (Receipt number: 9042678 and Receipt number: 3647041). Receipt number 9042678 was inoperable and confirm by field inspection. Receipt number 3647041 was not sample due to landowner failure to grant access

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Brett Forkner  
 Title: Project Environmental Sci Email: bforkner@ltenv.com Date: 1/8/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSELL, ARTHUR Date: 1/9/2015

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

| <u>COA Type</u> | <u>Description</u> |
|-----------------|--------------------|
|                 |                    |

**General Comments****User Group****Comment****Comment Date**

|        |  |                     |
|--------|--|---------------------|
| #Error | A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s). | 1/9/2015 9:31:22 AM |
|--------|--|---------------------|

Total: 1 comment(s)

**Attachment Check List****Att Doc Num****Name**

|           |                  |
|-----------|------------------|
| 400767428 | FORM 4 SUBMITTED |
| 400767457 | OTHER            |

Total Attach: 2 Files