



STATE OF
COLORADO

Andrews - DNR, Doug <doug.andrews@state.co.us>

COGCC Rule 306.e. Certification for Extraction's Westwind 7-P Pad

5 messages

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: Regulatory members <regulatory@petro-fs.com>

Wed, Dec 31, 2014 at 9:16 AM

Jennifer,

Now that the Public Comment period has ended for Extraction's Westwind 7-P Pad Form 2A (Doc #400671068), please send me a letter certifying Extraction's compliance with COGCC Rule 306.e. If any meetings/consultations took place concerning this proposed well pad location, please let me know what the outcome was. Thank you.

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area



1120 Lincoln St., Suite 801
Denver, CO 80203
doug.andrews@state.co.us
303-894-2100 Ext. 5180

Jennifer Grosshans <jgrosshans@petro-fs.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>
Cc: Regulatory members <regulatory@petro-fs.com>

Wed, Dec 31, 2014 at 9:18 AM

Doug,

There are three (3) Building Units that have requested consultation. They are going to be holding a meeting on January 10th with all Building Unit Owners requesting the consultation. We will follow up once the meeting has been held and outcomes are provided.

Thanks.

Jennifer Grosshans

Regulatory Analyst

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]
Sent: Wednesday, December 31, 2014 9:16 AM
To: Regulatory members
Subject: COGCC Rule 306.e. Certification for Extraction's Westwind 7-P Pad

[Quoted text hidden]

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: Jennifer Grosshans <jgrosshans@petro-fs.com>
Cc: Regulatory members <regulatory@petro-fs.com>

Wed, Dec 31, 2014 at 9:56 AM

Jennifer,

Thanks for the heads up. I'll look to hear from you about this location after January 10.

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area



1120 Lincoln St., Suite 801
Denver, CO 80203
doug.andrews@state.co.us
303-894-2100 Ext. 5180

[Quoted text hidden]

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: Jennifer Grosshans <jgrosshans@petro-fs.com>
Cc: Regulatory members <regulatory@petro-fs.com>

Mon, Jan 12, 2015 at 8:40 AM

Jennifer,

How did the meeting/consultation go between the Building Unit owners and Extraction? Anything to add or change to the Form 2A?

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area



1120 Lincoln St., Suite 801
Denver, CO 80203
doug.andrews@state.co.us
303-894-2100 Ext. 5180

[Quoted text hidden]

Jennifer Grosshans <jgrosshans@petro-fs.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>
Cc: Regulatory members <regulatory@petro-fs.com>

Mon, Jan 12, 2015 at 1:03 PM

Doug,

Please find attached the operator certification letter stating the outcome of the meeting held on January 10th. I have also included Jamison's notes regarding the meeting.

"I met with the Sondrup, Helzer, and the Hoff families on Saturday, 10 January at 2:00 p.m. All three families have properties adjacent to the Westwind 7-P Pad. The families wanted to know about timing of drilling which I explained would not occur in 2015, but possibly in 2016. They also wanted to know about the wellhead and facility layout which I showed them, and they were relieved to have the facility located on the eastern end of the property further away from their homes.

Their main concern centered around the access point off of CR-1 (Larimer County) and CR-13 (Weld County) one in the same county road not being wide enough to accommodate truck traffic turning off of the road into location. I told them that we would work with the current Surface Owners, the Koldeways, and the county in order to come up with a safe solution. All 3 families indicated that they would be talking to Weld County to voice their concerns with the access point with regards to the width."

Please let me know if you need anything else.

Truly,

Jennifer Grosshans

Regulatory Analyst

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]
Sent: Monday, January 12, 2015 8:41 AM
To: Jennifer Grosshans
Cc: Regulatory members
Subject: Re: COGCC Rule 306.e. Certification for Extraction's Westwind 7-P Pad

[Quoted text hidden]



Westwind 7-P Pad Rule 306.e. Completeness Certification to Director 01.12.15.pdf

1/12/2015

State.co.us Executive Branch Mail - COGCC Rule 306.e. Certification for Extraction's Westwind 7-P Pad

107K