

FORM
2

Rev
08/13

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400697297

(SUBMITTED)

Date Received:

APPLICATION FOR PERMIT TO:

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

TYPE OF WELL OIL ☐ GAS ☒ COALBED ☐ OTHER _____

Refilling ☒

ZONE TYPE SINGLE ZONE ☐ MULTIPLE ZONES ☒ COMMINGLE ZONES ☒

Sidetrack ☐

Well Name: VALLEY FARMS

Well Number: F18

Name of Operator: URS OPERATING COMPANY LLC

COGCC Operator Number: 10447

Address: 1050 17TH STREET #2400

City: DENVER

State: CO

Zip: 80265

Contact Name: JENNIFER LIND

Phone: (720)508-8362

Fax: ()

Email: JLIND@URSARESOURCES.COM

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20120125

WELL LOCATION INFORMATION

QtrQtr: NWSW Sec: 14 Twp: 6S Rng: 92W Meridian: 6

Latitude: 39.525782

Longitude: -107.642706

Footage at Surface: 2157 feet FNL/FSL FSL 297 feet FEL/FWL FWL

Field Name: MAMM CREEK

Field Number: 52500

Ground Elevation: 5619

County: GARFIELD

GPS Data:

Date of Measurement: 06/26/2013 PDOP Reading: 2.2 Instrument Operator's Name: AIBNER

If well is ☒ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL FNL 1744 FNL 1212 FWL 1744 FNL 1212 FWL
Sec: 14 Twp: 6S Rng: 92W Sec: 14 Twp: 6S Rng: 92W

LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT

Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Surface Owner is: ☐ is the mineral owner beneath the location.

(check all that apply)

☐ is committed to an Oil and Gas Lease.

☐ has signed the Oil and Gas Lease.

☐ is the applicant.

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed by this Well: Yes

The right to construct the Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: Surface Surety ID:

LEASE INFORMATION

Using standard QtrQtr, Sec, Twp, Rng format, describe one entire mineral lease that will be produced by this well (Describe lease beneath surface location if produced. Attach separate description page or map if necessary.)

PLEASE SEE MINERAL LEASE MAP ATTACHED TO ORIGINALLY APPROVED APD.

Total Acres in Described Lease: 2356 Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # _____

Distance from Completed Portion of Wellbore to Nearest Lease Line of described lease: 896 Feet

CULTURAL DISTANCE INFORMATION

Distance to nearest:

Building: 673 Feet
Building Unit: 744 Feet
High Occupancy Building Unit: 5280 Feet
Designated Outside Activity Area: 5280 Feet
Public Road: 406 Feet
Above Ground Utility: 1129 Feet
Railroad: 5280 Feet
Property Line: 205 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of the Proposed Well to nearest of each cultural feature as described in Rule 303.a.(5).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: ☒ Buffer Zone
☐ Exception Zone
☐ Urban Mitigation Area

- Buffer Zone – as described in Rule 604.a.(2), within 1,000' of a Building Unit
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

SPACING and UNIT INFORMATION

Distance from Completed Portion of Wellbore to Nearest Wellbore Permitted or Completed in the same formation: 293 Feet

Distance from Completed Portion of Wellbore to Nearest Unit Boundary 896 Feet (Enter 5280 for distance greater than 1 mile.)

Federal or State Unit Name (if appl): _____ Unit Number: _____

SPACING & FORMATIONS COMMENTS

OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
ILES	ILES	191-25	320	N/2
WILLIAMS FORK	WMFK	523-3	320	N/2

DRILLING PROGRAM

Proposed Total Measured Depth: 8645 Feet

Distance to nearest permitted or existing wellbore penetrating objective formation: 293 Feet (Including plugged wells)

Will a closed-loop drilling system be used? Yes

Is H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than

or equal to 100 ppm? No (If Yes, attach an H2S Drilling Operations Plan)

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: ☐ Annular Preventor ☒ Double Ram ☐ Rotating Head ☐ None

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Methods: Recycle/reuse

Cuttings Disposal: OFFSITE Cuttings Disposal Method: Beneficial reuse

Other Disposal Description:

If cuttings meet Table 910 they will be beneficially reused.

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: _____ or Document Number: _____

CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	24	16	55	0	60	177	60	0
SURF	12+1/4	8+5/8	32	0	1000	416	1000	0
1ST	7+7/8	4+1/2	11.6	0	8645	763	8645	

☐ Conductor Casing is NOT planned

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- ☒ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

GREATER WATTENBERG AREA LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 318A.a. Exception Location (GWA Windows).
- ☐ Rule 318A.c. Exception Location (GWA Twinning).

RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

OTHER LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 318.c. Exception Location from Rule or Spacing Order Number _____
- ☐ Rule 603.a.(2) Exception Location (Property Line Setback).

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments

Refile APD for the Valley Farms F11. I certify that all conditions in the original permit are the same. There have been no other changes to land use, well construction or the lease. A well location plat updated to meet current COGCC requirements is attached. This Refile Form 2 does not require a Form 2A because the pad has been constructed, a closed loop system is being used so no pits need to be constructed, the refilled well will not require any expansion /additional surface disturbance of the pad. The location is not in a wildlife restricted surface occupancy area (RSO); consultation with CDOW is not required and the location does not require a variance from any of the rules listed in Rule 306.d.(1).(A).(ii).; consultation with CDPHE is not required. First String / Production cement will be > 500 feet above TOG.

Urrsa requests approval of an exception location to Rule 604.a.(2), 604.B.(1)A request letter attached. Pre-application notification date and certification were not required for this submittal.

This application is in a Comprehensive Drilling Plan _____ CDP #: _____

Location ID: 335538

Is this application being submitted with an Oil and Gas Location Assessment application? No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: JENNIFER LIND

Title: REGULATORY ANALYST Date: _____ Email: JLIND@URSARESOURCES.C

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Expiration Date: _____

API NUMBER

05 045 18284 00

Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

Best Management Practices

No	BMP/COA Type	Description
1	Community Outreach and Notification	<ul style="list-style-type: none"> • Ursa routinely communicates proposed plans and operations schedules with Community Counts and the GARCO Energy Advisory Board. In addition, periodic stakeholder meetings are held with landowners and affected parties. • Communication with Kirby Wynn and municipal LGDs are also held routinely in addition to communication required by COGCC regulations. • Pre-application notifications were not required prior to the submission of this Form 2 refile as the pad has already been built and an amended Form 2A is not required. Statutory Notice to Surface Owner and MIRU Notice will be provided in accordance with COGCC rules.
2	Traffic control	<ul style="list-style-type: none"> • Rule 604.c.(2).D - Ursa has developed a site-specific Emergency Response Plan and Haul Route Map which is communicated to local emergency response agencies and stakeholders, as well as contractors performing work at the location.
3	General Housekeeping	<ul style="list-style-type: none"> • Rule 604.c.(2).P- Trash containers will be maintained on site. Trash will be hauled to and disposed at a commercial landfill. • Rule 604.c.(2).T- Any and all non-essential equipment, trash, and debris will be removed within 90 days if a proposed well is plugged and abandoned.
4	Material Handling and Spill Prevention	<ul style="list-style-type: none"> • All materials and chemicals will be managed to minimize environmental contamination. It should be noted that materials and chemicals that are not a waste may be reused or recycled. • Rule 604.c.(2).G - Spill containment will be managed in accordance with Ursa's EPA SPCC Plan under 40 CFR 112 and in accordance with COGCC Section 600 containment regulations. • Rule 604.c.(2).F - Spill prevention is addressed in Ursa's Spill Prevention and Management Plan. This includes training of employees and contractors personnel. Spills response includes notifications, reporting, response actions, remediation and corrective actions. The spill criteria in Ursa's plan requires that waste be properly classified as E&P or non-E&P wastes. For E&P waste, all spills greater than 1 barrel will be reported to the COGCC using a Form 19. Should remediation be required, a Form 27 will be submitted as well. Spills related to non-E&P waste will be managed in accordance with CDPHE and EPA regulations depending on the volume spilled.
5	Dust control	<ul style="list-style-type: none"> • The pad and access road will be graveled to reduce fugitive dust. In addition, water and other dust suppressants will be applied as needed, dependent upon the level of activity, moisture conditions, etc.
6	Construction	<ul style="list-style-type: none"> • Rule 604.c.(2).N - The location and site layout has been designed to accommodate all operations, including drilling and completions, within the limits of disturbance while meeting Federal and state safety regulations, including required buffers and distances between operating components and combustion sources in accordance with COGCC Section 600 Rules. • Rule 604.c.(2).M - Fencing will be constructed as required under the SUA with the landowner and COGCC regulations. • Rule 604.c.(2).R.- All new and replaced permanent crude oil and condensate storage tanks will meet the current API and NFPA standards. • Rule 604.c.(2).E & V - Existing well pad and access road will be utilized for this well. No new disturbance is anticipated. • Rule 604.c.(2).S - Existing well access road will be used and maintained for all weather use and will meet safety requirements. • Rule 604.c.(2).U – Operator will install a permanent marker per Rule 319.2.(5) when this wellbore is plugged and abandoned.
7	Noise mitigation	<ul style="list-style-type: none"> • Rule 604.c.(2).A - Noise levels will be in accordance with COGCC Section 800 Rules and any well-specific COAs. • Lighting will be directed down and away from building units.

Total: 7 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400769378	EXCEPTION LOC REQUEST
400769379	WELL LOCATION PLAT

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)

