

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400765985

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10261
2. Name of Operator: BAYSWATER EXPLORATION AND PRODUCTION
3. Address: 730 17TH ST STE 610
City: DENVER State: CO Zip: 80202
4. Contact Name: PAUL GOTTLLOB
Phone: (720) 420-5747
Fax:
Email: paul.gottlob@iptenergyservices.com

5. API Number 05-123-39507-00
6. County: WELD
7. Well Name: Holton
Well Number: J-12HC
8. Location: QtrQtr: NWNE Section: 12 Township: 6N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/29/2014 End Date: 08/30/2014 Date of First Production this formation: 09/22/2014

Perforations Top: 7699 Bottom: 11899 No. Holes: Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☒

Frac 28 stages (frac sleeves and swellable packers) with 76,551 bbls slickwater & XL gel and 3,819,040 lbs 20/40 sand.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 76551 Max pressure during treatment (psi): 7398

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals: 28

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): 76551 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 3819040 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 09/30/2014 Hours: 24 Bbl oil: 250 Mcf Gas: 385 Bbl H2O: 14

Calculated 24 hour rate: Bbl oil: 250 Mcf Gas: 385 Bbl H2O: 14 GOR: 1540

Test Method: flowing Casing PSI: 1300 Tubing PSI: Choke Size: 11

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1360 API Gravity Oil: 47

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: PAUL GOTTLOB

Title: REG & ENG TECH

Date: _____

Email paul.gottlob@iptenergyservices.com

:

Attachment Check List

Att Doc Num

Name

400765992

WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

--	--	--

Total: 0 comment(s)