

FORM 5A

Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400577954

Date Received: 03/26/2014

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322
2. Name of Operator: NOBLE ENERGY INC
3. Address: 1625 BROADWAY STE 2200
City: DENVER State: CO Zip: 80202
4. Contact Name: Eileen Roberts
Phone: (303) 2284330
Fax: (303) 2284286
Email: eroberts@nobleenergyinc.com

5. API Number 05-123-37201-00
6. County: WELD
7. Well Name: Holman
Well Number: B15-66HN
8. Location: QtrQtr: SENW Section: 14 Township: 5N Range: 64W Meridian: 6
9. Field Name: KERSEY Field Code: 44600

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 12/10/2013 End Date: 12/10/2013 Date of First Production this formation: 12/29/2013

Perforations Top: 7115 Bottom: 12573 No. Holes: 0 Hole size:

Provide a brief summary of the formation treatment: Open Hole: [ ]

Frac'd the Niobrara w/ 4040585 gals of PermStim and Slick Water with 4341520#'s of Ottawa sand.

This formation is commingled with another formation: [ ] Yes [X] No

Total fluid used in treatment (bbl): 96204 Max pressure during treatment (psi): 7991
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 0.94
Type of gas used in treatment: Min frac gradient (psi/ft): 8.43
Total acid used in treatment (bbl): 0 Number of staged intervals: 22
Recycled water used in treatment (bbl): 3767 Flowback volume recovered (bbl): 373
Fresh water used in treatment (bbl): 92436 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 4341520 Rule 805 green completion techniques were utilized: [X]

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 01/07/2014 Hours: 24 Bbl oil: 424 Mcf Gas: 1541 Bbl H2O: 245
Calculated 24 hour rate: Bbl oil: 424 Mcf Gas: 1541 Bbl H2O: 245 GOR: 3634
Test Method: FLOWING Casing PSI: 1648 Tubing PSI: 1667 Choke Size: 016/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1281 API Gravity Oil: 53
Tubing Size: 2 + 7/8 Tubing Setting Depth: 6814 Tbg setting date: 12/23/2013 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Eileen Roberts

Title: Regulatory Specialist Date: 3/26/2014 Email: eroberts@nobleenergyinc.com  
:

### **Attachment Check List**

**Att Doc Num**      **Name**

400577954	FORM 5A SUBMITTED
-----------	-------------------

Total Attach: 1 Files

### **General Comments**

**User Group**      **Comment**      **Comment Date**

--	--	--

Total: 0 comment(s)