Gamma Ray Log
Gamma Ray Log
ROP Log

Oil Company:	Bill Barrett Corporation
Well Name:	Anschutz Eq Farms 4-62-16-0560BH
Field:	DJ Basin
Location:	
Country:	USA
Prov/State:	Colorado
County:	Weld
Drilling Rig #:	Nabors M-37
Longitude:	104.32459
Latitude:	40.31889
UWI/API:	05-123-39130
License/Permit#:	
Job No:	20140901
Vertical Section Direction:	196.78
KB:	4,546
DF:	4,546
GL:	4,523
Drilling Measurement From:	KB
Magnetic Declination:	8.19
Mag Field:	.5280
Dip Angle:	66.94
Spud Date:	2014/09/20
Print Date:	9/29/2014
Log Start Depth:	4000
Log End Depth:	10900
Downhole Temperature:	213.8

MWD Gamma Log

Company Representative

Robert Schultz

Geologist

--

Directional Drillers

Paul Loehr

Ken Thibodeaux

--

MWD Operators

David Rask

Kurt Thomas

--

Leg Name

Comments:

Feet
1:240
MD

NAVI-WELL. AND ALL ITS SUBSIDIARIES ("Navi-Well") DOES NOT MAKE AND EXPRESSLY DISCLAIMS ALL WARRANTIE, REPRESENTATIONS AND CONDITIONS, WITH RESPECT TO THE INFORMATION CONTAINED IN THIS DOCUMENT, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED OR ARISING FROM CONTRACT OR STATUTE INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY, ACCURACY AND FITNESS FOR A PARTICULAR PURPOSE. ANYONE USING THIS INFORMATION DOES SO AT THEIR OWN RISK AND ACKNOWLEDGES AND AGREES THAT NEWSCO SHALL NOT BE LIABLE FOR ANY ERROR, OMISSION, DEFECT, DEFICIENCY, OR NONCONFORMITY IN THE INFORMATION AND WITHOUT LIMITING THE FOREGOING, NEWSCO DOES NOT WARRANT THAT THE INFORMATION (OR THE USE THEREOF) WILL BE FREE OF ALL ERRORS OR THAT IT DOES NOT INFRINGE ANY THIRD PARTY RIGHTS. ANYONE USING THE INFORMATION AGREES TO INDEMNIFY AND HOLD NEWSCO HARMLESS FROM ALL. CLAIMS, ACTIONS, COSTS (INCLUDING LEGAL COSTS ON A SOLICITOR AND HIS OWN CLIENT BASIS) AND LIABILITIES ARISING FROM OR IN CONNECTION WITH THE USE OF THE INFORMATION.

Run:	1	2	3
Start Depth:	821	05889	6757
End Depth:	5889	6757	10,900
Start Date:	2014/09/22	2014/09/24	2014/09/27
End Date:	2014/09/24	2014/09/25	
Gamma Scale Factor:	4.4	4.4	1.50
Survey-to-Bit (PTB):	54	48	58
Gamma-to-Bit (GTB):	41.51	36	46
Drill Collar OD/ID:	6 7/8/2 3/4	6 7/8/2 3/4	/
Mud Type:	Water based	Water based	Water based
Mud Density:	9.2	10	
Mud Viscosity:	31	43	36
Mud Resistivity:			
Casing Size:	9.625	9.625	7
Casing Start:	0	0	0
Casing End:	821	821	6737
Bit Size:	8 3/4	8 3/4	
Comment:	End of Vertical Section. KOP at 5,889'		

Run:			
Start Depth:			
End Depth:			
Start Date:			
End Date:			
Gamma Scale Factor:			
Survey-to-Bit (PTB):			
Gamma-to-Bit (GTB):			
Drill Collar OD/ID:			
Mud Type:			
Mud Density:			
Mud Viscosity:			
Mud Resistivity:			
Casing Size:			
Casing Start:			
Casing End:			
Bit Size:			
Comment:			

Bill Barrett Corporation
Nabors M-37

Anschutz Eq Farms 4-62-16-0560BH
20140901

M D
1:240
Feet




4200
4250
4300
4350
4400
Azm: 281
MD: 4291
Inc: 21.8
Azm: 280.8
MD: 4387
Inc: 21.6
Azm: 280.9


4450
4500
4550
4600
4650
MD: 4482
Inc: 19.3
Azm: 280.1
MD: 4577
Inc: 19.9
Azm: 281.3
MD: 4673
Inc: 18.6
Azm: 279.6


4700
4750
4800
4850
4900
MD: 4768
Inc: 17.4
Azm: 278
MD: 4865
Inc: 17.4
Azm: 277.2


4950
5000
5050
5100
5150
MD: 4959
Inc: 16.6
Azm: 276.3
MD: 5055
Inc: 13.7
Azm: 279.4
MD: 5150
Inc: 11.4
Azm: 280


5200
5250
5300
5350
5400
MD: 5246
Inc: 9.7
Azm: 275.9
MD: 5342
Inc: 7.7
Azm: 278.5
MD: 5437
Inc: 6.5
Azm: 279.4


5450
5500
5550
5600
5650
MD: 5533
Inc: 5.4
Azm: 282.2
MD: 5630
Inc: 4.4
Azm: 276.9


5700
5750
5800
5850
5900
MD: 5726
Inc: 3.4
Azm: 239.5
MD: 5822
Inc: 2.8
Azm: 203.9
MD: 5917
Inc: 5.5
Azm: 166.2


5950
6000
6050
6100
6150
MD: 5964
Inc: 12.2
Azm: 183.8
MD: 6012
Inc: 18.4
Azm: 191
MD: 6059
Inc: 24.3
Azm: 184.1
MD: 6108
Inc: 28.6
Azm: 182.5
MD: 6155
Inc: 31.2
Azm: 179.7


6200
6250
6300
6350
6400
MD: 6204
Inc: 36.9
Azm: 177.7
MD: 6251
Inc: 41.3
Azm: 177.6
MD: 6299
Inc: 45.4
Azm: 177.8
MD: 6346
Inc: 50.4
Azm: 178
MD: 6394
Inc: 54.5
Azm: 177.2


6450
6500
6550
6600
6650
MD: 6441
Inc: 59.7
Azm: 176.8
MD: 6491
Inc: 68.1
Azm: 177.5
MD: 6539
Inc: 74.7
Azm: 178.9
MD: 6587
Inc: 78.6
Azm: 178.1
MD: 6635
Inc: 82
Azm: 177.8
MD: 6683
Inc: 87.4


Azm: 177.4
6700
6750
6800
MD: 6800
Inc: 90.5
Azm: 176.7
6850
MD: 6893
Inc: 90.3
Azm: 177.8
6900


6950
7000
7050
7100
7150
MD: 6987
Inc: 89.6
Azm: 179
MD: 7080
Inc: 90.3
Azm: 180.4
MD: 7174
Inc: 91
Azm: 182.5


7200
7250
7300
7350
7400
MD: 7267
Inc: 90.2
Azm: 182.6
MD: 7361
Inc: 90.9
Azm: 182.3


7450
7500
7550
7600
7650
MD: 7455
Inc: 90.1
Azm: 182.6
MD: 7549
Inc: 90
Azm: 181.7
MD: 7643
Inc: 90.2
Azm: 183


7700
7750
7800
7850
7900
MD: 7736
Inc: 90.2
Azm: 183.5
MD: 7830
Inc: 90.5
Azm: 184.2
MD: 7923
Inc: 90.7
Azm: 182.9


7950
8000
8050
8100
8150
MD: 8016
Inc: 89.3
Azm: 179.6
MD: 8108
Inc: 90.2
Azm: 179.3


8200
8250
8300
8350
8400
MD: 8201
Inc: 91.3
Azm: 179.1
MD: 8293
Inc: 90.2
Azm: 178.7
MD: 8386
Inc: 90
Azm: 180.6


8450
8500
8550
8600
8650
MD: 8479
Inc: 89.8
Azm: 183.3
MD: 8572
Inc: 90.8
Azm: 183.8
MD: 8665
Inc: 89
Azm: 181.7


8700
8750
8800
8850
8900
MD: 8758
Inc: 90.4
Azm: 181.3
MD: 8850
Inc: 90
Azm: 181.1


8950
9000
9050
9100
9150
MD: 8942
Inc: 89.4
Azm: 181.1
MD: 9033
Inc: 91
Azm: 180.8
MD: 9125
Inc: 89.7
Azm: 180.5


9200
9250
9300
9350
9400
MD: 9218
Inc: 91
Azm: 180.1
MD: 9311
Inc: 89.2
Azm: 181
MD: 9403
Inc: 91.2
Azm: 180.8


9450
9500
9550
9600
9650
MD: 9495
Inc: 87.9
Azm: 179.3
MD: 9587
Inc: 89.2
Azm: 179.1


9700
9750
9800
9850
9900
MD: 9680
Inc: 88
Azm: 178.4
MD: 9775
Inc: 89.1
Azm: 178.4
MD: 9871
Inc: 91
Azm: 179


9950
10000
10050
10100
10150
MD: 9966
Inc: 90.5
Azm: 179.7
MD: 10061
Inc: 90.5
Azm: 178.4
MD: 10157
Inc: 90.6
Azm: 179.3


10200
10250
10300
10350
10400
MD: 10252
Inc: 90.4
Azm: 181.4
MD: 10348
Inc: 91.5
Azm: 183.9


10450
10500
10550
10600
10650
MD: 10443
Inc: 92.9
Azm: 183.9
MD: 10538
Inc: 92.9
Azm: 182.6
MD: 10634
Inc: 89.9
Azm: 182.2


10700
10750
10800
10850
10900
MD: 10729
Inc: 90.3
Azm: 182.9
MD: 10825
Inc: 91.3
Azm: 183.1