

Schlumberger

Platform Express
Three Detector Lithology Density
Compensated Neutron
Array Induction Imager Tool
Gamma Ray

Run 1
Run 2
Run 3

Logging Date: 10-Jun-2015
Operating Rig Time: 0 days
Elevation: 0 m
Permanent Datum: Mean Sea Level
Log Measured From: Rotary Table, 0 m Above Permanent Datum

Max Recorded Temperature: 0 degC
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 1
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 2
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 3
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Combinable Magnetic Resonance
Dipole Shear Sonic Imager
Elemental Capture Spectroscopy
Quicksilver Probe

Run Number: 1
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): CMR-DSI-ECS-QSP
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 2
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): CMR-DSI-ECS-QSP
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 3
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): CMR-DSI-ECS-QSP
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Schlumberger

MAIN LOG

CROSS SECTION PEX-HRLA-ECS-HNGS

Logging Date: 10-Jun-2015
Operating Rig Time: 0 days
Elevation: 0 m
Permanent Datum: Mean Sea Level
Log Measured From: Rotary Table, 0 m Above Permanent Datum

Max Recorded Temperature: 0 degC
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 1
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 2
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m

Run Number: 3
Depth Driller: 0 m
Schlumberger Depth: 0 m
Bottom Log Interval: 0 m
Top Log Interval: 0 m
Casing Driller Size @ Depth: 0 m @ 0 m
Casing Logger Size @ Depth: 0 m @ 0 m
Type Fluid in Hole: Water Based Mud
Density: 0 kg/m3
Viscosity: 0 s
Fluid Loss: 0 cm3
Source of Sample: Flowline
Rm @ Meas Temp: 0 ohmm @ 0 degC
Rmf @ Meas Temp: 0 ohmm @ 0 degC
Rmc @ Meas Temp: 0 ohmm @ 0 degC
Source of Rmf/Rmc: Calculated
Rm @ BHT: 0 ohmm @ 0 degC
Time Since Circulation: 0 hrs
Time on Bottom: 10-Jun-2015 00:00
Logger on Bottom: 10-Jun-2015 00:00
Equipment / Base: 0 km

Tool Type(s): PEX-HRLA-ECS-HNGS
Tool Number(s): 0
Tool Length: 0 m
Weight: 0 kg
Maximum Diameter: 0 m



Interval Report

Interval No. 1 Date: 07-Jan-2015 Time: 08:00:00 to 08:30:00

Interval Flow Volumes Report

Interval No. 1 Date: 07-Jan-2015 Time: 08:00:00 to 08:30:00

Interval Flow Volumes

Interval Flow Volumes		
Net Interval Flow Volume	1,000	m³
Gross Interval Flow Volume	1,000	m³
Interval Flow Time	30	min
Interval Flow Time	0.021	days
Average Flow Rate	33,333	m³/day

Interval Conditions Report

Interval Conditions		
Average Temperature	15.00	°C
Average Pressure	1,000.00	kPa

Interval Gas Analysis Report

Interval No. 1 Date: 07-Jan-2015 Time: 08:00:00 to 08:30:00

Interval Gas Analysis

Component	Mole %	Mass %	Liquid Vol %
CO_2	0.000	0.000	0.000
N_2	0.000	0.000	0.000
C_1	0.000	0.000	0.000
C_2	0.000	0.000	0.000
C_3	0.000	0.000	0.000
iC_4	0.000	0.000	0.000
nC_4	0.000	0.000	0.000
iC_5	0.000	0.000	0.000
nC_5	0.000	0.000	0.000
C_6	0.000	0.000	0.000
C_7	0.000	0.000	0.000
C_8	0.000	0.000	0.000
C_9	0.000	0.000	0.000
C_{10}	0.000	0.000	0.000
C_{11}	0.000	0.000	0.000
C_{12}	0.000	0.000	0.000
C_{13}	0.000	0.000	0.000
C_{14}	0.000	0.000	0.000
C_{15}	0.000	0.000	0.000
C_{16}	0.000	0.000	0.000
C_{17}	0.000	0.000	0.000
C_{18}	0.000	0.000	0.000
C_{19}	0.000	0.000	0.000
C_{20}	0.000	0.000	0.000
C_{21}	0.000	0.000	0.000
C_{22}	0.000	0.000	0.000
C_{23}	0.000	0.000	0.000
C_{24}	0.000	0.000	0.000
C_{25}	0.000	0.000	0.000
C_{26}	0.000	0.000	0.000
C_{27}	0.000	0.000	0.000
C_{28}	0.000	0.000	0.000
C_{29}	0.000	0.000	0.000
C_{30}	0.000	0.000	0.000
C_{31}	0.000	0.000	0.000
C_{32}	0.000	0.000	0.000
C_{33}	0.000	0.000	0.000
C_{34}	0.000	0.000	0.000
C_{35}	0.000	0.000	0.000
C_{36}	0.000	0.000	0.000
C_{37}	0.000	0.000	0.000
C_{38}	0.000	0.000	0.000
C_{39}	0.000	0.000	0.000
C_{40}	0.000	0.000	0.000
C_{41}	0.000	0.000	0.000
C_{42}	0.000	0.000	0.000
C_{43}	0.000	0.000	0.000
C_{44}	0.000	0.000	0.000
C_{45}	0.000	0.000	0.000
C_{46}	0.000	0.000	0.000
C_{47}	0.000	0.000	0.000
C_{48}	0.000	0.000	0.000
C_{49}	0.000	0.000	0.000
C_{50}	0.000	0.000	0.000
C_{51}	0.000	0.000	0.000
C_{52}	0.000	0.000	0.000
C_{53}	0.000	0.000	0.000
C_{54}	0.000	0.000	0.000
C_{55}	0.000	0.000	0.000
C_{56}	0.000	0.000	0.000
C_{57}	0.000	0.000	0.000
C_{58}	0.000	0.000	0.000
C_{59}	0.000	0.000	0.000
C_{60}	0.000	0.000	0.000
C_{61}	0.000	0.000	0.000
C_{62}	0.000	0.000	0.000
C_{63}	0.000	0.000	0.000
C_{64}	0.000	0.000	0.000
C_{65}	0.000	0.000	0.000
C_{66}	0.000	0.000	0.000
C_{67}	0.000	0.000	0.000
C_{68}	0.000	0.000	0.000
C_{69}	0.000	0.000	0.000
C_{70}	0.000	0.000	0.000
C_{71}	0.000	0.000	0.000
C_{72}	0.000	0.000	0.000
C_{73}	0.000	0.000	0.000
C_{74}	0.000	0.000	0.000
C_{75}	0.000	0.000	0.000
C_{76}	0.000	0.000	0.000
C_{77}	0.000	0.000	0.000
C_{78}	0.000	0.000	0.000
C_{79}	0.000	0.000	0.000
C_{80}	0.000	0.000	0.000
C_{81}	0.000	0.000	0.000
C_{82}	0.000	0.000	0.000
C_{83}	0.000	0.000	0.000
C_{84}	0.000	0.000	0.000
C_{85}	0.000	0.000	0.000
C_{86}	0.000	0.000	0.000
C_{87}	0.000	0.000	0.000
C_{88}	0.000	0.000	0.000
C_{89}	0.000	0.000	0.000
C_{90}	0.000	0.000	0.000
C_{91}	0.000	0.000	0.000
C_{92}	0.000	0.000	0.000
C_{93}	0.000	0.000	0.000
C_{94}	0.000	0.000	0.000
C_{95}	0.000	0.000	0.000
C_{96}	0.000	0.000	0.000
C_{97}	0.000	0.000	0.000
C_{98}	0.000	0.000	0.000
C_{99}	0.000	0.000	0.000
C_{100}	0.000	0.000	0.000
C_{101}	0.000	0.000	0.000
C_{102}	0.000	0.000	0.000
C_{103}	0.000	0.000	0.000
C_{104}	0.000	0.000	0.000
C_{105}	0.000	0.000	0.000
C_{106}	0.000	0.000	0.000
C_{107}	0.000	0.000	0.000
C_{108}	0.000	0.000	0.000
C_{109}	0.000	0.000	0.000
C_{110}	0.000	0.000	0.000
C_{111}	0.000	0.000	0.000
C_{112}	0.000	0.000	0.000
C_{113}	0.000	0.000	0.000
C_{114}	0.000	0.000	0.000
C_{115}	0.000	0.000	0.000
C_{116}	0.000	0.000	0.000
C_{117}	0.000	0.000	0.000
C_{118}	0.000	0.000	0.000
C_{119}	0.000	0.000	0.000
C_{120}	0.000	0.000	0.000
C_{121}	0.000	0.000	0.000
C_{122}	0.000	0.000	0.000
C_{123}	0.000	0.000	0.000
C_{124}	0.000	0.000	0.000
C_{125}	0.000	0.000	0.000
C_{126}	0.000	0.000	0.000
C_{127}	0.000	0.000	0.000
C_{128}	0.000	0.000	0.000
C_{129}	0.000	0.000	0.000
C_{130}	0.000	0.000	0.000
C_{131}	0.000	0.000	0.000
C_{132}	0.000	0.000	0.000
C_{133}	0.000	0.000	0.000
C_{134}	0.000	0.000	0.000
C_{135}	0.000	0.000	0.000
C_{136}	0.000	0.000	0.000
C_{137}	0.000	0.000	0.000
C_{138}	0.000	0.000	0.000
C_{139}	0.000	0.000	0.000
C_{140}	0.000	0.000	0.000
C_{141}	0.000	0.000	0.000
C_{142}	0.000	0.000	0.000
C_{143}	0.000	0.000	0.000
C_{144}	0.000	0.000	0.000
C_{145}	0.000	0.000	0.000
C_{146}	0.000	0.000	0.000
C_{147}	0.000	0.000	0.000
C_{148}	0.000	0.000	0.000
C_{149}	0.000	0.000	0.000
C_{150}	0.000	0.000	0.000
C_{151}	0.000	0.000	0.000
C_{152}	0.000	0.000	0.000
C_{153}	0.000	0.000	0.000
C_{154}	0.000	0.000	0.000
C_{155}	0.000	0.000	0.000
C_{156}	0.000	0.000	0.000
C_{157}	0.000	0.000	0.000
C_{158}	0.000	0.000	0.000
C_{159}	0.000	0.000	0.000
C_{160}	0.000	0.000	0.000
C_{161}	0.000	0.000	0.000
C_{162}	0.000	0.000	0.000
C_{163}	0.000	0.000	0.000
C_{164}	0.000	0.000	0.000
C_{165}	0.000	0.000	0.000
C_{166}	0.000	0.000	0.000
C_{167}	0.000	0.000	0.000
C_{168}	0.000	0.000	0.000
C_{169}	0.000	0.000	0.000
C_{170}	0.000	0.000	0.000
C_{171}	0.000	0.000	0.000
C_{172}	0.000	0.000	0.000
C_{173}	0.000	0.000	0.000
C_{174}	0.000	0.000	0.000
C_{175}	0.000	0.000	0.000
C_{176}	0.000	0.000	0.000
C_{177}	0.000	0.000	0.000
C_{178}	0.000	0.000	0.000
C_{179}	0.000	0.000	0.000
C_{180}	0.000	0.000	0.000
C_{181}	0.000	0.000	0.000
C_{182}	0.000	0.000	0.000
C_{183}	0.000	0.000	0.000
C_{184}	0.000	0.000	0.000
C_{185}	0.000	0.000	0.000
C_{186}	0.000	0.000	0.000
C_{187}	0.000	0.000	0.000
C_{188}	0.000	0.000	0.000
C_{189}	0.000	0.000	0.000
C_{190}	0.000	0.000	0.000
C_{191}	0.000	0.000	0.000
C_{192}	0.000	0.000	0.000
C_{193}	0.000	0.000	0.000
C_{194}	0.000	0.000	0.000
C_{195}	0.000	0.000	0.000
C_{196}	0.000	0.000	0.000
C_{197}	0.000	0.000	0.000
C_{198}	0.000	0.000	0.000
C_{199}	0.000	0.000	0.000
C_{200}	0.000	0.000	0.000

Gas Analysis Report

Interval No. 1 Date: 07-Jan-2015 Time: 08:00:00 to 08:30:00

Gas Analysis

Component	Mole %	Mass %	Liquid Vol %
CO_2	0.000	0.000	0.000
N_2	0.000	0.000	0.000
C_1	0.000	0.000	0.000
C_2	0.000	0.000	0.000
C_3	0.000	0.000	0.000
iC_4	0.000	0.000	0.000
nC_4	0.000	0.000	0.000
iC_5	0.000	0.000	0.000
nC_5	0.000	0.000	0.000
C_6	0.000	0.000	0.000
C_7	0.000	0.000	0.000
C_8	0.000	0.000	0.000
C_9	0.000	0.000	0.000
C_{10}	0.000	0.000	0.000
C_{11}	0.000	0.000	0.000
C_{12}	0.000	0.000	0.000
C_{13}	0.000	0.000	0.000
C_{14}	0.000	0.000	0.000
C_{15}	0.000	0.000	0.000
C_{16}	0.000	0.000	0.000
C_{17}	0.000	0.000	0.000
C_{18}	0.000	0.000	0.000
C_{19}	0.000	0.000	0.000
C_{20}	0.000	0.000	0.000
C_{21}	0.000	0.000	0.000
C_{22}	0.000	0.000	0.000
C_{23}	0.000	0.000	0.000
C_{24}	0.000	0.000	0.000
C_{25}	0.000	0.000	0.000
C_{26}	0.000	0.000	0.000
C_{27}	0.000	0.000	0.000
C_{28}	0.000	0.000	0.000
C_{29}	0.000	0.000	0.000
C_{30}	0.000	0.000	0.000
C_{31}	0.000	0.000	0.000
C_{32}	0.000	0.000	0.000
C_{33}	0.000	0.000	0.000
C_{34}	0.000	0.000	0.000
C_{35}	0.000	0.000	0.000
C_{36}	0.000	0.000	0.000
C_{37}	0.000	0.000	0.000
C_{38}	0.000	0.000	0.000
C_{39}	0.000	0.000	0.000
C_{40}	0.000	0.000	0.000
C_{41}	0.000	0.000	0.000
C_{42}	0.000	0.000	0.000
C_{43}	0.000	0.000	0.000
C_{44}	0.000	0.000	0.000
C_{45}	0.000	0.000	0.000
C_{46}	0.000	0.000	0.000
C_{47}	0.000	0.000	0.000
C_{48}	0.000	0.000	0.000
C_{49}	0.000	0.000	0.000
C_{50}	0.000	0.000	0.000
C_{51}	0.000	0.000	0.000
C_{52}	0.000	0.000	0.000
C_{53}	0.000	0.000	0.000
C_{54}	0.000	0.000	0.000
C_{55}	0.000	0.000	0.000
C_{56}	0.000	0.000	0.000
C_{57}	0.000	0.000	0.000
C_{58}	0.000	0.000	0.000
C_{59}	0.000	0.000	0.000
C_{60}	0.000	0.000	0.000
C_{61}	0.000	0.000	0.000
C_{62}	0.000	0.000	0.000
C_{63}	0.000	0.000	0.000
C_{64}	0.000	0.000	0.000
C_{65}	0.000	0.000	0.000
C_{66}	0.000	0.000	0.000
C_{67}	0.000	0.000	0.000
C_{68}	0.000	0.000	0.000
C_{69}	0.000	0.000	0.000
C_{70}	0.000	0.000	0.000
C_{71}	0.000	0.000	0.000
C_{72}	0.000	0.000	0.000
C_{73}	0.000	0.000	0.000
C_{74}	0.000	0.000	0.000
C_{75}	0.000	0.000	0.000
C_{76}	0.000	0.000	0.000
C_{77}	0.000	0.000	0.000
C_{78}	0.000	0.000	0.000
C_{79}	0.000	0.000	0.000
C_{80}	0.000	0.000	0.000
C_{81}	0.000	0.000	0.000
C_{82}	0.000	0.000	0.000
C_{83}	0.000	0.000	0.000
C_{84}	0.000	0.000	0.000
C_{85}	0.000	0.000	0.000
C_{86}	0.000	0.000	0.000
C_{87}	0.000	0.000	0.000
C_{88}	0.000	0.000	0.000
C_{89}	0.000	0.000	0.000
C_{90}	0.000	0.000	0.000
C_{91}	0.000	0.000	0.000
C_{92}	0.000	0.000	0.000
C_{93}	0.000	0.000	0.000
C_{94}	0.000	0.000	0.000
C_{95}	0.000	0.000	0.000
C_{96}	0.000	0.000	0.000
C_{97}	0.000	0.000	0.000
C_{98}	0.000	0.000	0.000
C_{99}	0.000	0.000	0.000
C_{100}	0.000	0.000	0.000
C_{101}	0.000	0.000	0.000
C_{102}	0.000	0.000	0.000
C_{103}	0.000	0.000	0.000
C_{104}	0.000	0.000	0.000
C_{105}	0.000	0.000	0.000
C_{106}	0.000	0.000	0.000
C_{107}	0.000	0.000	0.000
C_{108}	0.000	0.000	0.000
C_{109}	0.000	0.000	0.000
C_{110}	0.000	0.000	0.000
C_{111}	0.000	0.000	0.000
C_{112}	0.000	0.000	0.000
C_{113}	0.000	0.000	0.000
C_{114}	0.000	0.000	0.000
C_{115}	0.000	0.000	0.000
C_{116}	0.000	0.000	0.000
C_{117}	0.000	0.000	0.000
C_{118}	0.000	0.000	0.000
C_{119}	0.000	0.000	0.000
C_{120}	0.000	0.000	0.000
C_{121}	0.000	0.000	0.000
C_{122}	0.000	0.000	0.000
C_{123}	0.000	0.000	0.000
C_{124}	0.000	0.000	0.000
C_{125}	0.000	0.000	0.000
C_{126}	0.000	0.000	0.000
C_{127}	0.000	0.000	0.000
C_{128}	0.000	0.000	0.000
C_{129}	0.000	0.000	0.000
C_{130}	0.000	0.000	0.000
C_{131}	0.000	0.000	0.000
C_{132}	0.000	0.000	0.000
C_{133}	0.000	0.000	0.000
C_{134}	0.000	0.000	0.000
C_{135}	0.000	0.000	0.000
C_{136}	0.000	0.000	0.000
C_{137}	0.000	0.000	0.000
C_{138}	0.000	0.000	0.000
C_{139}	0.000	0.000	0.000
C_{140}	0.000	0.000	0.000
C_{141}	0.000	0.000	0.000
C_{142}	0.000	0.000	0.000
C_{143}	0.000	0.000	0.000
C_{144}	0.000	0.000	0.000
C_{145}	0.000	0.000	0.000
C_{146}	0.000	0.000	0.000
C_{147}	0.000	0.000	0.000
C_{148}	0.000	0.000	0.000
C_{149}	0.000	0.000	0.000
C_{150}	0.000	0.000	0.000
C_{151}	0.000	0.000	0.000
C_{152}	0.000	0.000	0.000
C_{153}	0.000	0.000	0.000
C_{154}	0.000	0.000	0.000
C_{155}	0.000	0.000	0.000
C_{156}	0.000	0.000	0.000
C_{157}	0.000	0.000	0.000
C_{158}	0.000	0.000	0.000
C_{159}	0.000	0.000	0.000
C_{160}	0.000	0.000	0.000
C_{161}	0.000	0.000	0.000
C_{162}	0.000	0.000	0.000
C_{163}	0.000	0.000	0.000
C_{164}	0.000	0.000	0.000
C_{165}	0.000	0.000	0.000
C_{166}	0.000	0.000	0.000
C_{167}	0.000	0.000	0.000
C_{168}	0.000	0.000	0.000
C_{169}	0.000	0.000	0.000
C_{170}	0.000	0.000	0.000
C_{171}	0.000	0.000	0.000
C_{172}	0.000	0.000	0.000
C_{173}	0.000	0.000	0.000
C_{174}	0.000	0.000	0.000
C_{175}	0.000	0.000	0.000
C_{176}	0.000	0.000	0.000
C_{177}	0.000	0.000	0.000
C_{178}	0.000	0.000	0.000
C_{179}	0.000	0.000	0.000
C_{180}	0.000	0.000	0.000
C_{181}	0.000	0.000	0.000
C_{182}	0.000	0.000	0.000
C_{183}	0.000	0.000	0.000
C_{184}	0.000	0.000	0.000
C_{185}	0.000	0.000	0.000
C_{186}	0.000	0.000	0.000
C_{187}	0.000	0.000	0.000
C_{188}	0.000	0.000	0.000
C_{189}	0.000	0.000	0.000
C_{190}	0.000	0.000	0.000
C_{191}	0.000	0.000	0.000
C_{192}	0.000	0.000	0.000
C_{193}	0.000	0.000	0.000
C_{194}	0.000	0.000	0.000
C_{195}	0.000	0.000	0.000
C_{196}	0.000	0.000	0.000
C_{197}	0.000	0.000	0.000
C_{198}	0.000	0.000	0.000
C_{199}	0.000	0.000	0.000
C_{200}	0.000	0.000	0.000

Gas Analysis Report

Interval No. 1 Date: 07-Jan-2015 Time: 08:00:00 to 08:30:00

Gas Analysis

Component	Mole %	Mass %	Liquid Vol %
CO_2	0.000	0.000	0.000
N_2	0.000	0.000	0.000
C_1	0.000	0.000	0.000
C_2	0.000	0.000	0.000
C_3	0.000	0.000	0.000
iC_4	0.000	0.000	0.000
nC_4	0.000	0.000	0.000
iC_5	0.000	0.000	0.000
nC_5	0.000	0.000	0.000
C_6	0.000	0.000	0.000
C_7	0.000	0.000	0.000
C_8	0.000	0.000	0.000
C_9	0.000	0.000	0.000
C_{10}	0.000	0.000	0.000
C_{11}	0.000	0.000	0.000
C_{12}	0.000	0.000	0.000
C_{13}	0.000	0.000	0.000
C_{14}	0.000	0.000	0.000
C_{15}	0.000	0.000	0.000
C_{16}	0.000	0.000	0.000
C_{17}	0.000	0.000	0.000
C_{18}	0.000	0.000	0.000
C_{19}	0.000	0.000	0.000
C_{20}	0.000	0.000	0.000
C_{21}	0.000	0.000	0.000
C_{22}	0.000	0.000	0.000
C_{23}	0.000	0.000	0.000
C_{24}	0.000	0.000	0.000
C_{25}	0.000	0.000	0.000
C_{26}	0.000	0.000	0.000
C_{27}	0.000	0.000	0.000
C_{28}	0.000	0.000	0.000
C_{29}	0.000	0.000	0.000
C_{30}	0.000	0.000	0.000
C_{31}	0.000	0.000	0.000
C_{32}	0.000	0.000	0.000
C_{33}	0.000	0.000	0.000
C_{34}	0.000	0.000	0.000
C_{35}	0.000	0.000	0.000
C_{36}	0.000	0.000	0.000
C_{37}	0.000	0.000	0.000
C_{38}	0.000	0.000	0.000
C_{39}	0.000	0.000	0.000
C_{40}	0.000	0.000	0.000
C_{41}	0.000	0.000	0.000
C_{42}	0.000	0.000	0.000
C_{43}	0.000	0.000	0.000
C_{44}	0.000	0.000	0.000
C_{45}	0.000	0.000	0.000
C_{46}	0.000	0.000	0.000
C_{47}	0.000	0.000	0.000
C_{48}	0.000	0.000	0.000
C_{49}	0.000	0.000	0.000
C_{50}	0.000	0.000	0.000
C_{51}	0.000	0.000	0.000
C_{52}	0.000	0.000	0.000
C_{53}	0.000	0.000	0.000
C_{54}	0.000	0.000	0.000
C_{55}	0.000	0.000	0.000
C_{56}	0.000	0.000	0.000
C_{57}	0.000	0.000	0.000
C_{58}	0.000	0.000	0.000
C_{59}	0.000	0.000	0.000
C_{60}	0.000	0.000	0.000
C_{61}	0.000	0.000	0.000
C_{62}	0.000	0.000	0.000
C_{63}	0.000	0.000	0.000
C_{64}	0.000	0.000	0.000
C_{65}	0.000	0.000	0.000
C_{66}	0.000	0.000	0.000
C_{67}	0.000	0.000	0.000
C_{68}	0.000	0.000	0.000
C_{69}	0.000	0.000	0.000
C_{70}	0.000	0.000	0.000
C_{71}	0.000	0.000	0.000
C_{72}	0.000	0.000	0.000
C_{73}	0.000	0.000	0.000
C_{74}	0.000	0.000	0.000
C_{75}	0.000	0.000	0.000
C_{76}	0.000	0.000	0.000
C_{77}	0.000	0.000	0.000
C_{78}	0.000	0.000	0.000
C_{79}	0.000	0.000	0.000
C_{80}	0.000	0.000	0.000
C_{81}	0.000	0.000	0.000
C_{82}	0.000	0.000	0.000
C_{83}	0.000	0.000	0.000
C_{84}	0.000	0.000	0.000
C_{85}	0.000	0.000	0.000
C_{86}	0.000	0.000	0.000
C_{87}	0.000	0.000	0.000
C_{88}	0.000	0.000	0.000
C_{89}	0.000	0.000	0.000
C_{90}	0.000	0.000	0.000
C_{91}	0.000	0.000	0.000
C_{92}	0.000	0.000	0.000
C_{93}	0.000	0.000	0.000
C_{94}	0.000	0.000	0.000
C_{95}	0.000	0.000	0.000
C_{96}	0.000	0.000	0.000
C_{97}	0.000	0.000	0.000
C_{98}	0.000	0.000	0.000
C_{99}	0.000	0.000	0.000
C_{100}	0.000	0.000	0.000
C_{101}	0.000	0.000	0.000
C_{102}	0.000	0.000	0.000
C_{103}	0.000	0.000	0.000
C_{104}	0.000	0.000	0.000
C_{105}	0.000	0.000	0.000
C_{106}	0.000	0.000	0.000
C_{107}	0.000	0.000	0.000
C_{108}	0.000	0.000	0.000
C_{109}	0.000	0.000	0.000
C_{110}	0.000	0.000	0.000
C_{111}	0.000	0.000	0.000
C_{112}	0.000	0.000	0.000
C_{113}	0.000	0.000	0.000
C_{114}	0.000	0.000	0.000
C_{115}	0.000	0.000	0.000
C_{116}	0.000	0.000	0.000
C_{117}	0.000	0.000	0.000
C_{118}	0.000	0.000	0.000
C_{119}	0.000	0.000	0.000
C_{120}	0.000	0.000	0.000
C_{121}