


Dataset: 13687.db: field/well/run1/Final
 Total Length: 22.15 ft
 Total Weight: 250.00 lb
 O.D.: 2.75 in

Database File: 13687.db
 Dataset Pathname: Final
 Presentation Format: scbl02
 Dataset Creation: Sun Sep 21 01:47:02 2014

-9	CCL	1	0	AMP (mV)	100	0	AMPAVG	150	200	VDL	1200	1	SECTOR MAP	8
0	GR (GAPI)	200	0	AMPx5 (mV)	20	0	AMPMAX	150				10		60
						0	AMPMIN	150						

0


100



200


300

400




500

600




700

800




900

1000



1100


1200



1300


1400

1500




1600

1700




1800

1900




2000

2100



2200


2300



2400


2500

2600





2700

2800





2900

3000





3100

3200



3300


3400



3500


3600

3700




3800

3900





4000

4100




4200

4300



4400



4500



4600


4700

4800




4900

5000



5100

5200




5300

5400



5500


5600



5700


5800

5900




6000

6100





6200

6300




6400

6500



6600



6700



6800



6900


7000



7100

7200





Calibration Report

Database File: 13687.db
 Dataset Pathname: Final
 Dataset Creation: Sun Sep 21 01:47:02 2014

Gamma Ray Calibration Report

Serial Number: 111205
 Tool Model: probe 2.75
 Performed: Wed Jun 11 10:38:21 2014

Calibrator Value: 1.0 GAPI
 Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 1.1000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 130584
 Tool Model: RBT-C3

Calibration Casing Diameter: 7.000 in
 Calibration Depth: -3.845 ft

Master Calibration, performed Sun Sep 21 01:43:09 2014:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	0.818	0.000	62.200	76.064	-0.000
CAL	0.012	1.015				
5'	0.000	0.843	0.000	62.200	73.745	-0.001
SUM						
S1	0.000	0.834	0.000	100.000	119.966	-0.002
S2	0.000	0.925	0.000	100.000	108.090	-0.000
S3	0.000	0.957	0.000	100.000	104.479	-0.000
S4	-0.002	0.949	0.000	100.000	105.223	0.174
S5	0.000	0.913	0.000	100.000	109.541	-0.000
S6	0.000	1.031	0.000	100.000	97.011	-0.001
S7	0.000	0.934	0.000	100.000	107.075	-0.002

S7	0.000	0.954	0.000	100.000	107.075	-0.002
S8	0.000	0.783	0.000	100.000	127.747	-0.002

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.012	1.015	1.000	0.000

Air Zero Calibration, performed Mon Sep 08 11:38:23 2014:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1	0.000		0.000		0.000	
S2	0.000		0.000		0.000	
S3	0.000		0.000		0.000	
S4	0.000		0.000		0.000	
S5	0.000		0.000		0.000	
S6	0.000		0.000		0.000	
S7	0.000		0.000		0.000	
S8	0.000		0.000		0.000	

Temperature Calibration Report

Serial Number: 130584
 Tool Model: RBT-C3
 Performed: Wed Aug 13 16:18:33 2014

	Reference	Reading
Low Reference:	0.00 degF	0.00 degF
High Reference:	1.00 degF	1.00 degF

Gain: 0.77
 Offset: 15.00
 Delta Spacing: 1