

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400785469

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-39301-00

7. Well Name: SICKLER

8. Location: QtrQtr: SWSE Section: 34 Township: 2N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 27N-34HZ

## Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION  
Treatment Date: 12/22/2014 End Date: 01/01/2015 Date of First Production this formation: 01/17/2015  
Perforations Top: 7870 Bottom: 12981 No. Holes: 0 Hole size: \_\_\_\_\_  
Provide a brief summary of the formation treatment: Open Hole: ☒

"COMPLETED THROUGH AN OPEN HOLE LINER FROM 7870-12,981.  
54,896 BBL CROSSLINK GEL, 505 BBL LINEAR GEL, 23,042 BBL SLICKWATER, - 78,444 BBL TOTAL FLUID  
2,852,250# 20/40 PREFERRED, - 2,852,250# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 78444 Max pressure during treatment (psi): 8095  
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30  
Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.87  
Total acid used in treatment (bbl): 0 Number of staged intervals: 40  
Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 2096  
Fresh water used in treatment (bbl): 78444 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 2852250 Rule 805 green completion techniques were utilized: ☒  
Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

Date: 01/24/2015 Hours: 24 Bbl oil: 78 Mcf Gas: 123 Bbl H2O: 153  
Calculated 24 hour rate: Bbl oil: 78 Mcf Gas: 123 Bbl H2O: 153 GOR: 1577  
Test Method: FLOWING Casing PSI: 1300 Tubing PSI: \_\_\_\_\_ Choke Size: 14/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1258 API Gravity Oil: 45  
Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_  
Reason for Non-Production: \_\_\_\_\_  
Date formation Abandoned: \_\_\_\_\_ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt \_\_\_\_\_  
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: ILA BEALE  
Title: STAFF REG. SPECIALIST Date: \_\_\_\_\_ Email: rscdjpostdrill@anadarko.com  
:

## Attachment Check List

**Att Doc Num** **Name**

\_\_\_\_\_

Total Attach: 0 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)