

Weld County, Colorado, Northern Part

5—Ascalon sandy loam, 5 to 9 percent slopes

Map Unit Setting

National map unit symbol: 2tlmx

Elevation: 3,870 to 6,070 feet

Mean annual precipitation: 13 to 16 inches

Mean annual air temperature: 46 to 57 degrees F

Frost-free period: 135 to 160 days

Farmland classification: Not prime farmland

Map Unit Composition

Ascalon and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Ascalon

Setting

Landform: Interfluves

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Wind-reworked alluvium and/or calcareous sandy eolian deposits

Typical profile

Ap - 0 to 6 inches: sandy loam

Bt1 - 6 to 12 inches: sandy clay loam

Bt2 - 12 to 19 inches: sandy clay loam

Bk - 19 to 35 inches: sandy clay loam

C - 35 to 80 inches: sandy loam

Properties and qualities

Slope: 5 to 9 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat):

Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum in profile: 10 percent

Salinity, maximum in profile: Nonsaline (0.1 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 1.0

Available water storage in profile: Moderate (about 6.8 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability classification (nonirrigated): 4c

Hydrologic Soil Group: B
Ecological site: Sandy plains (R067BY024CO)

Minor Components

Stoneham

Percent of map unit: 10 percent
Landform: Interfluves
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: Loamy plains (R067BY002CO)

Manter

Percent of map unit: 5 percent
Landform: Interfluves
Down-slope shape: Linear
Across-slope shape: Linear
Ecological site: Sandy plains (R072XY023CO)

Data Source Information

Soil Survey Area: Weld County, Colorado, Northern Part
Survey Area Data: Version 10, Sep 23, 2014

Weld County, Colorado, Northern Part

50—Paoli fine sandy loam, 6 to 9 percent slopes

Map Unit Setting

National map unit symbol: 3605

Elevation: 3,500 to 6,500 feet

Mean annual precipitation: 13 to 17 inches

Mean annual air temperature: 46 to 48 degrees F

Frost-free period: 130 to 150 days

Farmland classification: Not prime farmland

Map Unit Composition

Paoli and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Paoli

Setting

Landform: Fans

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Calcareous loamy alluvium and/or colluvium

Typical profile

H1 - 0 to 13 inches: fine sandy loam

H2 - 13 to 45 inches: sandy loam

H3 - 45 to 60 inches: sandy loam

Properties and qualities

Slope: 6 to 9 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum in profile: 15 percent

Salinity, maximum in profile: Nonsaline (0.0 to 2.0 mmhos/cm)

Available water storage in profile: High (about 9.1 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability classification (nonirrigated): 4e

Hydrologic Soil Group: A

Ecological site: Sandy plains (R067BY024CO)

Minor Components

Satanta

Percent of map unit: 5 percent

Landform: Paleoterraces

Haverson

Percent of map unit: 5 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Northern Part

Survey Area Data: Version 10, Sep 23, 2014