



Kerr-McGee Oil & Gas Onshore LP

A subsidiary of Anadarko Petroleum Corporation

1099 18th Street
Denver, CO 80202
720-929-6000

January 8, 2015

Matt Lepore
Director, Colorado Oil and Gas Conservation Commission
Department of Natural Resources
The Chancery Building
1120 Lincoln Street, Suite 801
Denver, CO 80203

Re: Request for Exception to Rule 317.p
MIRACLE 40N-11HZ (Doc No. 400765750)
MIRACLE 40C-11HZ (Doc No. 400765751)
MIRACLE 9C-11HZ (Doc No. 400765752)
Township 5 North, Range 68 West
Section 12: NESE
Larimer County, Colorado

Dear Director Lepore:

Kerr-McGee Oil & Gas Onshore LP (“KMG”) respectfully requests approval for an exception to Rule 317.p and only run an LWD gamma ray log in the horizontal section in the above-stated wells on the same multi-well pad. Rule 317.p of the Colorado Oil and Gas Commission's Rules and Regulations requires wells to be logged with a minimum of a resistivity log with gamma ray. The above-named wells are requested to be exempt from this requirement due to the proximity of existing well(s) with acceptable resistivity logs with gamma ray. The available log(s) are within six hundred (600) feet of the vertical section(s) of the proposed well(s).

The proposed wells will be logged with an LWD gamma ray log in the horizontal section. The wells will also be cased-hole logged with a cement bond and gamma ray log from the production casing shoe to the surface. The Drilling Completion Report (Form 5) submitted for each well will indicate that no open-hole logs were run.

The existing well(s) within six hundred (600) feet with acceptable resistivity logs with gamma ray are listed in the table below:

Well Name	Well Number	API Number	Distance From Well(s)	Azimuth (Degrees)	COGCC Well File Document Number
MIRACLE	1-12	05-069-06413	101	0	1600967
MIRACLE	16-12	05-069-06401	98	0	2446049
MIRACLE	9-12	05-069-06402	100	0	2548371

Should you have any questions, please contact our office. Thank you for your consideration.

Sincerely,

Kerr-McGee Oil & Gas Onshore LP

A handwritten signature in blue ink that reads "RPowers". The signature is written in a cursive, flowing style.

Ronett Powers
Regulatory Analyst II