

**FORM INSP**  
Rev 05/11

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:  
02/25/2015

Document Number:  
675201251

Overall Inspection:  
SATISFACTORY

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>438499</u>	<u>438499</u>	<u>CONKLIN, CURTIS</u>	<input type="checkbox"/>	

**Operator Information:**

OGCC Operator Number:	<u>10433</u>
Name of Operator:	<u>PICEANCE ENERGY LLC</u>
Address:	<u>1512 LARIMER STREET #1000</u>
City:	<u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Bankert, Wayne	(970) 683-5419	wbankert@laramie-energy.com	Senior Regulatory & Environmental Coordinator

**Compliance Summary:**

QtrQtr:	<u>NESW</u>	Sec:	<u>28</u>	Twp:	<u>9S</u>	Range:	<u>93W</u>
Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
09/22/2014	675200571			SATISFACTORY			No

**Inspector Comment:**

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
301411	WELL	DG	02/04/2015	LO	077-09939	Piceance 28-15M	WO	<input checked="" type="checkbox"/>
301412	WELL	WO	02/13/2015	LO	077-09940	Piceance 28-21W	WO	<input checked="" type="checkbox"/>
301414	WELL	WO	02/13/2015	LO	077-09942	Piceance 28-21M	WO	<input checked="" type="checkbox"/>
301415	WELL	WO	02/13/2015	LO	077-09943	Piceance 28-20W	WO	<input checked="" type="checkbox"/>
301416	WELL	WO	02/13/2015	LO	077-09944	Piceance 28-20M	WO	<input checked="" type="checkbox"/>
301417	WELL	DG	02/11/2015	LO	077-09945	Piceance 28-19W	WO	<input checked="" type="checkbox"/>
301418	WELL	DG	02/11/2015	LO	077-09946	Piceance 28-19M	WO	<input checked="" type="checkbox"/>
301419	WELL	XX	05/30/2014	LO	077-09947	Piceance 28-18W	XX	<input checked="" type="checkbox"/>
301420	WELL	DG	01/08/2015	LO	077-09948	Piceance 28-18M	WO	<input checked="" type="checkbox"/>
301421	WELL	DG	01/20/2015	LO	077-09949	Piceance 28-17W	WO	<input checked="" type="checkbox"/>

301422	WELL	DG	01/14/2015	LO	077-09950	Piceance 28-17M	WO	X
301423	WELL	DG	01/25/2015	LO	077-09951	Piceance 28-16W	WO	X
301424	WELL	DG	01/30/2015	LO	077-09952	Piceance 28-16M	WO	X
301425	WELL	DG	02/09/2015	LO	077-09953	Piceance 28-15W	WO	X
301426	WELL	DG	02/15/2015	LO	077-09954	Piceance 28-14W	WO	X
301427	WELL	DG	02/19/2015	LO	077-09955	Piceance 28-14M	WO	X
301428	WELL	XX	05/30/2014	LO	077-09956	Piceance 28-13W	XX	X
411976	WELL	DG	02/23/2015	LO	077-10060	Piceance 28-13M	DG	X
438457	WELL	DG	09/17/2014		077-10220	Piceance 28-11W	WO	X
438458	WELL	XX	08/10/2014		077-10221	Piceance 28-12W	XX	X
438859	WELL	XX	09/12/2014		077-10223	Piceance 28-12M	XX	X
438860	WELL	XX	09/12/2014		077-10224	Piceance 28-11M	XX	X

**Equipment:**

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>22</u>	Production Pits: _____
Condensate Tanks: <u>10</u>	Water Tanks: _____	Separators: <u>6</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date
Access	SATISFACTORY			

**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
DRILLING/RECOMP	SATISFACTORY			
CONTAINERS	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:**

Type	Area	Volume	Corrective action	CA Date

Multiple Spills and Releases?

<b>Venting:</b>	
Yes/No	Comment
NO	

<b>Flaring:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 438499

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/AV:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	kubeczkd	Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.	05/21/2014
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, pipeline testing, start of hydraulic stimulation operations, and start of flowback operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).	05/21/2014
OGLA	kubeczkd	The moisture content of any drill cuttings in a cuttings trench or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if drill cuttings are to remain/disposed of onsite, they must also meet the applicable standards of table 910-1.  Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.	05/21/2014
OGLA	kubeczkd	The access road will be constructed and maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.  Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.  Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.  If permanent crude, condensate, and water tanks are placed at the site, operator shall install a steel containment ring around tank batteries to provide secondary containment and install a synthetic liner that underlies the entire battery and is keyed into the top of the containment ring.	05/21/2014

**S/AV:** \_\_\_\_\_ **Comment:** Notification have been received. Secondary containment in place around fluids.  
**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Storm Water/Erosion Control	CDPHE Stormwater Cerification Number COR03K454 for North Vega Project Area includes this locaiton
Wildlife	<p>PICEANCE ENERGY, LLC</p> <p>Best Management Practices (BMP's)                      To Reduce Impacts to Wildlife on the Piceance 28-11 Pad                      For Operations in Sec. 25, Twn. 9S, Rng. 93W 6th PM                      Mesa County, CO</p> <p>COGCC Mapping indicates:                      ** NO RSO (Restricted Surface Occupancy) on the S Piceance 28-11 Pad                      ** SWH (Elk Winter Range and Black Bear) on the Piceance 28-11 Pad                      Note: COGCC Order 399-7 Excuses Piceance Energy from consultation with CDOW (CPW) contained in rule 306c.</p> <p>In an effort to minimize the impacts to wildlife, the following BMP's are part of Piceance Energy's (PE) standard operating procedures for drilling and operations within the Piceance Basin. This list is a partial of PE's policy.</p> <p>Initial Stages for Infrastructure and Roads</p> <p>1. Road design and General</p> <ul style="list-style-type: none"> <li>- No firearms, no dogs on location, and no feeding of wildlife.</li> <li>- Minimize the amount of traffic on lease roads within 3 hours of sunrise and sunset.</li> <li>- Use existing routes as much as possible to avoid new disturbance and habitat fragmentation and minimize new road construction.</li> <li>- Maximize the topography as much as possible in designing roads to reduce, visual, noise, impacts, etc.</li> <li>- Participate in road sharing agreements with other Operators when possible.</li> <li>- Design and surface roads based on the traffic, speed, and type of vehicles to reduce, dust, mud, and environmental damage.</li> <li>- Locate roads away from riparian areas and bottoms of drainages as much as possible or re-route entirely.</li> <li>- Obtain Army Corp of Engineer Permits for any stream crossings prior to construction.</li> <li>- Analyze crossings and flow characteristics to determine the best method of crossing, (i.e. culvert, bridge, or low water).</li> <li>- Armor all stream crossings to reduce erosion and to comply with Stormwater Requirements.</li> <li>- Implementation of fugitive dust control measures including but not limited to water or magnesium chloride applications, and road surfacing.</li> <li>- Limit traffic to the minimum needed for safe and efficient operations.</li> <li>- No driving or parking off of disturbed areas.</li> <li>- Install and use locked gates or other means when allowed by landowner or Federal Agencies to prevent unauthorized travel on roads and rights-of ways.</li> </ul> <p>2. Well pad design and location</p> <ul style="list-style-type: none"> <li>- Locate well pads to maximize directional drilling practices. PE currently plans and attempts to locate pads for the maximum number of wells which can safely be developed from each pad. This is normally 16-20 wells per pad which equates to roughly 4 well pads per section.</li> <li>- Design each location to accommodate both current and future gas production.</li> <li>- Locate well pads to minimize disturbance yet maximize use to reduce surface impacts.</li> <li>- Review State and Federal GIS mapping to avoid Sensitive Wildlife Habitat (SWH), Restricted Surface Occupancy (RSO) areas, steep slopes, etc., as much as possible with roads and pad location.</li> <li>- Design and install gathering lines within the disturbed area of new roads and adjacent to as much as possible to reduce disturbance construction.</li> <li>- Design Rights-of Way widths to the minimum needed for safe and efficient construction of pipelines</li> </ul>



**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:  
 Name: \_\_\_\_\_ Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:  
 Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_  
 Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_  
 Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:  
 Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:  
 \_\_\_\_\_

Summary of Operator Response to Landowner Issues:  
 \_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:  
 \_\_\_\_\_

Facility									
Facility ID:	301411	Type:	WELL	API Number:	077-09939	Status:	DG	Insp. Status:	WO
Facility ID:	301412	Type:	WELL	API Number:	077-09940	Status:	WO	Insp. Status:	WO
Facility ID:	301414	Type:	WELL	API Number:	077-09942	Status:	WO	Insp. Status:	WO
Facility ID:	301415	Type:	WELL	API Number:	077-09943	Status:	WO	Insp. Status:	WO
Facility ID:	301416	Type:	WELL	API Number:	077-09944	Status:	WO	Insp. Status:	WO
Facility ID:	301417	Type:	WELL	API Number:	077-09945	Status:	DG	Insp. Status:	WO
Facility ID:	301418	Type:	WELL	API Number:	077-09946	Status:	DG	Insp. Status:	WO
Facility ID:	301419	Type:	WELL	API Number:	077-09947	Status:	XX	Insp. Status:	XX
Facility ID:	301420	Type:	WELL	API Number:	077-09948	Status:	DG	Insp. Status:	WO
Facility ID:	301421	Type:	WELL	API Number:	077-09949	Status:	DG	Insp. Status:	WO
Facility ID:	301422	Type:	WELL	API Number:	077-09950	Status:	DG	Insp. Status:	WO

Facility ID: 301423	Type: WELL	API Number: 077-09951	Status: DG	Insp. Status: WO
Facility ID: 301424	Type: WELL	API Number: 077-09952	Status: DG	Insp. Status: WO
Facility ID: 301425	Type: WELL	API Number: 077-09953	Status: DG	Insp. Status: WO
Facility ID: 301426	Type: WELL	API Number: 077-09954	Status: DG	Insp. Status: WO
Facility ID: 301427	Type: WELL	API Number: 077-09955	Status: DG	Insp. Status: WO
Facility ID: 301428	Type: WELL	API Number: 077-09956	Status: XX	Insp. Status: XX
Facility ID: 411976	Type: WELL	API Number: 077-10060	Status: DG	Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: Patterson 306 Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: SATISFACTORY Access Sign: SATISFACTORY

**Well Control Equipment:**  
 Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids Management:**  
 Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: YES  
 Multi-Well: YES Disposal Location: \_\_\_\_\_

**Comment:**  
 \_\_\_\_\_

Facility ID: 438457	Type: WELL	API Number: 077-10220	Status: DG	Insp. Status: WO
Facility ID: 438458	Type: WELL	API Number: 077-10221	Status: XX	Insp. Status: XX
Facility ID: 438859	Type: WELL	API Number: 077-10223	Status: XX	Insp. Status: XX
Facility ID: 438860	Type: WELL	API Number: 077-10224	Status: XX	Insp. Status: XX

**Environmental**

**Spills/Releases:**  
 Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
 Comment: \_\_\_\_\_  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
 Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_  
 Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**  
 DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: HAY MEADOW, IRRIGATED

Comment: \_\_\_\_\_

- 1003a. Debris removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Waste Material Onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Unused or unneeded equipment onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Inspector Name: CONKLIN, CURTIS

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: HAY MEADOW, IRRIGATED

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation Well Release on Active Location  Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Compaction	Pass	Culverts	Pass			
Berms	Pass	Compaction	Pass			
Gravel	Pass					

S/A/V: \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: Could not do complete stormwater inspection due to snow cover.

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT