

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
03/09/2015

Document Number:
674701056

Overall Inspection:

ACTION REQUIRED

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	334956	334956	LONGWORTH, MIKE	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number:	<u>96850</u>
Name of Operator:	<u>WPX ENERGY ROCKY MOUNTAIN LLC</u>
Address:	<u>1001 17TH STREET - SUITE #1200</u>
City:	<u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Inspection, WPX	970-263-2716	COGCCInspectionReports@wpxenergy.com	WPX Inspection Mail Box
Giboo, David		dgiboo@blm.gov	Petroleum Engineer Tech

Compliance Summary:

QtrQtr:	<u>SENE</u>	Sec:	<u>11</u>	Twp:	<u>7S</u>	Range:	<u>96W</u>
Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
04/22/2014	663903006			SATISFACTORY			No

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
271784	WELL	PR	10/15/2004	GW	045-09955	FEDERAL GM 542-11	PR	<input checked="" type="checkbox"/>
271785	WELL	PR	10/12/2004	GW	045-09954	FEDERAL GM 442-11	PR	<input checked="" type="checkbox"/>
271786	WELL	PR	10/08/2004	GW	045-09953	FEDERAL GM 42-11	PR	<input checked="" type="checkbox"/>
271787	WELL	PR	10/11/2004	GW	045-09952	FEDERAL GM 342-11	PR	<input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits:	<u> </u>	Drilling Pits:	<u> </u>	Wells:	<u>4</u>	Production Pits:	<u> </u>
Condensate Tanks:	<u>1</u>	Water Tanks:	<u>1</u>	Separators:	<u> </u>	Electric Motors:	<u> </u>
Gas or Diesel Mortors:	<u> </u>	Cavity Pumps:	<u> </u>	LACT Unit:	<u> </u>	Pump Jacks:	<u> </u>
Electric Generators:	<u> </u>	Gas Pipeline:	<u> </u>	Oil Pipeline:	<u> </u>	Water Pipeline:	<u> </u>
Gas Compressors:	<u> </u>	VOC Combustor:	<u> </u>	Oil Tanks:	<u>1</u>	Dehydrator Units:	<u> </u>
Multi-Well Pits:	<u> </u>	Pigging Station:	<u> </u>	Flare:	<u> </u>	Fuel Tanks:	<u> </u>

Location

Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: _____

Comment: 970-285-9377

Corrective Action: _____

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
SEPARATOR	SATISFACTORY			
WELLHEAD	SATISFACTORY			
TANK BATTERY	SATISFACTORY			

Equipment:					
Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Plunger Lift	4	SATISFACTORY			
Bird Protectors	2	SATISFACTORY			
Horizontal Heated Separator	4	SATISFACTORY			

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	200 BBLS	STEEL AST	,

S/A/V: SATISFACTORY Comment: _____

Corrective Action: _____ Corrective Date: _____

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action _____ Corrective Date _____

Comment _____

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	200 BBLS	STEEL AST	

S/A/V: SATISFACTORY	Comment:
---------------------	----------

Corrective Action:	Corrective Date:
--------------------	------------------

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action	Corrective Date
Comment	

Venting:

Yes/No	Comment
YES	Bradens open to vent

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 334956

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. The operator shall maintain records of inspections, findings and repairs, if necessary, for the life of the pipelines. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator will implement BMPs necessary to mitigate a potential for a release of fluids to impact streams, intermittent streams, ditches, and drainage crossings. For these crossings: if poly pipe is used on the surface, operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture (catchment basins) and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins; or develop an alternative means for containment. For all other pipeline materials, operator will implement BMPs necessary to mitigate a potential for E&P fluids to reach groundwater or flowing surface water.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.</p>	10/20/2014
OGLA	kubeczkd	<p>Operator must ensure secondary containment for any volume of fluids contained at frac pad site during operations (as described in the Sensitive Area Data attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures sufficiently protective of nearby surface water. Any berm constructed at the pit/frac pad location will be stabilized, inspected at regular intervals (at least every 14 days and after precipitation events), and maintained in good condition.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>Operator shall stabilize exposed soils and slopes as an interim measure during frac pad operations at this site.</p> <p>The access road will maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Additional containment shall be required where temporary or permanent pumps and other necessary equipment or chemicals are located on the frac pad site.</p> <p>Operator will use adequately sized containment devices for all chemicals and/or hazardous materials stored or used on location.</p>	10/20/2014

OGLA	kubeczkd	<p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material and with additional downgradient perimeter berming.</p> <p>Operator will implement measures to ensure that adequate separation of hydrocarbons from the influent occurs to prevent accumulation of oil on the surface of stored fluids. Operator shall also employ a method for monitoring buildup of phase-separated hydrocarbons on the surface of stored fluids.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>	10/20/2014
OGLA	kubeczkd	<p>Notify the COGCC 48 hours prior to start of frac pad reconstruction/regrading, pipeline testing, start of hydraulic stimulation operations, and start of flowback operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>The frac pad facility shall be in operation for no longer than 3 years.</p>	10/20/2014

S/AV: SATISFACTORY **Comment:** No frac pad in place

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Interim Reclamation	<p>WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas.</p> <p>Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</p>
Planning	<p>Minimize the number, length, and footprint of oil and gas development roads.</p> <p>Use existing roads where possible.</p> <p>Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development.</p> <p>Maximize use of remote completion/frac operations to minimize traffic.</p>
Drilling/Completion Operations	<p>Use centralized hydraulic fracturing operations.</p> <p>Conduct well completions with drilling operations to limit the number of rig moves and traffic.</p>

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking: _____

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:
 Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 271784 Type: WELL API Number: 045-09955 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Facility ID: 271785 Type: WELL API Number: 045-09954 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Facility ID: 271786 Type: WELL API Number: 045-09953 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Facility ID: 271787 Type: WELL API Number: 045-09952 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Environmental

Spills/Releases:
 Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:
 DWR Receipt Num: _____ Owner Name: _____ GPS: _____ Lat _____ Long _____

Field Parameters:

 Sample Location: _____

 Emission Control Burner (ECB): _____
 Comment: _____
 Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

- 1003a. Debris removed? Pass CM _____
CA _____ CA Date _____
- Waste Material Onsite? Pass CM _____
CA _____ CA Date _____
- Unused or unneeded equipment onsite? Pass CM _____
CA _____ CA Date _____
- Pit, cellars, rat holes and other bores closed? _____ CM _____
CA _____ CA Date _____
- Guy line anchors removed? _____ CM _____
CA _____ CA Date _____
- Guy line anchors marked? _____ CM _____
CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Inspector Name: LONGWORTH, MIKE

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation

Well Release on Active Location

Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass					
Ditches	Pass					
Seeding	Pass					
		Culverts	Pass			
		Gravel				
		Ditches	Fail			
		Compaction	Fail			Road shoulder washing away at culvert at entrance
Compaction	Pass					

S/A/V: **ACTION REQUIRED** Corrective Date: **04/09/2015**

Comment: **Shoulder of road is washing away at entrance of location (39.45417 -108.07251).**

CA: **Repair shoulder of road and maintain bmps.**

Pits: NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
674701058	Shoulder of road washing away	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3565939

ACTION REQUIRED

ANY ACTION REQUIRED items listed on this report indicate that the oil and gas facility or the oil and gas operations listed on the report may be in violation of the rules and regulations of the Colorado Oil and Conservation Commission (“COGCC”) and corrective action is required.

There is reasonable cause to believe that a violation of the Oil and Gas Conservation Act, or of any rule, regulation, or order of the Commission, or of any permit issued by the Commission, has occurred. The Operator’s compliance with this Inspection Report is required to resolve these alleged violations. This document requires the Operator to timely respond to the COGCC and to comply with directives as listed by the **Corrective Action Deadline Date**. Failure to do so will result in the issuance of a Notice of Alleged Violation and initiation of enforcement proceedings in which COGCC will seek monetary penalties for the alleged violations pursuant to § 34-60-121, C.R.S. and Rule 523, COGCC Rules of Practice and Procedure, 2 CCR 404-1. (Please note that the COGCC's penalty authority was recently increased to a maximum of \$15,000 per day and penalties are no longer capped at a maximum of \$10,000 per violation.)