

Summit Scientific

741 Corporate Circle – Suite J ♦ Golden, Colorado 80401

303.277.9310 - laboratory ♦ 303.374.5933 - fax

October 31, 2014

Bryan Paraspolo
LT Environmental, Inc.
4600 West 60th Avenue
Arvada, CO 80003
RE: CPX - High Plains - Platteville

Enclosed are the results of analyses for samples received by Summit Scientific on 10/23/14 16:25. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, reading "Joseph J Egry IV". The signature is stylized with a large, bold "J" and "E", and a superscripted "IV" at the end.

Joseph J Egry IV
Laboratory/Technical Director

This report shall not be reproduced, except in its entirety, without the written approval of Summit Scientific. Test results relate only to samples analyzed.

Summit Scientific is the sole authority for authorizing edits or modifications to this document. Unauthorized modification of this report is strictly prohibited.



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TS01	1410212-01	Water	10/23/14 13:00	10/23/14 16:25
VS01	1410212-02	Water	10/23/14 13:15	10/23/14 16:25

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director

S₂

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

Summit Scientific 1410212

S₂

741 Corporate Circle, Suite J&K • Golden, Colorado 80401
303-277-9310 • 303-374-5933

Page 1 of 1

Client: LT ENVIRONMENTAL Project Manager: BRYAN PARASPOLO
Address: 4600 W 60th AVE E-Mail: BPARASPOLO@LTENV.COM
City/State/Zip: ARVADA CO 80003
Phone: 303-433-9788 Fax: Project Name: CPX - HIGH PLAINS - PLATTEVILLE
Sampler Name: B. PARASPOLO Project Number: 020112007

ID	Sample Description	Date Sampled	Time Sampled	# of containers	Preservative				Matrix			Analysis Requested					Special Instructions
					HCl	HNO ₃	None	Other (Specify)	Groundwater	Soil	Air-Canister #	Other (Specify)	CATIONS	ANIONS	TDS	TOTAL HARDNESS	
1	TSØ1	10/23/14	1300	2			X		X								
2	VSØ1	↓	1315	2			X		X								
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	

Relinquished by: <u>Bryan Paraspolo</u>	Date/Time: <u>10/23/14 1625</u>	Received by: <u>MD</u>	Date/Time: <u>10/23/14 1625</u>	Turn Around Time (Check)	Notes:
Relinquished by:	Date/Time:	Received by:	Date/Time:	Same Day —	72 hours —
Relinquished by:	Date/Time:	Received by:	Date/Time:	24 hours —	Standard <u>X</u>
Relinquished by:	Date/Time:	Received by:	Date/Time:	48 hours —	
				Sample Integrity:	
				Temperature Upon Receipt: <u>15°C</u>	
				Intact: <u>Yes</u> No	

Notes:
CATIONS - Sodium
Calcium, Magnesium
Barium, Potassium
Iron
ANIONS - Chloride
Sulfate, Hydroxide
Carbonate, Bicarbonate

www.s2scientific.com

Soil samples reported on a wet-weight basis unless otherwise indicated on results page.

Summit Scientific



Joseph J Egry IV, Laboratory/Technical Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Page 3 of 14



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

TS01
1410212-01 (Water)

Summit Scientific

Total Metals by EPA Method 200.8

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Barium	3.86	0.00160	mg/L	1	1410281	10/27/14	10/27/14 20:43	EPA 200.8	

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	110	0.100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Iron	129	0.00100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Potassium	58.1	0.100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Magnesium	20.0	0.100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium	2320	0.100	"	"	"	"	"	"	

Calculated Analytes

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director

S₂

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

TS01
1410212-01 (Water)

Summit Scientific

Calculated Analytes

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Total Hardness	357	0.660	mg/L as CaCO ₃	1	[CALC]	10/27/14	10/27/14 20:43	[CALC]	

Anions by EPA Method 300.0

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Chloride	10900	500	mg/L	500	1410304	10/28/14	10/28/14 19:40	EPA 300.0	

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sulfate	ND	500	"	"	"	"	"	"	R-05

Total Dissolved Solids by 160.1

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Total Dissolved Solids	14200	1.00	mg/L	1	1410301	10/28/14	10/29/14 14:19	EPA 160.1	

Accutest Laboratories

Date Sampled: 10/23/14 13:00

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Total Alkalinity	332	5	mg/L as CaCO ₃	1	1410344	10/31/14	10/31/14 15:58	SM2320-B	
Bicarbonate Alkalinity	332	5	"	"	"	"	"	"	
Carbonate Alkalinity	ND	5	"	"	"	"	"	"	
Hydroxide Alkalinity	ND	5	"	"	"	"	"	"	

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director

S₂

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

TS01
1410212-01 (Water)

Summit Scientific

Accutest Laboratories

Summit Scientific



Joseph J Egry IV, Laboratory/Technical Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

VS01
1410212-02 (Water)

Summit Scientific

Total Metals by EPA Method 200.8

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Barium	5.02	0.00160	mg/L	1	1410281	10/27/14	10/27/14 20:50	EPA 200.8	

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	83.5	0.100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Iron	21.3	0.00100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Potassium	6.77	0.100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Magnesium	9.05	0.100	"	"	"	"	"	"	

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium	1030	0.100	"	"	"	"	"	"	

Calculated Analytes

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director

S₂

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

VS01
1410212-02 (Water)

Summit Scientific

Calculated Analytes

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Total Hardness	246	0.660	mg/L as CaCO ₃	1	[CALC]	10/27/14	10/27/14 20:50	[CALC]	

Anions by EPA Method 300.0

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Chloride	16300	500	mg/L	500	1410304	10/28/14	10/28/14 19:59	EPA 300.0	

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sulfate	ND	500	"	"	"	"	"	"	R-05

Total Dissolved Solids by 160.1

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Total Dissolved Solids	19000	1.00	mg/L	1	1410301	10/28/14	10/29/14 14:19	EPA 160.1	

Accutest Laboratories

Date Sampled: 10/23/14 13:15

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Total Alkalinity	232.8	5	mg/L as CaCO ₃	1	1410344	10/31/14	10/31/14 15:58	SM2320-B	
Bicarbonate Alkalinity	232.8	5	"	"	"	"	"	"	
Carbonate Alkalinity	ND	5	"	"	"	"	"	"	
Hydroxide Alkalinity	ND	5	"	"	"	"	"	"	

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director

S₂

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

VS01
1410212-02 (Water)

Summit Scientific

Accutest Laboratories

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

Total Metals by EPA Method 200.8 - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD	
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 1410281 - EPA 200.8

Blank (1410281-BLK1)

Prepared & Analyzed: 10/27/14

Barium	ND	0.00160	mg/L
Calcium	ND	0.100	"
Iron	ND	0.00100	"
Magnesium	ND	0.100	"
Potassium	ND	0.100	"
Sodium	ND	0.100	"

LCS (1410281-BS1)

Prepared & Analyzed: 10/27/14

Barium	0.491	0.00160	mg/L	0.500	98.2	80-120
Calcium	5.67	0.100	"	5.00	113	80-120
Iron	5.19	0.00100	"	5.00	104	80-120
Magnesium	4.83	0.100	"	5.00	96.6	80-120
Potassium	4.21	0.100	"	5.00	84.3	80-120
Sodium	4.79	0.100	"	5.00	95.8	80-120

Duplicate (1410281-DUP1)

Source: 1410201-01

Prepared & Analyzed: 10/27/14

Barium	0.128	0.00160	mg/L	0.128	0.293	20	
Calcium	165	0.100	"	138	18.0	20	
Iron	20.5	0.00100	"	20.3	0.708	20	
Magnesium	32.1	0.100	"	21.6	39.3	20	QR-03
Potassium	2.82	0.100	"	1.68	50.7	20	QR-03
Sodium	156	0.100	"	103	40.3	20	QR-03

Matrix Spike (1410281-MS1)

Source: 1410201-01

Prepared & Analyzed: 10/27/14

Barium	0.630	0.00160	mg/L	0.500	0.128	100	75-125	
Calcium	210	0.100	"	5.00	138	NR	75-125	QM-07
Iron	28.2	0.00100	"	5.00	20.3	158	75-125	QM-07
Magnesium	33.7	0.100	"	5.00	21.6	242	75-125	QM-07
Potassium	6.07	0.100	"	5.00	1.68	87.8	75-125	
Sodium	152	0.100	"	5.00	103	964	75-125	QM-07

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

Total Metals by EPA Method 200.8 - Quality Control
Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD	
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 1410281 - EPA 200.8

Matrix Spike Dup (1410281-MSD1)	Source: 1410201-01			Prepared & Analyzed: 10/27/14						
Barium	0.649	0.00160	mg/L	0.500	0.128	104	75-125	3.00	25	
Calcium	200	0.100	"	5.00	138	NR	75-125	4.99	25	QM-07
Iron	29.6	0.00100	"	5.00	20.3	186	75-125	4.85	25	QM-07
Magnesium	37.7	0.100	"	5.00	21.6	322	75-125	11.2	25	QM-07
Potassium	7.17	0.100	"	5.00	1.68	110	75-125	16.6	25	
Sodium	168	0.100	"	5.00	103	NR	75-125	10.4	25	QM-07

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

Anions by EPA Method 300.0 - Quality Control
Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD	
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 1410304 - General Preparation

Blank (1410304-BLK1)				Prepared & Analyzed: 10/28/14						
Chloride	ND	1.00	mg/L							
Sulfate	ND	1.00	"							
LCS (1410304-BS1)				Prepared & Analyzed: 10/28/14						
Chloride	3.14	1.00	mg/L	3.00		105	90-110			
Sulfate	15.0	1.00	"	15.0		100	90-110			
LCS Dup (1410304-BSD1)				Prepared & Analyzed: 10/28/14						
Chloride	3.02	1.00	mg/L	3.00		101	90-110	3.83	10	
Sulfate	14.2	1.00	"	15.0		94.6	90-110	5.81	10	
Duplicate (1410304-DUP1)				Source: 1410211-01		Prepared: 10/28/14 Analyzed: 10/29/14				
Sulfate	699	50.0	mg/L		673			3.86	10	
Chloride	278	50.0	"		279			0.431	10	
Matrix Spike (1410304-MS1)				Source: 1410211-01		Prepared: 10/28/14 Analyzed: 10/29/14				
Sulfate	1480	50.0	mg/L	750	673	107	90-110			
Chloride	434	50.0	"	150	279	103	90-110			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director



LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

Total Dissolved Solids by 160.1 - Quality Control
Summit Scientific

Analyte	Result	Reporting			Spike Level	Source Result	%REC		RPD		Notes
		Limit	Units				Limits	RPD	Limit		

Batch 1410301 - General Preparation

Blank (1410301-BLK1)

Prepared: 10/28/14 Analyzed: 10/29/14

Total Dissolved Solids ND 1.00 mg/L

Duplicate (1410301-DUP1)

Source: 1410210-01

Prepared: 10/28/14 Analyzed: 10/29/14

Total Dissolved Solids 11100 1.00 mg/L 10700 3.67 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Joseph J Egry IV, Laboratory/Technical Director

S₂

LT Environmental, Inc.
4600 West 60th Avenue
Arvada CO, 80003

Project: CPX - High Plains - Platteville
Project Number: 0201-12007
Project Manager: Bryan Paraspolo

Reported:
10/31/14 16:18

Notes and Definitions

R-05 The sample was diluted due to the presence of high levels of non-target analytes resulting in elevated reporting limits.

QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS/LCSD recovery.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

Summit Scientific



Joseph J Egry IV, Laboratory/Technical Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Bob Koehler - DNR

From: Paul Gottlob
Sent: Friday, March 20, 2015 11:30 AM
To: bparaspolo@ltenv.com
Cc: Andy Verbonitz; Bob Koehler - DNR
Subject: RE: Form 26 -Source of Produced Water
Attachments: Source Wells - Water Analysis for HPD Platteville 2.pdf

Andy,

I have not received a response from Bryan on the below email I sent back on 2/16/15 – Can you please tell me which test is for which well.

LTE really should use the well name and API # along with your internal designations. COGCC is needing the information. Thanks much!

PAUL GOTTLOB

Regulatory & Engineering Technician

P: 720.420.5747

C: 720.394.6961



From: Paul Gottlob
Sent: Monday, February 16, 2015 10:49 AM
To: 'bparaspolo@ltenv.com'
Subject: FW: Form 26 -Source of Produced Water

Hi Bryan,

Can you please tell me regarding the 2 attached TDS results – which well does each match to of the 2 listed below?

I am submitting to COGCC via a Form 26 and need to apply each to it's well name and locaiton.

Paul

PAUL GOTTLOB

Regulatory & Engineering Technician

P: 720.420.5747

C: 720.394.6961



From: Dowden, William [<mailto:WDowden@AWWaterService.com>]
Sent: Monday, February 16, 2015 8:54 AM
To: Paul Gottlob
Cc: Neel Duncan; Derek Petrie; Dowden, William; Cahill, Alyssa M.; Sellmer, Clint
Subject: RE: Form 26 -Source of Produced Water

Paul here the water analysis for the 2 source wells.

Encana lone 13-4 NW SW Sec 4, T2N, R66W

Doug Dowden*General Manager*

1892 Denver Avenue

Fort Lupton, CO 80621

970-539-1222 (Cell)

303-654-8407 (Direct Phone)



From: Paul Gottlob [<mailto:paul.gottlob@iptenergyservices.com>]**Sent:** Wednesday, February 11, 2015 3:19 PM**To:** Dowden, William**Cc:** Neel Duncan; Derek Petrie**Subject:** RE: Form 26 -Source of Produced Water

Hi Doug,

I have submitted the FINAL Forms 31 & 33 with all necessary attachments.

Forms 5 & 5A have been submitted as well.

We still need to submit Form 26 as described below (my last email).

If the Source of Produced Water list is the same as for your HPD Platteville 1 – we can use it – but still need 2 TDS values from those wells.

Thank you!

Paul

PAUL GOTTLOB

Regulatory & Engineering Technician

P: 720.420.5747

C: 720.394.6961



From: Paul Gottlob**Sent:** Tuesday, January 27, 2015 6:49 AM**To:** 'Dowden, William'**Cc:** Neel Duncan; Derek Petrie**Subject:** Form 26 -Source of Produced Water

Hi Doug,

Attached is the preferred layout for the 'Source of Produced Water' spreadsheet that will accompany the Form 26 – which has to be approved prior to permission to inject.

We will also need at least 2 of the Source Wells to show their respective TDS – the analysis test results are not needed though. If you could list the 2 with the TDS results at the top of the list that would help.

Any questions please let me know.

Thanks!

Paul

PAUL GOTTLOB

Regulatory & Engineering Technician

P: 720.420.5747

C: 720.394.6961



The information contained in this e-mail message (and its attachments) may be privileged, confidential and protected from disclosure. If you are not the intended recipient, please do not read, copy, use, or disclose this communication to others. If you think that you have received this e-mail message in error, please immediately e-mail the sender, then delete this message and any "reply" response from your system. This electronic mail transmission is not intended (and may not be construed or deemed for any purpose) to contain or be an electronic signature.

The information contained in this e-mail message (and its attachments) may be privileged, confidential and protected from disclosure. If you are not the intended recipient, please do not read, copy, use, or disclose this communication to others. If you think that you have received this e-mail message in error, please immediately e-mail the sender, then delete this message and any "reply" response from your system. This electronic mail transmission is not intended (and may not be construed or deemed for any purpose) to contain or be an electronic signature.
