

Technical Report for

WPX Energy Rocky Mountain, LLC

WWLCOGJ: RU 11-7 BWQ

Accutest Job Number: D65992

Sampling Date: 12/18/14


Report to:

Western Water and Land, Inc.
743 Horizon Court Suite 330
Grand Junction, CO 80506
bsmith@westernwaterandland.com; jpahler@westernwaterandland.com
ATTN: Bruce Smith

Total number of pages in report: 52



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.



Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	8
Section 4: Sample Results	9
4.1: D65992-1: BEAVER CR2	10
4.2: D65992-1F: BEAVER CR2	14
4.3: D65992-2: TRIP BLANK	15
Section 5: Misc. Forms	16
5.1: Chain of Custody	17
Section 6: GC Volatiles - QC Data Summaries	19
6.1: Method Blank Summary	20
6.2: Blank Spike Summary	21
6.3: Matrix Spike/Matrix Spike Duplicate Summary	22
Section 7: GC Semi-volatiles - QC Data Summaries	23
7.1: Method Blank Summary	24
7.2: Blank Spike Summary	25
7.3: Matrix Spike/Matrix Spike Duplicate Summary	26
Section 8: Metals Analysis - QC Data Summaries	27
8.1: Prep QC MP14829: Se	28
8.2: Prep QC MP14830: Ba,B,Ca,Fe,Mg,Mn,K,Na,Sr	32
Section 9: General Chemistry - QC Data Summaries	40
9.1: Method Blank and Spike Results Summary	41
9.2: Duplicate Results Summary	42
9.3: Matrix Spike Results Summary	43
9.4: Matrix Spike Duplicate Results Summary	44
Section 10: Misc. Forms (Accutest Northern California,Inc.)	45
10.1: Chain of Custody	46
Section 11: GC/MS Volatiles - QC Data (Accutest Northern California,Inc.)	48
11.1: Method Blank Summary	49
11.2: Blank Spike/Blank Spike Duplicate Summary	50
11.3: Laboratory Control Sample Summary	51
11.4: Matrix Spike/Matrix Spike Duplicate Summary	52

1

2

3

4

5

6

7

8

9

10

11



Sample Summary

WPX Energy Rocky Mountain, LLC

Job No: D65992

WWLCOGJ: RU 11-7 BWQ

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D65992-1	12/18/14	12:50 SLK	12/19/14	AQ	Surface Water	BEAVER CR2
D65992-1F	12/18/14	12:50 SLK	12/19/14	AQ	Surface H2O Filtered	BEAVER CR2
D65992-2	12/18/14	00:00 SLK	12/19/14	AQ	Trip Blank Water	TRIP BLANK

CASE NARRATIVE / CONFORMANCE SUMMARY

Client: WPX Energy Rocky Mountain, LLC

Job No D65992

Site: WWLCOGJ: RU 11-7 BWQ

Report Date 1/7/2015 9:23:25 AM

On 12/19/2014, 1 sample(s), 1 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4.9 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D65992 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ

Batch ID: C:VQ1125

- The data for SW846 8260B meets quality control requirements.
- D65992-1,-2: Analysis performed at Accutest Laboratories, San Jose, CA.

Volatiles by GC By Method RSK175 MOD

Matrix: AQ

Batch ID: GFB598

- All samples were analyzed within the recommended method holding time.
- Sample(s) D65789-1MS, D65789-1MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- D65992-1: The pH of the sample was >2 at time of analysis.
- D65789-1MS and D65789-1MSD: The pH of the sample was >2 at time of analysis.

Extractables by GC By Method SW846-8015B

Matrix: AQ

Batch ID: OP11106

- All samples were extracted and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D60583-11MS, D60583-11MSD were used as the QC samples indicated.

Metals By Method EPA 200.7

Matrix: AQ

Batch ID: MP14830

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D65948-1FMS, D65948-1FMSD were used as the QC samples for the metals analysis.

Metals By Method EPA 200.8

Matrix: AQ

Batch ID: MP14829

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D65974-1MS, D65974-1MSD were used as the QC samples for the metals analysis.

Wet Chemistry By Method EPA 300.0/SW846 9056

Matrix: AQ **Batch ID:** GP14292

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D65992-1MS, D65992-1MSD were used as the QC samples for the Bromide, Fluoride, Nitrogen, Nitrate, Nitrogen, Nitrite, Sulfate, Bromide, Chloride analysis.
- The matrix spike (MS) recovery(s) of Chloride are outside control limits. Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.

Wet Chemistry By Method HACH IRB-BART

Matrix: AQ **Batch ID:** MB481

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SLYM-BART

Matrix: AQ **Batch ID:** MB482

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SRB-BART

Matrix: AQ **Batch ID:** MB483

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH8190/SM4500P-B/E

Matrix: AQ **Batch ID:** GP14339

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D65993-1MS, D65993-1MSD, D65993-1DUP were used as the QC samples for the Phosphorus, Total analysis.
- The duplicate RPD(s) for Phosphorus, Total are outside control limits for sample GP14339-D1. RPD acceptable due to low duplicate and sample concentrations.

Wet Chemistry By Method SM 2320B-2011

Matrix: AQ **Batch ID:** GN28045

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D65992-1DUP, D65992-1MS, D65992-1MSD were used as the QC samples for the Alkalinity, Total as CaCO₃ analysis.

Matrix: AQ **Batch ID:** GN28047

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Matrix: AQ **Batch ID:** GN28050

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

SAMPLE DELIVERY GROUP CASE NARRATIVE

Client: Accutest Mountain States

Job No D65992

Site: WILLCOP: WWLCOGJ: RU 11-7 BWQ

Report Date 1/7/2015 12:04:09 AM

1 Sample(s), 1 Trip Blank(s) and 0 Field Blank(s) were collected on 12/18/2014 and were received at Accutest on 12/19/2014 properly preserved, at 5.9 Deg. C and intact. These Samples received an Accutest job number of D65992. A listing of the Laboratory Sample ID, Client Sample ID and dates of collection are presented in the Results Summary Section of this report.

Except as noted below, all method specified calibrations and quality control performance criteria were met for this job. For more information, please refer to QC summary pages.

Volatiles by GCMS By Method SW846 8260B

Matrix: AQ

Batch ID: VQ1125

- Sample(s) C37811-1MS, C37811-1MSD were used as the QC samples indicated.

Accutest Laboratories Northern California (ALNCA) certifies that this report meets the project requirements for analytical data produced for the samples as received at ALNCA and as stated on the COC. ALNCA certifies that the data meets the Data Quality Objectives for precision, accuracy and completeness as specified in the ALNCA Quality Manual except as noted above. This report is to be used in its entirety. ALNCA is not responsible for any assumptions of data quality if partial data packages are used

Summary of Hits

Job Number: D65992
Account: WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ
Collected: 12/18/14



Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

D65992-1 BEAVER CR2

Alkalinity, Bicarbonate as CaCO3	161	5.0	2.0	mg/l	SM 2320B-2011
Alkalinity, Total as CaCO3	161	5.0	2.0	mg/l	SM 2320B-2011
Chloride	1.8	0.50	0.40	mg/l	EPA 300.0/SW846 9056
Fluoride	0.11	0.10	0.050	mg/l	EPA 300.0/SW846 9056
Iron Reducing Bacteria	9000	25		CFU/ml	HACH IRB-BART
Nitrogen, Nitrate	0.22	0.010	0.0060	mg/l	EPA 300.0/SW846 9056
Phosphorus, Total	0.015	0.010	0.0080	mg/l	HACH8190/SM4500P-B/E
Slime Forming Bacteria	< 500	500		CFU/ml	HACH SLYM-BART
Solids, Total Dissolved	244	10	5.0	mg/l	SM 2540C-2011
Specific Conductivity	289	1.0		umhos/cm	SM 2510B-2011
Sulfate	19.0	0.50	0.20	mg/l	EPA 300.0/SW846 9056
Sulfate Reducing Bacteria	5000	200		CFU/ml	HACH SRB-BART
pH	8.18			su	SM4500HB+ -2011/9040C

D65992-1F BEAVER CR2

Barium	50.9	10	1.4	ug/l	EPA 200.7
Boron	13.4 J	50	6.6	ug/l	EPA 200.7
Calcium	44900	400	66	ug/l	EPA 200.7
Iron	12.0	10	3.2	ug/l	EPA 200.7
Magnesium	10000	200	29	ug/l	EPA 200.7
Manganese	2.7 J	5.0	0.29	ug/l	EPA 200.7
Potassium	889 J	1000	230	ug/l	EPA 200.7
Sodium	13600	400	36	ug/l	EPA 200.7
Strontium	298	5.0	0.12	ug/l	EPA 200.7

D65992-2 TRIP BLANK

No hits reported in this sample.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID: BEAVER CR2 Lab Sample ID: D65992-1 Matrix: AQ - Surface Water Method: SW846 8260B Project: WWLCOGJ: RU 11-7 BWQ	Date Sampled: 12/18/14 Date Received: 12/19/14 Percent Solids: n/a
--	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	Q26227.D	1	01/01/15	ANC	n/a	n/a	C:VQ1125
Run #2							

Run #	Purge Volume
Run #1	10.0 ml
Run #2	

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.46	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	96%		70-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	93%		70-130%

(a) Analysis performed at Accutest Laboratories, San Jose, CA.

ND = Not detected RL = Reporting Limit E = Indicates value exceeds calibration range	MDL = Method Detection Limit J = Indicates an estimated value B = Indicates analyte found in associated method blank N = Indicates presumptive evidence of a compound
--	--

Report of Analysis

Client Sample ID: BEAVER CR2 Lab Sample ID: D65992-1 Matrix: AQ - Surface Water Method: RSK175 MOD Project: WWLCOGJ: RU 11-7 BWQ	Date Sampled: 12/18/14 Date Received: 12/19/14 Percent Solids: n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	FB12908.D	1	12/22/14	JJ	n/a	n/a	GFB598
Run #2							

Run #	Initial Volume	Headspace Volume	Volume Injected	Temperature
Run #1	39.0 ml	4.0 ml	500 ul	20.0 Deg. C
Run #2				

Methane, Ethane and Propane

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00040	mg/l	
74-84-0	Ethane	ND	0.0016	0.00080	mg/l	
74-98-6	Propane	ND	0.0022	0.0011	mg/l	

(a) The pH of the sample was > 2 at time of analysis.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BEAVER CR2 Lab Sample ID: D65992-1 Matrix: AQ - Surface Water Method: SW846-8015B SW846 3510C Project: WWLCOGJ: RU 11-7 BWQ	Date Sampled: 12/18/14 Date Received: 12/19/14 Percent Solids: n/a
--	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FD38585.D	1	12/20/14	JJ	12/19/14	OP11106	GFD1726
Run #2							

Run #	Initial Volume	Final Volume
Run #1	1060 ml	1.0 ml
Run #2		

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	0.19	0.17	mg/l	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
84-15-1	o-Terphenyl	67%		10-130%		

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

4.1
4

Report of Analysis

Client Sample ID: BEAVER CR2	Date Sampled: 12/18/14
Lab Sample ID: D65992-1	Date Received: 12/19/14
Matrix: AQ - Surface Water	Percent Solids: n/a
Project: WWLCOGJ: RU 11-7 BWQ	

General Chemistry

Analyte	Result	RL	MDL	Units	DF	Analyzed	By	Method
Alkalinity, Bicarbonate as CaC	161	5.0	2.0	mg/l	1	12/26/14	TJ	SM 2320B-2011
Alkalinity, Carbonate	2.0 U	5.0	2.0	mg/l	1	12/26/14	TJ	SM 2320B-2011
Alkalinity, Total as CaCO3	161	5.0	2.0	mg/l	1	12/26/14	TJ	SM 2320B-2011
Bromide	0.025 U	0.050	0.025	mg/l	1	12/19/14 15:37	JB	EPA 300.0/SW846 9056
Chloride	1.8	0.50	0.40	mg/l	1	12/19/14 15:37	JB	EPA 300.0/SW846 9056
Fluoride	0.11	0.10	0.050	mg/l	1	12/19/14 15:37	JB	EPA 300.0/SW846 9056
Iron Reducing Bacteria	9000	25		CFU/ml	1	12/12/14	MM	HACH IRB-BART
Nitrogen, Nitrate	0.22	0.010	0.0060	mg/l	1	12/19/14 15:37	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrite	0.0	0.0040	0.0030	mg/l	1	12/19/14 15:37	JB	EPA 300.0/SW846 9056
Phosphorus, Total	0.015	0.010	0.0080	mg/l	1	12/30/14 08:00	JD	HACH8190/SM4500P-B/E
Slime Forming Bacteria	< 500	500		CFU/ml	1	12/29/14	MM	HACH SLYM-BART
Solids, Total Dissolved	244	10	5.0	mg/l	1	12/23/14	JD	SM 2540C-2011
Specific Conductivity	289	1.0		umhos/cm	1	12/24/14	TJ	SM 2510B-2011
Sulfate	19.0	0.50	0.20	mg/l	1	12/19/14 15:37	JB	EPA 300.0/SW846 9056
Sulfate Reducing Bacteria	5000	200		CFU/ml	1	12/29/14	MM	HACH SRB-BART
pH	8.18			su	1	12/24/14 14:00	AK	SM4500HB+ -2011/9040C

RL = Reporting Limit
MDL = Method Detection Limit

U = Indicates a result < MDL
J = Indicates a result > = MDL but < RL

Report of Analysis

Client Sample ID: BEAVER CR2 Lab Sample ID: D65992-1F Matrix: AQ - Surface H2O Filtered Project: WWLCOGJ: RU 11-7 BWQ	Date Sampled: 12/18/14 Date Received: 12/19/14 Percent Solids: n/a
--	---

Dissolved Metals Analysis

Analyte	Result	RL	MDL	Units	DF	Prep	Analyzed By	Method	Prep Method
Barium	50.9	10	1.4	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Boron	13.4 J	50	6.6	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Calcium	44900	400	66	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Iron	12.0	10	3.2	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Magnesium	10000	200	29	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Manganese	2.7 J	5.0	0.29	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Potassium	889 J	1000	230	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Selenium	0.42 U	0.80	0.42	ug/l	2	12/22/14	01/02/15 NT	EPA 200.8 ²	EPA 200.8 ³
Sodium	13600	400	36	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Strontium	298	5.0	0.12	ug/l	1	12/22/14	12/22/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴

- (1) Instrument QC Batch: MA5613
- (2) Instrument QC Batch: MA5637
- (3) Prep QC Batch: MP14829
- (4) Prep QC Batch: MP14830

RL = Reporting Limit
 MDL = Method Detection Limit

U = Indicates a result < MDL
 J = Indicates a result > = MDL but < RL

4.2
4

Report of Analysis

Client Sample ID: TRIP BLANK Lab Sample ID: D65992-2 Matrix: AQ - Trip Blank Water Method: SW846 8260B Project: WWLCOGJ: RU 11-7 BWQ	Date Sampled: 12/18/14 Date Received: 12/19/14 Percent Solids: n/a
---	---

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1 ^a	Q26223.D	1	01/01/15	ANC	n/a	n/a	C:VQ1125
Run #2							

Run #	Purge Volume
Run #1	10.0 ml
Run #2	

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.46	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
1868-53-7	Dibromofluoromethane	95%		70-130%
2037-26-5	Toluene-D8	97%		70-130%
460-00-4	4-Bromofluorobenzene	94%		70-130%

(a) Analysis performed at Accutest Laboratories, San Jose, CA.

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 RL = Reporting Limit B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

4.3
4

Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6021 FAX: 303-425-6854
www.accutest.com

FED-EX Tracking # 17M5-2013-245
Bottle Order Control # D65992
Account Job #

Client / Reporting Information: Western Water and Land, Inc.
Project Name: RW 11-7 RWQ
Billing Information: WPX Energy
Project Manager: Mike Gardner

Table with columns: Field ID / Point of Collection, MECH/DI Val #, Date, Time, Sampled by, Matrix, # of bottles, and various chemical analysis parameters (PH, SCOM, TDS, etc.).

Field Parameters table for Beaver Cr 2 showing pH, Temp, Sp. Cond, DO, DC, CRP, and TURB values.

Turnaround Time (Business days) and Data Deliverable Information section with checkboxes for service levels and report formats.

Chain of Custody table with columns: Relinquished by, Received By, Date Time, and Custody Seal status.

5.1 5

Accutest Job Number: D65992 **Client:** WWL **Project:** _____
Date / Time Received: 12/19/2014 11:40:00 AM **Delivery Method:** _____ **Airbill #'s:** CO
Cooler Temps (Initial/Adjusted): #1: (4.9/4.9);

Cooler Security		<u>Y or N</u>			<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Cooler Temperature		<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	<u>Bar Therm;</u>	
3. Cooler media:	<u>Ice (Bag)</u>	
4. No. Coolers:	<u>1</u>	

Quality Control Preservation	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

Comments

Sample Integrity - Documentation		<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Container labeling complete:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	

Sample Integrity - Condition		<u>Y</u>	<u>or</u>	<u>N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. All containers accounted for:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
3. Condition of sample:	<u>Intact</u>			

Sample Integrity - Instructions	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

5.1
5

GC Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: D65992
Account: WILLCOP WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB598-MB	FB12873.D	1	12/22/14	JJ	n/a	n/a	GFB598

The QC reported here applies to the following samples:

Method: RSK175 MOD

D65992-1

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00040	mg/l	
74-84-0	Ethane	ND	0.0016	0.00080	mg/l	
74-98-6	Propane	ND	0.0022	0.0011	mg/l	

Blank Spike Summary

Job Number: D65992
Account: WILLCOP WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB598-BS	FB12874.D	10	12/22/14	JJ	n/a	n/a	GFB598

The QC reported here applies to the following samples:

Method: RSK175 MOD

D65992-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
74-82-8	Methane	0.512	0.527	103	70-130
74-84-0	Ethane	0.923	0.953	103	70-130
74-98-6	Propane	1.38	1.43	104	67-130

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: D65992
 Account: WILLCOP WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D65789-1MS ^a	FB12878.D	10	12/22/14	JJ	n/a	n/a	GFB598
D65789-1MSD ^a	FB12879.D	10	12/22/14	JJ	n/a	n/a	GFB598
D65789-1 ^a	FB12875.D	1	12/22/14	JJ	n/a	n/a	GFB598
D65789-1 ^a	FB12877.D	10	12/22/14	JJ	n/a	n/a	GFB598

The QC reported here applies to the following samples:

Method: RSK175 MOD

D65992-1

CAS No.	Compound	D65789-1		MS mg/l	MS %	Spike mg/l	MSD mg/l	MSD %	RPD	Limits Rec/RPD
		mg/l	Q							
74-82-8	Methane	2.43 ^b	0.512	2.88	88	0.512	3.00	111	4	51-155/30
74-84-0	Ethane	0.0081	0.923	0.915	99	0.923	0.911	99	0	58-130/30
74-98-6	Propane	ND	1.38	1.37	99	1.38	1.36	99	1	46-130/30

- (a) The pH of the sample was > 2 at time of analysis.
- (b) Result is from Run #2.

* = Outside of Control Limits.

GC Semi-volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: D65992
Account: WILLCOP WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP11106-MB	FD38555.D	1	12/20/14	JJ	12/19/14	OP11106	GFD1726

The QC reported here applies to the following samples:

Method: SW846-8015B

D65992-1

CAS No.	Compound	Result	RL	MDL	Units	Q
	TPH-DRO (C10-C28)	ND	0.20	0.18	mg/l	

CAS No.	Surrogate Recoveries	Limits
84-15-1	o-Terphenyl	52% 10-130%

7.1.1
7

Blank Spike Summary

Job Number: D65992
Account: WILLCOP WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP11106-BS	FD38557.D	1	12/20/14	JJ	12/19/14	OP11106	GFD1726

The QC reported here applies to the following samples:

Method: SW846-8015B

D65992-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
	TPH-DRO (C10-C28)	5	2.75	55	33-130

CAS No.	Surrogate Recoveries	BSP	Limits
84-15-1	o-Terphenyl	82%	10-130%

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: D65992
 Account: WILLCOP WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
OP11106-MS	FD38559.D	1	12/20/14	JJ	12/19/14	OP11106	GFD1726
OP11106-MSD	FD38561.D	1	12/20/14	JJ	12/19/14	OP11106	GFD1726
D60583-11	FD38563.D	1	12/20/14	JJ	12/19/14	OP11106	GFD1726

The QC reported here applies to the following samples:

Method: SW846-8015B

D65992-1

CAS No.	Compound	D60583-11 mg/l	Spike Q mg/l	MS mg/l	MS %	Spike mg/l	MSD mg/l	MSD %	RPD	Limits Rec/RPD
	TPH-DRO (C10-C28)	ND	5	2.28	46	5	2.55	51	11	33-130/30

CAS No.	Surrogate Recoveries	MS	MSD	D60583-11	Limits
84-15-1	o-Terphenyl	87%	92%	98%	10-130%

* = Outside of Control Limits.

7.3.1
7

Metals Analysis

QC Data Summaries

Includes the following where applicable:

- **Method Blank Summaries**
- **Matrix Spike and Duplicate Summaries**
- **Blank Spike and Lab Control Sample Summaries**
- **Serial Dilution Summaries**

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14829
Matrix Type: AQUEOUS

Methods: EPA 200.8
Units: ug/l

Prep Date: 12/22/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	50	1.1	2		
Antimony	0.40	.0022	.011		
Arsenic	0.20	.017	.044		
Barium	2.0	.016	.079		
Beryllium	0.20	.016	.069		
Boron	40	.49	2.1		
Cadmium	0.10	.036	.042		
Calcium	400	5.6	12		
Chromium	2.0	.053	.053		
Cobalt	0.20	.0049	.015		
Copper	2.0	.06	.13		
Iron	10	3.5	4.6		
Lead	0.50	.0079	.008		
Magnesium	100	1.3	1.3		
Manganese	1.0	.12	.13		
Molybdenum	1.0	.049	.029		
Nickel	2.0	.0088	.027		
Phosphorus	60	2.6	4.3		
Potassium	200	2.9	2.9		
Selenium	0.40	.06	.21	-0.022	<0.40
Silver	0.10	.0019	.008		
Sodium	500	4.9	4.9		
Strontium	20	.01	.015		
Thallium	0.20	.0024	.005		
Tin	10	.063	1.3		
Titanium	2.0	.059	.092		
Uranium	0.20	.0017	.002		
Vanadium	1.0	.037	.2		
Zinc	10	.21	.96		

Associated samples MP14829: D65992-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

8.1.1
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D65992
 Account: WILLCOP - WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14829
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 12/22/14

Metal	D65974-1 Original MS		SpikeLot ICPAL2 % Rec		QC Limits
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Magnesium					
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium	0.80	206	200	102.6	70-130
Silver					
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP14829: D65992-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

8.12
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D65992
 Account: WILLCOP - WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14829
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 12/22/14

Metal	D65974-1 Original MSD	SpikeLot ICPAL2	% Rec	MSD RPD	QC Limit	
Aluminum						
Antimony						
Arsenic						
Barium						
Beryllium						
Boron						
Cadmium						
Calcium						
Chromium						
Cobalt						
Copper						
Iron						
Lead						
Magnesium						
Manganese						
Molybdenum						
Nickel						
Phosphorus						
Potassium						
Selenium	0.80	205	200	102.1	0.5	20
Silver						
Sodium						
Strontium						
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP14829: D65992-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

8.12
8

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D65992
 Account: WILLCOP - WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14829
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 12/22/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Magnesium				
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	210	200	105.0	85-115
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP14829: D65992-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

8.1.3
8

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14830
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 12/22/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	8.6	11		
Antimony	30	3.2	21		
Arsenic	25	5.2	9		
Barium	10	1.4	1.4	0.0	<10
Beryllium	10	.8	1.7		
Boron	50	6.7	6.6	1.8	<50
Cadmium	10	.4	.36		
Calcium	400	2.2	66	7.9	<400
Chromium	10	.4	1.4		
Cobalt	5.0	.4	.51		
Copper	10	1.2	1.5		
Iron	10	2.2	3.2	0.60	<10
Lead	50	3.6	4.1		
Lithium	5.0	1.9	1.9		
Magnesium	200	14	29	11.7	<200
Manganese	5.0	.01	.29	0.10	<5.0
Molybdenum	10	.8	1.1		
Nickel	30	.9	.87		
Phosphorus	100	15	24		
Potassium	1000	130	230	9.1	<1000
Selenium	50	8.8	9.3		
Silicon	50	5.2	5.6		
Silver	30	.4	.4		
Sodium	400	4.9	36	16.2	<400
Strontium	5.0	.01	.12	0.0	<5.0
Thallium	10	2.9	4.9		
Tin	50	13	13		
Titanium	10	.15	.43		
Uranium	50	3.7	3.9		
Vanadium	10	.4	.39		
Zinc	30	.6	1.9		

Associated samples MP14830: D65992-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ


QC Batch ID: MP14830
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 12/22/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested



8.2.1
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D65992
 Account: WILLCOP - WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14830
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 12/22/14

Metal	D65948-1F Original MS		SpikeLot ICPAL2	% Rec	QC Limits
Aluminum					
Antimony					
Arsenic					
Barium	33.4	2050	2000	100.8	70-130
Beryllium					
Boron	390	1480	1000	109.0	70-130
Cadmium					
Calcium	1440	25800	25000	97.4	70-130
Chromium	anr				
Cobalt					
Copper					
Iron	106	5310	5000	104.1	70-130
Lead					
Lithium					
Magnesium	370	24700	25000	97.3	70-130
Manganese	4.1	514	500	102.0	70-130
Molybdenum					
Nickel					
Phosphorus					
Potassium	1230	25100	25000	95.5	70-130
Selenium					
Silicon					
Silver					
Sodium	229000	248000	25000	76.0	70-130
Strontium	44.5	560	500	103.1	70-130
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP14830: D65992-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

8.2.2
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ


QC Batch ID: MP14830
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 12/22/14

Metal	D65948-1F Original MS	SpikeLot ICPALL2	% Rec	QC Limits
-------	--------------------------	---------------------	-------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested



8.2.2
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D65992
 Account: WILLCOP - WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14830
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 12/22/14

Metal	D65948-1F Original MSD		SpikeLot ICPAL2 % Rec		MSD RPD	QC Limit
Aluminum						
Antimony						
Arsenic						
Barium	33.4	2060	2000	101.3	0.5	20
Beryllium						
Boron	390	1490	1000	110.0	0.7	20
Cadmium						
Calcium	1440	25900	25000	97.8	0.4	20
Chromium	anr					
Cobalt						
Copper						
Iron	106	5290	5000	103.7	0.4	20
Lead						
Lithium						
Magnesium	370	24900	25000	98.1	0.8	20
Manganese	4.1	515	500	102.2	0.2	20
Molybdenum						
Nickel						
Phosphorus						
Potassium	1230	25200	25000	95.9	0.4	20
Selenium						
Silicon						
Silver						
Sodium	229000	253000	25000	96.0	2.0	20
Strontium	44.5	563	500	103.7	0.5	20
Thallium						
Tin						
Titanium						
Uranium						
Vanadium						
Zinc						

Associated samples MP14830: D65992-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

8.2.2
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ


QC Batch ID: MP14830
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 12/22/14

Metal	D65948-1F Original MSD	SpikeLot ICPALL2	% Rec	MSD RPD	QC Limit
-------	---------------------------	---------------------	-------	------------	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested



8.2.2
8

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D65992
 Account: WILLCOP - WPX Energy Rocky Mountain, LLC
 Project: WWLCOGJ: RU 11-7 BWQ

QC Batch ID: MP14830
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 12/22/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium	2060	2000	103.0	85-115
Beryllium				
Boron	1090	1000	109.0	85-115
Cadmium				
Calcium	25000	25000	100.0	85-115
Chromium	anr			
Cobalt				
Copper				
Iron	5270	5000	105.4	85-115
Lead				
Lithium				
Magnesium	24800	25000	99.2	85-115
Manganese	527	500	105.4	85-115
Molybdenum				
Nickel				
Phosphorus				
Potassium	23900	25000	95.6	85-115
Selenium				
Silicon				
Silver				
Sodium	24200	25000	96.8	85-115
Strontium	522	500	104.4	85-115
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP14830: D65992-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

8.2.3
8

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ


QC Batch ID: MP14830
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 12/22/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
-------	---------------	---------------------	-------	--------------

(anr) Analyte not requested



General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Alkalinity, Bicarbonate as CaC	GN28047	5.0	2.0	mg/l	100	96.0	96.0	90-110%
Alkalinity, Carbonate	GN28050	5.0	2.0	mg/l	100	96.0	96.0	80-120%
Alkalinity, Total as CaCO3	GN28045	5.0	2.0	mg/l	100	96.0	96.0	90-110%
Bromide	GP14292/GN27968	0.050	0.0	mg/l	0.5	0.500	100.0	90-110%
Chloride	GP14292/GN27968	0.50	0.0	mg/l	5	4.83	96.6	90-110%
Fluoride	GP14292/GN27968	0.10	0.0	mg/l	1	0.982	98.2	90-110%
Iron Reducing Bacteria	MB481	25	<25	CFU/ml				
Nitrogen, Nitrate	GP14292/GN27968	0.010	0.0	mg/l	0.1	0.0989	98.9	90-110%
Nitrogen, Nitrite	GP14292/GN27968	0.0040	0.0	mg/l	0.05	0.0542	108.4	90-110%
Phosphorus, Total	GP14339/GN28077	0.010	0.0	mg/l	0.38	0.40	106.3	80-120%
Slime Forming Bacteria	MB482	500	<500	CFU/ml				
Solids, Total Dissolved	GN27989	10	0.0	mg/l	400	404	101.0	90-110%
Specific Conductivity	GP14309/GN28018			umhos/cm	99.4	103	103.2	90-110%
Specific Conductivity	GP14309/GN28018			umhos/cm	99.4	102	102.6	90-110%
Specific Conductivity	GP14309/GN28018			umhos/cm	99.4	103	103.1	90-110%
Sulfate	GP14292/GN27968	0.50	0.0	mg/l	5	4.94	98.8	90-110%
Sulfate Reducing Bacteria	MB483	200	<200	CFU/ml				
pH	GN28033			su	8.00	7.99	99.8	99.1-100.9%

Associated Samples:

Batch MB481: D65992-1
Batch MB482: D65992-1
Batch MB483: D65992-1
Batch GN27989: D65992-1
Batch GN28033: D65992-1
Batch GN28045: D65992-1
Batch GN28047: D65992-1
Batch GN28050: D65992-1
Batch GP14292: D65992-1
Batch GP14309: D65992-1
Batch GP14339: D65992-1
(*) Outside of QC limits

16
6

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Alkalinity, Total as CaCO3	GN28045	D65992-1	mg/l	161	162	0.5	0-20%
Phosphorus, Total	GP14339/GN28077	D65993-1	mg/l	0.018	0.014	25.0(a)	0-20%
Solids, Total Dissolved	GN27989	D65857-3	mg/l	924	948	2.6	0-20%
Specific Conductivity	GP14309/GN28018	D65571-1	umhos/cm	210	218	3.7	0-20%

Associated Samples:

Batch GN27989: D65992-1

Batch GN28045: D65992-1

Batch GP14309: D65992-1

Batch GP14339: D65992-1

(*) Outside of QC limits

(a) RPD acceptable due to low duplicate and sample concentrations.

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Alkalinity, Total as CaCO ₃	GN28045	D65992-1	mg/l	161	100	255	94.1	80-120%
Bromide	GP14292/GN27968	D65992-1	mg/l	0.025 U	0.5	0.50	100.0	80-120%
Chloride	GP14292/GN27968	D65992-1	mg/l	1.8	5	8.0	124.0N(a)	80-120%
Fluoride	GP14292/GN27968	D65992-1	mg/l	0.11	1	1.3	119.0	80-120%
Nitrogen, Nitrate	GP14292/GN27968	D65992-1	mg/l	0.22	0.1	0.33	110.0	80-120%
Nitrogen, Nitrite	GP14292/GN27968	D65992-1	mg/l	0.0	0.05	0.055	110.0	80-120%
Phosphorus, Total	GP14339/GN28077	D65993-1	mg/l	0.018	0.40	0.42	100.8	80-120%
Sulfate	GP14292/GN27968	D65992-1	mg/l	19.0	5	23.8	96.0	80-120%

Associated Samples:

Batch GN28045: D65992-1

Batch GP14292: D65992-1

Batch GP14339: D65992-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(a) Spike recovery indicates possible matrix interference and/or sample nonhomogeneity.

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D65992
Account: WILLCOP - WPX Energy Rocky Mountain, LLC
Project: WWLCOGJ: RU 11-7 BWQ

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Alkalinity, Total as CaCO3	GN28045	D65992-1	mg/l	161	100	255	0.1	20%
Bromide	GP14292/GN27968	D65992-1	mg/l	0.025 U	0.5	0.48	4.1	20%
Chloride	GP14292/GN27968	D65992-1	mg/l	1.8	5	7.1	11.9	20%
Fluoride	GP14292/GN27968	D65992-1	mg/l	0.11	1	1.1	16.7	20%
Nitrogen, Nitrate	GP14292/GN27968	D65992-1	mg/l	0.22	0.1	0.31	6.3	20%
Nitrogen, Nitrite	GP14292/GN27968	D65992-1	mg/l	0.0	0.05	0.060	10.3	20%
Phosphorus, Total	GP14339/GN28077	D65993-1	mg/l	0.018	0.40	0.43	2.6	20%
Sulfate	GP14292/GN27968	D65992-1	mg/l	19.0	5	23.7	0.4	20%

Associated Samples:

Batch GN28045: D65992-1

Batch GP14292: D65992-1

Batch GP14339: D65992-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

Misc. Forms

Custody Documents and Other Forms

(Accutest Northern California, Inc.)

Includes the following where applicable:

- Chain of Custody



Accutest Job #: D65992
 4036 Youngfield St., Wheat Ridge, CO 80033
 303-425-6021 FAX: 303-425-6854

Accutest Job #: D65992
 Accutest Quote #: 0
 AMS P.O. #:
 Project No.:

Client Information			Subcontract Laboratory Information			Analytical Information					
Name: Accutest Mountain States (AMS)			Name: Accutest - Northern California								
Address: 4036 Youngfield St.			Address: 2105 Lundy Ave.								
City: Wheat Ridge, CO 80033			City: San Jose, CA 95131								
Send Report to: Tiffany Pham			Contact: Sample Management								
Any questions contact: Jeremy DeChant			Phone/Fax #: (408) 588-0200								
Phone/Fax #: (303) 425-6021; (303) 425-6854											
Collection			Preservation								
Field ID / Point of Collection	Date	Time	Matrix	# of bottles	HC	HF	HOI	HO3	HSS04	None	Comments
D65992 -1	12/18/14	12:50 PM	AQ	3	X						
-2			AQ	2	X						

Turnaround Information	Data Deliverable Information	Comments / Remarks
<input checked="" type="checkbox"/> 10 Business Day Standard <input type="checkbox"/> Other _____ (Days)	<input type="checkbox"/> Commercial "A" <input type="checkbox"/> PDF <input type="checkbox"/> Commercial "B" <input type="checkbox"/> Compact Disk Deliverable <input type="checkbox"/> Commercial "BN" <input type="checkbox"/> Electronic Delivery: <input type="checkbox"/> Reduced Tier 1 <input type="checkbox"/> State Forms <input checked="" type="checkbox"/> Full Tier 1 <input type="checkbox"/> Other (Specify)	Approved By: _____ Please use Colorado regulations and RLs.

40 Day Turnaround Hardcopy; RUSH is FAX Data unless previously approved.

Sample Custody must be documented below each time sample's change possession, including courier delivery. Use only For Subcontract Laboratory Use Only.

Relinquished by	Date & Time	Received By	Date & Time	Seal #	Headspace	Temperature °C
1	12/18/14 13:44	1: Fealy				
2	12/18/14 10:55	2: [Signature]				
3		3: [Signature]				5.9

10.1 10

D65992: Chain of Custody
 Page 1 of 2
 Accutest Northern California, Inc.

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: D65992 **Client:** AMS **Project:** AMS
Date / Time Received: 12/20/2014 10:55:00 AM **Delivery Method:** FedEx **Airbill #s:** 581027621720

Cooler Temps (Initial/Adjusted): #1: (5.9/5.9):

<u>Cooler Security</u>	<u>Y or N</u>		<u>Y or N</u>	
1. Custody Seals Present:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input type="checkbox"/>	<input type="checkbox"/>	4. SmpI Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

<u>Cooler Temperature</u>	<u>Y or N</u>	
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	IR2;	
3. Cooler media:	Ice (Bag)	
4. No. Coolers:	1	

<u>Quality Control Preservation</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
2. Trip Blank listed on COC:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>
3. Samples preserved properly:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. VOCs headspace free:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Documentation</u>	<u>Y or N</u>	
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<u>Sample Integrity - Condition</u>	<u>Y or N</u>	
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	Intact	

<u>Sample Integrity - Instructions</u>	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

10.1 10

GC/MS Volatiles

QC Data Summaries

(Accutest Northern California, Inc.)

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Job Number: D65992
 Account: ALMS Accutest Mountain States
 Project: WILLCOP: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VQ1125-MB	Q26222.D	1	01/01/15	EA	n/a	n/a	VQ1125

The QC reported here applies to the following samples:

Method: SW846 8260B

D65992-1, D65992-2

CAS No.	Compound	Result	RL	MDL	Units	Q
71-43-2	Benzene	ND	1.0	0.20	ug/l	
100-41-4	Ethylbenzene	ND	1.0	0.20	ug/l	
108-88-3	Toluene	ND	1.0	0.20	ug/l	
1330-20-7	Xylene (total)	ND	2.0	0.46	ug/l	
	TPH-GRO (C6-C10)	ND	50	25	ug/l	

CAS No.	Surrogate Recoveries	Limits
1868-53-7	Dibromofluoromethane	94% 70-130%
2037-26-5	Toluene-D8	99% 70-130%
460-00-4	4-Bromofluorobenzene	93% 70-130%

11.1.1
11

Blank Spike/Blank Spike Duplicate Summary

Job Number: D65992
 Account: ALMS Accutest Mountain States
 Project: WILLCOP: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VQ1125-BS	Q26219.D	1	01/01/15	EA	n/a	n/a	VQ1125
VQ1125-BSD	Q26220.D	1	01/01/15	EA	n/a	n/a	VQ1125

The QC reported here applies to the following samples:

Method: SW846 8260B

D65992-1, D65992-2

CAS No.	Compound	Spike ug/l	BSP ug/l	BSP %	BSD ug/l	BSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	20	18.3	92	18.9	95	3	77-122/25
100-41-4	Ethylbenzene	20	18.6	93	19.0	95	2	76-126/17
108-88-3	Toluene	20	18.4	92	19.0	95	3	75-122/17
1330-20-7	Xylene (total)	60	56.7	95	58.4	97	3	77-125/17

CAS No.	Surrogate Recoveries	BSP	BSD	Limits
1868-53-7	Dibromofluoromethane	95%	96%	70-130%
2037-26-5	Toluene-D8	98%	98%	70-130%
460-00-4	4-Bromofluorobenzene	97%	97%	70-130%

* = Outside of Control Limits.

Laboratory Control Sample Summary

Job Number: D65992
 Account: ALMS Accutest Mountain States
 Project: WILLCOP: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
VQ1125-LCS	Q26221.D	1	01/01/15	EA	n/a	n/a	VQ1125

The QC reported here applies to the following samples:

Method: SW846 8260B

D65992-1, D65992-2

CAS No.	Compound	Spike ug/l	LCS ug/l	LCS %	Limits
	TPH-GRO (C6-C10)	125	106	85	60-130

CAS No.	Surrogate Recoveries	BSP	Limits
1868-53-7	Dibromofluoromethane	92%	70-130%
2037-26-5	Toluene-D8	101%	70-130%
460-00-4	4-Bromofluorobenzene	95%	70-130%

11.3.1
11

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Job Number: D65992
 Account: ALMS Accutest Mountain States
 Project: WILLCOP: WWLCOGJ: RU 11-7 BWQ

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
C37811-1MS	Q26235.D	50	01/01/15	EA	n/a	n/a	VQ1125
C37811-1MSD	Q26236.D	50	01/01/15	EA	n/a	n/a	VQ1125
C37811-1	Q26234.D	50	01/01/15	EA	n/a	n/a	VQ1125

The QC reported here applies to the following samples:

Method: SW846 8260B

D65992-1, D65992-2

CAS No.	Compound	C37811-1 ug/l	Spike Q ug/l	MS ug/l	MS %	Spike ug/l	MSD ug/l	MSD %	RPD	Limits Rec/RPD
71-43-2	Benzene	ND	1000	913	91	1000	951	95	4	77-122/16
100-41-4	Ethylbenzene	1070	1000	1980	91	1000	1990	92	1	76-126/17
108-88-3	Toluene	ND	1000	916	92	1000	949	95	4	75-122/17
1330-20-7	Xylene (total)	509	3000	3280	92	3000	3380	96	3	77-125/17

CAS No.	Surrogate Recoveries	MS	MSD	C37811-1	Limits
1868-53-7	Dibromofluoromethane	96%	95%	93%	70-130%
2037-26-5	Toluene-D8	97%	96%	100%	70-130%
460-00-4	4-Bromofluorobenzene	97%	96%	97%	70-130%

* = Outside of Control Limits.