

Selected Items Report

Oil and Gas Wells Selected

Filter Results by Formation

Include

Filter

WELL DESCRIPTION

LOCATION ID

LOCATION

WELL INFORMATION

Water Wells Selected From Map

Filter Results by Depth

Greater than

Filter

WELL DESCRIPTION	LOCATION	WELL INFORMATION			
		Depth	Top Perf	Bottom Perf	Aquifer
Receipt=0310113, Permit=0156503-- ADAMS DARRYL	SEnw 1 33 N-8W	125	65	125	GW
Receipt=0407941, Permit=0198452-- MARTIN DENISE	SEnw 1 33 N-8W	0	0	0	GW
Receipt=9702262, Permit=0269790-- PORTER KIRK	SEnw 1 33 N-8W	260	120	260	GW 6270'
Receipt=9701638, Permit=0256239-- KEITH HOWARD	SWNW 1 33 N-8W	66	20	66	GW
Receipt=9123801, Permit=0097176-- KEITH HOWARD	SWNW 1 33 N-8W	66	20	66	GW
Receipt=2000001I, Permit=0068586-F- BP AMERICA PRODUCTION CO	SWNW 1 33 N-8W	3,026	2,424	2,567	KFL
Receipt=2000001J, Permit=0068545-F- BP AMERICA PRODUCTION CO	SESW 1 33 N-8W	3,166	2,584	2,989	KFL
Receipt=1503853, Permit=0070204-F- BP AMERICA PRODUCTION CO	SESW 1 33 N-8W	0	0	0	GW
Receipt=C340055, Permit=0000055-WCB- HAASER W F	2 33 N-8W	150	0	0	GW
Receipt=9122583, Permit=0045172-- SEMLER WILLIAM E	NENE 2 33 N-8W	35	0	0	GW
Receipt=2000000L, Permit=0068524-F- BP AMERICA PRODUCTION CO	NENE 2 33 N-8W	3,184	2,484	2,888	KFL
Receipt=1503857, Permit=0070208-F- BP AMERICA PRODUCTION CO	NWNE 2 33 N-8W	0	0	0	GW


Receipt=9123819, Permit=0098224-- TRUBY ROBERT G.	SENE 2 33 N-8W	150	20	150	GW
Receipt=9700219, Permit=0228142-- SEMLER WILLARD AND TONI	SWNE 2 33 N-8W	0	0	0	GW
Receipt=9700305, Permit=0229804-- SEMLER EVELYN	SWNE 2 33 N-8W	13	0	0	GW
Receipt=1503859, Permit=0070210-F- BP AMERICA PRODUCTION CO	NENW 2 33 N-8W	0	0	0	GW
Receipt=2000000K, Permit=0068583-F- BP AMERICA PRODUCTION CO	NENW 2 33 N-8W	3,115	0	0	KFL
Receipt=0070108, Permit=0084047-- KLUSMAN RALPH	SENE 2 33 N-8W	0	0	0	GW
Receipt=0202039, Permit=0113050-- BAIRD C M	SWNW 2 33 N-8W	0	10	20	GW
Receipt=0317520, Permit=0158336-- HAGA DAVID & CINDY	SWNW 2 33 N-8W	0	0	0	GW
Receipt=0016752, Permit=0090417-VE- HAGA DAVID	SWNW 2 33 N-8W	0	0	0	GW
Receipt=0246515, Permit=0025348--A QUINTANA EPIMENTO	NWSE 2 33 N-8W	190	100	190	GW
Receipt=2000000T, Permit=0068584-F- BP AMERICA PRODUCTION CO	NWSE 2 33 N-8W	3,196	2,502	2,551	KFL
Receipt=9122211, Permit=0025348-- QUINTANA EPIMENIO MRS	NWSE 2 33 N-8W	80	0	0	GW
Receipt=2000000U, Permit=0068532-F- BP AMERICA PRODUCTION CO	SWSE 2 33 N-8W	3,088	2,611	2,776	KFL
Receipt=0432577, Permit=0210380-- DODD HARRY	NWSW 2 33 N-8W	0	0	0	GW
Receipt=0385914, Permit=0187025-- DARLING MARK & TAMMY	NWSW 2 33 N-8W	200	20	200	GW
Receipt=2000000S, Permit=0068531-F- BP AMERICA PRODUCTION CO	NENE 3 33 N-8W	5,778	2,504	2,864	KFL
Receipt=0323727, Permit=0159728-- KIRK KAY L	SENE 3 33 N-8W	0	0	0	GW
Receipt=0347383, Permit=0167937-- WINLOCK KELLY K	SENE 3 33 N-8W	140	60	140	GW
Receipt=0353798, Permit=0171214-- PARDO ARNULFO	SENE 3 33 N-8W	175	95	175	GW
Receipt=0354063, Permit=0171474-- VALDEZ WENDELL B OR SMITH JULIE	SENE 3 33 N-8W	170	40	170	GW

Receipt=9124265, Permit=0134980-- BRANCH STANELY E.	SWNE 3 33 N-8W	170	0	0	GW
Receipt=9123032, Permit=0070295-- MARTINEZ DEMIS P & CELIA J	NESE 3 33 N-8W	177	50	170	GW
Receipt=9701247A, Permit=0248923-- DODD DAVIE W	NESE 3 33 N-8W	0	0	0	GW
Receipt=9702925, Permit=0280489-- HILL KEVIN	NESE 3 33 N-8W	0	0	0	GW
Receipt=9703358, Permit=0290326-- HILL KEVIN	NESE 3 33 N-8W	0	0	0	GW
Receipt=0234086, Permit=0129434-- DODD H A	NESE 3 33 N-8W	250	40	250	GW
Receipt=1504743, Permit=0069469-F- SAMSON RESOURCES COMPANY	NESE 3 33 N-8W	0	0	0	GW
Receipt=0107379, Permit=0107856-- JOHNSON FRED	NWSE 3 33 N-8W	230	60	120	GW
Receipt=9701247, Permit=0248922-- PAYNE EVELYN	NWSE 3 33 N-8W	160	40	140	GW
Receipt=9701754, Permit=0258628-- WILEY LARRY L AND EVETTE	SESE 3 33 N-8W	200	0	0	GW
Receipt=0385318, Permit=0186329-- DODD HARRY	SESE 3 33 N-8W	0	0	0	GW
Receipt=1504741, Permit=0069467-F- SAMSON RESOURCES COMPANY	SESE 3 33 N-8W	0	0	0	GW
Receipt=0277937, Permit=0148648-- STAVROWSKY JEANNE	SWSE 3 33 N-8W	135	40	135	GW
Receipt=1505179, Permit=0075267-F- BP AMERICA PRODUCTION COMPANY	NENE 10 33 N-8W	0	0	0	GW
Receipt=0902894, Permit=0034680-- REOL DEVELOPMENT CORPORATION	NWNE 10 33 N-8W	0	0	0	GW
Receipt=9122644, Permit=0046826-- WORFORD MARIAN	SENE 10 33 N-8W	18	0	0	GW
Receipt=0420348, Permit=0206293-- MCMILLAN EUGENE	NENE 11 33 N-8W	180	20	180	GW
Receipt=1503384, Permit=0070103-F- BP AMERICA PRODUCTION CO	NWNE 11 33 N-8W	0	0	0	GW
Receipt=2000000Y, Permit=0068585-F- BP AMERICA PRODUCTION CO	NWNE 11 33 N-8W	3,128	2,900	3,198	KFL
Receipt=1500205, Permit=0069371-F- ELM RIDGE EXPLORATION CO., LLC	SWNW 11 33 N-8W	0	0	0	GW

Receipt=2000000X, Permit=0068535-F- BP AMERICA PRODUCTION CO	NWSE 11 33 N-8W	3,137	2,934	3,119	KFL
Receipt=2000001V, Permit=0068587-F- BP AMERICA PRODUCTION CO	NENW 12 33 N-8W	3,075	2,587	7,934	KFL
Receipt=0383048, Permit=0185381-- BURCH TILLMAN & LORENE	NENW 12 33 N-8W	340	260	340	GW
Receipt=0413571, Permit=0201076-- FOX LINDA	NWNW 12 33 N-8W	150	30	150	GW
Receipt=9123091, Permit=0072511-- LOBATO ISAAC	NWNW 12 33 N-8W	208	70	208	GW

Layers

- ☒ Points
- ☒ Buffer 1
- ☐ DEM_10m
- ☒ O&G Facilities
 - ☒ Wells
 - ☐ Well Name
 - ☐ Well API #
 - ☐ Misc Facilities
 - ☐ Pits
 - ☒ Active
 - ☒ Closed
 - ☐ Unknown
 - ☐ Permits
 - ☒ Pending Permits
 - ☐ Pending2As (Diamond)
 - ☐ Well Status
 - ☐ Spud Notice
 - ☐ UIC Active
 - ☐ SC Anomalies
 - ☐ Surface Casing
- ☐ COGCC Data
 - ☒ COGCCAlert_v4
 - ☒ COGCCAlert
 - ☒ COGCCOnsite
 - ☐ Samples
 - ☐ Remediation
- ☐ O&G Locations
- ☐ Directionals
- ☐ COGCC Rules
- ☐ O&G Fields
- ☐ Field Insp Unit
- ☐ SeismicPermits
- ☐ Historic Wells
- ☐ Roads & RRs
- ☐ Water Resources
- ☐ Environmental_Sites
- ☐ SecTwpRng
- ☐ LGDS
- ☐ Wildlife CPW
- ☐ State Lands
- ☐ Indian Lands



Selected Items Report

Oil and Gas Wells Selected

Filter Results by Formation

Include



MVRD

Filter

WELL DESCRIPTION	LOCATION ID	LOCATION	WELL INFORMATION
05-067-05511, IGNACIO 33-8 3 WPX ENERGY PRODUCTION LLC	325169	NWSE 2 33N -8W (N)	Sidetrack TD Formation Status 00 5660 MVRD PR
05-067-07970, IGNACIO 33-8 24 NORTHWEST PIPELINE CORP	385861	NWSE 2 33N -8W (N)	Sidetrack TD Formation Status AL



00527635



RECEIVED

DEC 14 1994

OGCC FORM 4
Rev. 8/89STATE OF COLORADO
OIL AND GAS CONSERVATION COMMISSION
DEPARTMENT OF NATURAL RESOURCES
SUBMIT ORIGINAL AND 1 COPY

COLO. OIL & GAS CONS. COMM.

FOR OFFICE USE ONLY

E AM FE UC SE

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals.)

5. FEDERAL INDIAN OR STATE LEASE NO.

FEE

1. OIL GAS COALBED INJECTION
☐ WELL ☒ WELL ☐ METHANE ☐ WELL ☐ OTHER

6. PERMIT NO.

2. NAME OF OPERATOR

NORTHWEST PIPELINE CORP.

7. API NO.

05-067-05511 /

3. ADDRESS OF OPERATOR

PO BOX 58900

8. WELL NAME

IGNACIO 33-8

CITY STATE ZIP CODE

SLC UT 84158-0900

9. WELL NUMBER

#3

4. LOCATION OF WELL (Report location clearly and in
accordance with any State requirements. See also space 17
below.)

At surface

1510' FSL, 2200' FEL

At proposed prod. zone

10. FIELD OR WILDCAT

IGNACIO BLANCO MESAVERDE

12. COUNTY

LA PLATA

11. QTR. QTR. SEC., T.R. AND MERIDIAN

NW/4 SE/4 SEC. 2, T33N, R8W /

Check Appropriate Box To Indicate Nature of Notice, Report, or Notification

13A. NOTICE OF INTENTION TO:

- ☐
- PLUG AND ABANDON
-
- ☐
- MULTIPLE COMPLETION
-
- ☐
- COMMINGLE ZONES
-
- ☐
- FRACTURE TREAT
-
- ☐
- REPAIR WELL
-
- ☐
- OTHER

13B. SUBSEQUENT REPORT OF:

- ☐
- FINAL PLUG AND ABANDONMENT (SUBMIT 3RD
-
- PARTY CEMENT VERIFICATION AND JOB LOG)
-
- ☐
- ABANDONED LOCATION (WELL NEVER DRILLED -
-
- SITE MUST BE RESTORED WITHIN 6 MONTHS.)
-
- ☐
- REPAIRED WELL
-
- ☒
- OTHER WELL REPAIR
-
- *Use Form 5 - Well Completion or Recompletion Report and
-
- Log for subsequent report of Multiple/Commingle
-
- Completions and Recompletions

13C. NOTIFICATION OF:

- ☐
- SHUT-IN/TEMPORARILY ABANDONED
-
- (DATE _____)
-
- (REQUIRED EVERY 6 MONTHS)
-
- ☐
- PRODUCTION RESUMED
-
- (DATE _____)
-
- ☐
- LOCATION CHANGE (SUBMIT NEW PLAT)
-
- ☐
- WELL NAME CHANGE
-
- ☐
- OTHER

14. DESCRIBE PROPOSED OR COMPLETED OPERATIONS ON THIS FORM (Clearly state all pertinent details, and give pertinent dates, including
estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all
markers and zones pertinent.

15. DATE OF WORK 11-29-94

SEE ATTACHED PROCEDURE

16. I hereby certify that the foregoing is true and correct
SIGNED Stacy Katirgis

TELEPHONE NO. (801)584-6897

NAME (PRINT) STERGAKATIRGIS

TITLE SR. ENGINEER

DATE 12/12/94

(This space for Federal or State office use)

APPROVED Stacy Katirgis

CONDITIONS OF APPROVAL, IF ANY:

SR. PETROLEUM ENGINEER

TITLE O & G Cons. Comm. DATE

JAN 05 1995

RECEIVED

DEC 14 1994

COLO. OIL & GAS CONS. COMM.

CONTINUED FROM PAGE 1

IGNACIO 33-8 #3

11/29/94

Rig up and spot equipment. NDWH. NU BOP. TOH. RIH with 5-1/2" RBP. Set @ 5200#. Dump 6' of sand on plug. Load hole and PT to 1000#, held 20 mins OK. RIH with CCL and CBL to 5000'.

11/30/94

ND BOP and csg head. Pulled 150,000# and set of shot. Csg off slips. Back off csg free @ 2400'. TOH with 74 jts of 5-1/2" csg.

12/01/94

RIH with tbg, bit and csg scraper. TOH with tbg, bit and scraper. RIH with CCL/CBL logs from 2394' to 1400', no cement behind 7-5/8". TIH with RBP. Set plug @ 2356'. Dump sand on RBP. Loaded hole and PT to 1000#, held OK. Perf 3 squeeze holes @ 2193', 1800' and 1500'. Could not pump in @ 2193' or 1800'. Pump in @ 1500', 2 BPM @ 850 psi. Pump 80 BBLs water, no fluid returns, but had increase gas flow at surface.

12/02/94

TIH with tbg and 7-5/8" pkr. Set pkr @ 1354'. Load back side and pressure to 500#. Pumped lead 40 BBLs water at 1-1/2 BPM @ 1000#. Pumped 125 sx class "B" neat @ 2-1/2 BPM and 400#. Staged last 2 BBLs in. Shut down with 850# for 1-1/2 hours. SDON with pressure on well.

12/03/94

Start rig and release PKR. TOH. RIH w/ bit and scraper. Tag cmt 1408'. Break cir. Drill cmt to 1450'. Cir clean. TOH. Log from 1450' to surface. Perf 3 squeeze hole @ 800'. Cir out to surface heavy mud @ 1-1/2 to 2 BPM @ 950#. RU cementers & squeeze BH w/ 170 sx class B. Tail in w/ 20 sx class B and 2% CaCl. Ran 15 Bbl 12 ppg pad of cmt. Cir 22 Bbl cmt to surface and close BH. Pressure up to 925#. SD w/ 850# pressure @ surface.

12/04/94

Release PKR. TOH. RIH w/ tbg, 6-3/4" bit and csg scraper. Tag cmt @ 742'. Break cir and drill cmt. PT to 1000# - ok. Drill out all cmt and PT entire csg to 1000# - ok. RIH and tag RBP. TOH w/ tbg and bit. Release RBP and TOH.

12/06/94

PU 5-1/2" csg. RIH with 2387' of 5-1/2" csg. Engage 5-1/2" stub and screw on. Pull up and set slips. Cut off csg. NUWH and PU to 2000#. Perf squeeze holes @ 2230' in 5-1/2". RIH with tbg and 5-1/2" pkr. Set pkr @ 2080' and PT BS to 500#. Pumped 147 sx of class "B" with 2% CaCL neat behind 5-1/2" x 7-5/8" annulus. Shut down with 500# on tbg. SDON and drain lines.

12/07/94

Released pkr and TOH with tbg and pkr. RIH with tbg, 4-3/4" bit and csg scraper. Tagged cmt @ 2470'. Drilled cmt. PT to 1000#, held OK. RIH with bit and scraper and tagged BP. TOH. Blew well around and clean out to BP. Released RBP and TOH. RIH with tbg with notched collar on bottom with 1.78 ID SN 1 jt up. 174 jts of tbg landed @ 5573'. ND BOP. NU WH.

12/08/94

Rig down. Cleaned up location. Rig released @ 1400 hours 12/7/94.