

State of Colorado
Oil and Gas Conservation Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

FOR OGCC USE ONLY

Document Number:

2364086

Date Received:

08/19/2014

SOURCE OF PRODUCED WATER FOR DISPOSAL

Per Rule 325.c.(5), this form shall be submitted for any new disposal facility and for any change in source of produced water for an existing disposal facility.

OPERATOR INFO

OGCC Operator Number: 10449

Name of Operator: TRITON ENERGY SERVICES LLC

Address: 2850 MCCLELLAND DRIVE STE 2400

City: FORT COLLINS State: CO Zip: 80525

Contact Name and Telephone:

Name: TAYLOR HENDRICKS

Phone: (970) 797-2187 Fax: (970) 692-8342

Email: Taylor@goldsteinerenterprisesinc.com

DISPOSAL FACILITY INFORMATION

OGCC Disposal Facility Number: 159469

Operator's Disposal Facility Name: TES TRITON #1

Operator's Disposal Facility Number:

Location (QtrQtr, Sec, Twp, Rng, Meridian): QtrQtr: Sec: Twp: Range: Meridian:

County

SOURCE OF PRODUCED WATERAdd Source ☒ API Number: 05-005-07204-01 Well Name & No: Converse Family 6 1H

Operator Name: CONOCO PHILLIPS COMPANY Operator No: 19160

Remove Source ☐ Location: QtrQtr: NESE Section: 6 Township: 4s Range: 63W Meridian: 6Producing Formation: NBRR Analysis Attached? ☐ Yes ☒ NoTransported to disposal site via ☐ Pipeline ☒ Truck ☐ Both TDS: mg/L

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Paul Gottlob

Signed:

Title: Reg & Eng Tech

Date: 08/19/2014 12:00:00 AM

COGCC Approved:

Title:

Date: 04/03/2015 1:58:24 PM

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

Attachment Check List**Att Doc Num****Name**

1772787 ANALY. OF INJ. WATER

Total Attach: 1 Files

General Comments**User Group****Comment****Comment Date**

UIC	Spreadsheet says that there are analyses for each well. However, analytical data from tank system so analyses cannot be tied back to individual wells. Therefore, there are no individual well analyses attached to this Form 26. The analyses do apply to monitoring injected fluids for initial injection.	08/19/2014 9:08:51 AM
-----	--	--------------------------

Total: 1 comment(s)