

XTO Energy - Western Div. (NM, CO, UT)

LaPlata County (NAD83)

Anderson 02-05H

Anderson 2-05H

Middle Lateral

Plan: Middle Lateral Design #1

Standard Planning Report

20 March, 2015

XTO Energy - Western Division

Well Name: Anderson 2-05H

Geodetic Datum: NAD 1983

Latitude: 37° 2' 22.056000 N

Longitude: 107° 30' 55.188000 W


CASING DETAILS

TVD	MD	Size
225.00	225.00	9-5/8
3010.36	3755.00	7

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
1722.00	1932.98	Ojo Alamo
1877.00	2152.18	Kirtland
2532.00	3078.49	Fruitland
2789.00	3441.94	Upper Fruitland Coal
2885.00	3577.71	Middle Fruitland Coal
2929.00	3639.93	Lower Fruitland Coal
2975.00	3704.99	Upper Pictured Cliffs

True Vertical Depth (450 ft/in)



Vertical Section at 329.06° (550 ft/in)

XTO Energy, Inc.

Planning Report

Database:	LMRKPROD	Local Co-ordinate Reference:	Site Anderson 02-05H
Company:	XTO Energy - Western Div. (NM, CO, UT)	TVD Reference:	WELL @ 6447.00ft (Original Well Elev)
Project:	LaPlata County (NAD83)	MD Reference:	WELL @ 6447.00ft (Original Well Elev)
Site:	Anderson 02-05H	North Reference:	True
Well:	Anderson 2-05H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Middle Lateral		
Design:	Middle Lateral Design #1		

Project	LaPlata County (NAD83), LaPlata County, Colorado, Directional Fruitland Coal Wells		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		Using Well Reference Point
Map Zone:	Colorado Southern Zone		

Site	Anderson 02-05H		
Site Position:		Northing:	1,142,088.56 usft
From:	Lat/Long	Easting:	2,411,784.11 usft
Position Uncertainty:	0.00 ft	Slot Radius:	0 "
		Latitude:	37° 2' 22.056000 N
		Longitude:	107° 30' 55.188000 W
		Grid Convergence:	-1.24 °

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
3,310.00	45.00	329.06	2,695.70	1,399.62	-839.04	0.00	0.00	0.00	0.00	
3,325.00	46.74	330.43	2,706.15	1,408.92	-844.46	13.33	11.60	9.15	30.00	
3,337.00	46.74	330.43	2,714.37	1,416.52	-848.77	0.00	0.00	0.00	0.00	
3,787.53	89.98	271.99	2,889.65	1,587.29	-1,196.08	15.00	9.60	-12.97	-67.19	
7,008.38	89.98	271.99	2,891.00	1,699.00	-4,415.00	0.00	0.00	0.00	0.00	2-5H Middle Lat BHL

XTO Energy, Inc.

Planning Report

Database:	LMRKPROD	Local Co-ordinate Reference:	Site Anderson 02-05H
Company:	XTO Energy - Western Div. (NM, CO, UT)	TVD Reference:	WELL @ 6447.00ft (Original Well Elev)
Project:	LaPlata County (NAD83)	MD Reference:	WELL @ 6447.00ft (Original Well Elev)
Site:	Anderson 02-05H	North Reference:	True
Well:	Anderson 2-05H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Middle Lateral		
Design:	Middle Lateral Design #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
225.00	0.00	0.00	225.00	0.00	0.00	0.00	0.00	0.00	0.00
9 5/8"									
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	1.18	329.06	500.00	0.26	-0.16	0.24	1.18	1.18	0.00
600.00	5.18	329.06	599.82	5.01	-3.01	4.61	4.00	4.00	0.00
700.00	9.18	329.06	699.02	15.73	-9.43	14.45	4.00	4.00	0.00
800.00	13.18	329.06	797.10	32.35	-19.40	29.72	4.00	4.00	0.00
900.00	17.18	329.06	893.59	54.81	-32.86	50.35	4.00	4.00	0.00
1,000.00	21.18	329.06	988.03	82.98	-49.74	76.23	4.00	4.00	0.00
1,100.00	25.18	329.06	1,079.94	116.73	-69.98	107.23	4.00	4.00	0.00
1,200.00	29.18	329.06	1,168.88	155.90	-93.46	143.21	4.00	4.00	0.00
1,300.00	33.18	329.06	1,254.41	200.29	-120.07	183.99	4.00	4.00	0.00
1,400.00	37.18	329.06	1,336.13	249.70	-149.69	229.38	4.00	4.00	0.00
1,500.00	41.18	329.06	1,413.64	303.87	-182.16	279.14	4.00	4.00	0.00
1,600.00	45.00	329.06	1,486.55	362.54	-217.33	333.04	3.82	3.82	0.00
1,700.00	45.00	329.06	1,557.26	423.19	-253.69	388.75	0.00	0.00	0.00
1,800.00	45.00	329.06	1,627.97	483.84	-290.05	444.47	0.00	0.00	0.00
1,900.00	45.00	329.06	1,698.68	544.48	-326.41	500.18	0.00	0.00	0.00
2,000.00	45.00	329.06	1,769.39	605.13	-362.76	555.89	0.00	0.00	0.00
2,100.00	45.00	329.06	1,840.10	665.78	-399.12	611.61	0.00	0.00	0.00
2,200.00	45.00	329.06	1,910.81	726.43	-435.48	667.32	0.00	0.00	0.00
2,300.00	45.00	329.06	1,981.52	787.08	-471.83	723.03	0.00	0.00	0.00
2,400.00	45.00	329.06	2,052.23	847.72	-508.19	778.74	0.00	0.00	0.00
2,500.00	45.00	329.06	2,122.94	908.37	-544.55	834.46	0.00	0.00	0.00
2,600.00	45.00	329.06	2,193.66	969.02	-580.90	890.17	0.00	0.00	0.00
2,700.00	45.00	329.06	2,264.37	1,029.67	-617.26	945.88	0.00	0.00	0.00
2,800.00	45.00	329.06	2,335.08	1,090.32	-653.62	1,001.60	0.00	0.00	0.00
2,900.00	45.00	329.06	2,405.79	1,150.96	-689.98	1,057.31	0.00	0.00	0.00
3,000.00	45.00	329.06	2,476.50	1,211.61	-726.33	1,113.02	0.00	0.00	0.00
3,100.00	45.00	329.06	2,547.21	1,272.26	-762.69	1,168.73	0.00	0.00	0.00
3,200.00	45.00	329.06	2,617.92	1,332.91	-799.05	1,224.45	0.00	0.00	0.00
3,300.00	45.00	329.06	2,688.63	1,393.56	-835.40	1,280.16	0.00	0.00	0.00
3,310.00	45.00	329.06	2,695.70	1,399.62	-839.04	1,285.73	0.00	0.00	0.00
3,325.00	46.74	330.43	2,706.15	1,408.92	-844.46	1,294.13	13.33	11.60	9.15
3,337.00	46.74	330.43	2,714.37	1,416.52	-848.77	1,300.89	0.00	0.00	0.00
3,400.00	50.98	319.20	2,755.88	1,455.08	-876.15	1,340.28	15.00	6.72	-17.83
3,500.00	59.54	304.16	2,813.05	1,508.99	-937.54	1,416.95	15.00	8.56	-15.04
3,600.00	69.52	291.73	2,856.13	1,550.78	-1,017.17	1,506.27	15.00	9.99	-12.43
3,700.00	80.28	280.89	2,882.21	1,577.58	-1,109.61	1,602.16	15.00	10.76	-10.85
3,787.53	89.98	271.99	2,889.65	1,587.29	-1,196.08	1,686.35	15.00	11.07	-10.17
3,800.00	89.98	271.99	2,889.65	1,587.72	-1,208.55	1,698.15	0.00	0.00	0.00
3,900.00	89.98	271.99	2,889.69	1,591.19	-1,308.49	1,792.66	0.00	0.00	0.00
4,000.00	89.98	271.99	2,889.74	1,594.66	-1,408.43	1,887.18	0.00	0.00	0.00
4,100.00	89.98	271.99	2,889.78	1,598.13	-1,508.37	1,981.70	0.00	0.00	0.00
4,200.00	89.98	271.99	2,889.82	1,601.59	-1,608.31	2,076.22	0.00	0.00	0.00
4,300.00	89.98	271.99	2,889.86	1,605.06	-1,708.25	2,170.73	0.00	0.00	0.00
4,400.00	89.98	271.99	2,889.90	1,608.53	-1,808.19	2,265.25	0.00	0.00	0.00
4,500.00	89.98	271.99	2,889.95	1,612.00	-1,908.13	2,359.77	0.00	0.00	0.00
4,600.00	89.98	271.99	2,889.99	1,615.47	-2,008.07	2,454.29	0.00	0.00	0.00
4,700.00	89.98	271.99	2,890.03	1,618.94	-2,108.01	2,548.80	0.00	0.00	0.00

XTO Energy, Inc.

Planning Report

Database:	LMRKPROD	Local Co-ordinate Reference:	Site Anderson 02-05H
Company:	XTO Energy - Western Div. (NM, CO, UT)	TVD Reference:	WELL @ 6447.00ft (Original Well Elev)
Project:	LaPlata County (NAD83)	MD Reference:	WELL @ 6447.00ft (Original Well Elev)
Site:	Anderson 02-05H	North Reference:	True
Well:	Anderson 2-05H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Middle Lateral		
Design:	Middle Lateral Design #1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,800.00	89.98	271.99	2,890.07	1,622.41	-2,207.95	2,643.32	0.00	0.00	0.00
4,900.00	89.98	271.99	2,890.11	1,625.87	-2,307.89	2,737.84	0.00	0.00	0.00
5,000.00	89.98	271.99	2,890.16	1,629.34	-2,407.83	2,832.36	0.00	0.00	0.00
5,100.00	89.98	271.99	2,890.20	1,632.81	-2,507.77	2,926.87	0.00	0.00	0.00
5,200.00	89.98	271.99	2,890.24	1,636.28	-2,607.71	3,021.39	0.00	0.00	0.00
5,300.00	89.98	271.99	2,890.28	1,639.75	-2,707.65	3,115.91	0.00	0.00	0.00
5,400.00	89.98	271.99	2,890.32	1,643.22	-2,807.59	3,210.43	0.00	0.00	0.00
5,500.00	89.98	271.99	2,890.37	1,646.68	-2,907.53	3,304.94	0.00	0.00	0.00
5,600.00	89.98	271.99	2,890.41	1,650.15	-3,007.47	3,399.46	0.00	0.00	0.00
5,700.00	89.98	271.99	2,890.45	1,653.62	-3,107.41	3,493.98	0.00	0.00	0.00
5,800.00	89.98	271.99	2,890.49	1,657.09	-3,207.35	3,588.50	0.00	0.00	0.00
5,900.00	89.98	271.99	2,890.53	1,660.56	-3,307.29	3,683.01	0.00	0.00	0.00
6,000.00	89.98	271.99	2,890.58	1,664.03	-3,407.23	3,777.53	0.00	0.00	0.00
6,100.00	89.98	271.99	2,890.62	1,667.49	-3,507.17	3,872.05	0.00	0.00	0.00
6,200.00	89.98	271.99	2,890.66	1,670.96	-3,607.11	3,966.57	0.00	0.00	0.00
6,300.00	89.98	271.99	2,890.70	1,674.43	-3,707.05	4,061.08	0.00	0.00	0.00
6,400.00	89.98	271.99	2,890.74	1,677.90	-3,806.99	4,155.60	0.00	0.00	0.00
6,500.00	89.98	271.99	2,890.79	1,681.37	-3,906.93	4,250.12	0.00	0.00	0.00
6,600.00	89.98	271.99	2,890.83	1,684.84	-4,006.87	4,344.64	0.00	0.00	0.00
6,700.00	89.98	271.99	2,890.87	1,688.30	-4,106.81	4,439.15	0.00	0.00	0.00
6,800.00	89.98	271.99	2,890.91	1,691.77	-4,206.75	4,533.67	0.00	0.00	0.00
6,900.00	89.98	271.99	2,890.95	1,695.24	-4,306.69	4,628.19	0.00	0.00	0.00
7,000.00	89.98	271.99	2,891.00	1,698.71	-4,406.63	4,722.71	0.00	0.00	0.00
7,008.38	89.98	271.99	2,891.00	1,699.00	-4,415.00	4,730.63	0.00	0.00	0.00

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
2-5H Middle Lat BHL	0.00	0.00	2,891.00	1,699.00	-4,415.00	1,143,882.41	2,407,406.80	37° 2' 38.850306 N	107° 31' 49.642669 W
- plan hits target center									
- Point									

Casing Points					
Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (")	Hole Diameter (")	
225.00	225.00	9 5/8"	9-5/8	12-1/4	