

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:
05/01/2015Document Number:
675201519Overall Inspection:
SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	334621	334621	CONKLIN, CURTIS	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: 1001 17TH STREET - SUITE #1200City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
WPX, Energy		COGCCInspectionReports@wpxenergy.com	All Inspections

Compliance Summary:QtrQtr: Lot 3 Sec: 27 Twp: 7S Range: 96W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
04/18/2014	663902994			SATISFACTORY			No

Inspector Comment:**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
283216	WELL	PR	05/14/2007	GW	045-11915	BOSELY SG 443-27	PR	<input checked="" type="checkbox"/>
283291	WELL	PR	05/14/2007	GW	045-11912	BOSELY SG 343-27	PR	<input checked="" type="checkbox"/>
283292	WELL	PR	03/24/2006	GW	045-11913	BOSELY SG 43-27	PR	<input checked="" type="checkbox"/>
283293	WELL	PR	02/16/2006	GW	045-11914	BOSELY SG 543-27	PR	<input checked="" type="checkbox"/>
423072	WELL	PR	10/01/2012	GW	045-20657	Bosely SG 42-27	PR	<input checked="" type="checkbox"/>
423092	WELL	PR	02/02/2012	GW	045-20669	Bosely SG 541-27	PR	<input checked="" type="checkbox"/>
423102	WELL	PR	03/14/2012	GW	045-20674	Bosely SG 342-27	PR	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Inspector Name: CONKLIN, CURTIS

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>7</u>	Production Pits: _____
Condensate Tanks: <u>2</u>	Water Tanks: <u>2</u>	Separators: <u>7</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Lease Road:				
Type	Satisfactory/Action Required	comment	Corrective Action	Date
Access	SATISFACTORY			

Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			
CONTAINERS	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			

Emergency Contact Number (S/A/V): <u>SATISFACTORY</u>	Corrective Date: _____
Comment: <u>970-2855-9377</u>	
Corrective Action: _____	

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
SEPARATOR	SATISFACTORY	Wire panels		
WELLHEAD	SATISFACTORY	Wire panels		
TANK BATTERY	SATISFACTORY	Wire panels		

Equipment:					
Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Ancillary equipment	1	SATISFACTORY	Chem unit w/ containment		
Plunger Lift	8	SATISFACTORY			
Bird Protectors	4	SATISFACTORY			
Horizontal Heated Separator	8	SATISFACTORY			

Facilities:		<input type="checkbox"/> New Tank	Tank ID: _____
Contents	#	Capacity	Type
CONDENSATE	2	300 BBLS	STEEL AST
S/A/V: SATISFACTORY	Comment: <u>Airs ID 045-1482-001</u>		

Inspector Name: CONKLIN, CURTIS

Corrective Action:		Corrective Date:	
--------------------	--	------------------	--

Paint

Condition	
-----------	--

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action		Corrective Date	
Comment			

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	2	300 BBLS	STEEL AST	,

S/A/V:	SATISFACTORY	Comment:	Airs ID 045-1482-002
--------	--------------	----------	----------------------

Corrective Action:		Corrective Date:	
--------------------	--	------------------	--

Paint

Condition	
-----------	--

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action		Corrective Date	
Comment	Same as condensate.		

Venting:

Yes/No	Comment
NO	

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 334621

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>GENERAL SITE COAs:</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Location is in a sensitive area because of shallow groundwater and close proximity to the Colorado River; therefore either a closed loop system (which operator has indicated on the Form 2A) must be implemented.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Flowback and stimulation fluids must be sent to tanks to allow the sand to settle out before the fluids can be placed into any pipeline or pit located on the well pad. The flowback and stimulation fluid tanks must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material (per Rule 604.a.(4)).</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.</p> <p>No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.</p> <p>The access road will be constructed as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Operator will conduct regular inspections of equipment for leaks and equipment problems with appropriate documentation retained in the operator's office. All equipment deficiencies shall be corrected. Monitoring should end approximately 30 days after well completion and/or after production has been stabilized; however, timely inspections should continue during the production phase.</p> <p>Operator will use adequately sized containment devices for all chemicals and/or hazardous materials stored or used on location.</p> <p>Berms or other containment devices shall be constructed in compliance with Rule 604.a.(4) around crude oil, condensate, and produced water storage tanks.</p>	04/14/2011

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Interim Reclamation	<p>Production/Reclamation</p> <ul style="list-style-type: none"> • Restore both form and function of impacted wetlands and riparian areas and mitigate erosion. • Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements • Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife • Williams will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. • Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. • Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors. • Install and use locked gates or other means to prevent unauthorized vehicular travel on roads and facility rights-of-way.
Drilling/Completion Operations	<p>Drilling/Completions</p> <ul style="list-style-type: none"> • Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures). • Conduct well completions with drilling operations to limit the number of rig moves and traffic.
Construction	<p>Construction</p> <ul style="list-style-type: none"> • Close and reclaim roads not necessary for development, including removing all bridges and culverts and recontouring/reclaiming all stream crossings. • Structures for perennial or intermittent stream channel crossings should be constructed using appropriately sized bridges or culverts. • Construct retention basins and ponds that benefit wildlife
Planning	<p>Planning</p> <ul style="list-style-type: none"> • Share/consolidate corridors for pipeline ROWs to the maximum extent possible. • Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. • Locate roads outside of drainages where possible and outside of riparian habitat. • Avoid constructing any road segment in the channel of an intermittent or perennial stream. • Minimize the number, length, and footprint of oil and gas development roads; • Use existing roads where possible • Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors • Combine and share roads to minimize habitat fragmentation • Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development • Place roads to avoid obstructions to migratory routes for wildlife, and to avoid displacement of wildlife from public to private lands. • Design roads with visual and auditory buffers or screens (e.g., topographic barriers, vegetation, and distance). • Maximize the use of directional drilling to minimize habitat loss/fragmentation • Maximize use of remote telemetry for well monitoring to minimize traffic • Restrict oil and gas activities as practical during critical seasonal periods • Implement self imposed timing limitations to protect species and/or habitat
S/A/V: _____	<p>Comment: _____</p>

CA: _____	Date: _____
Stormwater: _____	
Comment: _____	
Staking: _____	
On Site Inspection (305):	
<u>Surface Owner Contact Information:</u>	
Name: _____	Address: _____
Phone Number: _____	Cell Phone: _____
<u>Operator Rep. Contact Information:</u>	
Landman Name: _____	Phone Number: _____
Date Onsite Request Received: _____	Date of Rule 306 Consultation: _____
Request LGD Attendance: _____	
<u>LGD Contact Information:</u>	
Name: _____	Phone Number: _____ Agreed to Attend: _____
<u>Summary of Landowner Issues:</u>	
<u>Summary of Operator Response to Landowner Issues:</u>	
<u>Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:</u>	

Facility

Facility ID: 283216	Type: WELL	API Number: 045-11915	Status: PR	Insp. Status: PR
---------------------	------------	-----------------------	------------	------------------

Producing Well

Comment: PR w/ plunger

Facility ID: 283291	Type: WELL	API Number: 045-11912	Status: PR	Insp. Status: PR
---------------------	------------	-----------------------	------------	------------------

Producing Well

Comment: PR w/ plunger

Facility ID: 283292	Type: WELL	API Number: 045-11913	Status: PR	Insp. Status: PR
---------------------	------------	-----------------------	------------	------------------

Producing Well

Comment: PR w/ plunger

Facility ID: 283293	Type: WELL	API Number: 045-11914	Status: PR	Insp. Status: PR
---------------------	------------	-----------------------	------------	------------------

Producing Well

Comment: PR w/ plunger

Facility ID: 423072	Type: WELL	API Number: 045-20657	Status: PR	Insp. Status: PR
---------------------	------------	-----------------------	------------	------------------

Producing Well

Comment: PR w/ plunger

Facility ID: 423092	Type: WELL	API Number: 045-20669	Status: PR	Insp. Status: PR
---------------------	------------	-----------------------	------------	------------------

Producing Well

Comment: PR w/ plunger

Facility ID: 423102 Type: WELL API Number: 045-20674 Status: PR Insp. Status: PR

Producing Well

Comment: PR w/ plunger

Environmental**Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:

Comment:

Corrective Action: Date:

Reportable: GPS: Lat Long

Proximity to Surface Water: Depth to Ground Water:

Water Well:

Lat Long

DWR Receipt Num: Owner Name: GPS :

Field Parameters:

Sample Location:

Emission Control Burner (ECB):

Comment:

Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: RANGELAND

Comment:

1003a. Debris removed? CM

CA CA Date

Waste Material Onsite? CM

CA CA Date

Unused or unneeded equipment onsite? CM

CA CA Date

Pit, cellars, rat holes and other bores closed? CM

CA CA Date

Guy line anchors removed? CM

CA CA Date

Guy line anchors marked? CM

CA CA Date

1003b. Area no longer in use? Production areas stabilized ?

1003c. Compacted areas have been cross ripped?

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads _____ Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Seeding	Pass					
Compaction	Pass	Compaction	Pass			
Gravel	Pass	Gravel	Pass			

S/A/V: SATISFACTOR _____ Corrective Date: _____

Y

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT