

FORM  
2

Rev  
08/13

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400673877

Date Received:

03/10/2015

APPLICATION FOR PERMIT TO:

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

TYPE OF WELL OIL ☐ GAS ☒ COALBED ☐ OTHER \_\_\_\_\_

Refiling ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Federal 11-90-9

Well Number: 5

Name of Operator: SG INTERESTS I LTD

COGCC Operator Number: 77330

Address: 100 WAUGH DR SUITE 400

City: HOUSTON

State: TX

Zip: 77007

Contact Name: Catherine Dickert

Phone: (970)3850696

Fax: (970)3850636

Email: cdickert@sginterests.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20030098

WELL LOCATION INFORMATION

QtrQtr: SWNW Sec: 9 Twp: 11S Rng: 90W Meridian: 6

Latitude: 39.116900

Longitude: -107.458330

Footage at Surface: 1744 feet FNL/FSL FNL 1004 feet FEL/FWL FWL

Field Name: WILDCAT

Field Number: 99999

Ground Elevation: 7680

County: GUNNISON

GPS Data:

Date of Measurement: 01/01/2015 PDOP Reading: 1.0 Instrument Operator's Name: David Nicewicz

If well is ☐ Directional ☒ Horizontal (highly deviated) submit deviated drilling plan.

Footage at Top of Prod Zone: FNL/FSL FNL/FWL Bottom Hole: FNL/FSL FEL/FWL  
1114 FNL 2472 FWL 811 FSL 730 FEL  
Sec: 9 Twp: 11S Rng: 90W Sec: 9 Twp: 11S Rng: 90W

LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT

Surface Ownership: ☐ Fee ☐ State ☒ Federal ☐ Indian

The Surface Owner is: ☒ is the mineral owner beneath the location.

(check all that apply) ☒ is committed to an Oil and Gas Lease.

☒ has signed the Oil and Gas Lease.

☐ is the applicant.

The Mineral Owner beneath this Oil and Gas Location is: ☐ Fee ☐ State ☒ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed by this Well: Yes

The right to construct the Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place:

Surface Surety ID: 20030098

## LEASE INFORMATION

Using standard QtrQtr, Sec, Twp, Rng format, describe one entire mineral lease that will be produced by this well (Describe lease beneath surface location if produced. Attach separate description page or map if necessary.)

See Attached Mineral Lease Map which combines Federal Lease COC 42314 (1862 Acres) & COC 08905(2449) acres.

Total Acres in Described Lease: 4311 Described Mineral Lease is: ☐ Fee ☐ State ☒ Federal ☐ Indian

Federal or State Lease # COC08905

Distance from Completed Portion of Wellbore to Nearest Lease Line of described lease: 0 Feet

## CULTURAL DISTANCE INFORMATION

Distance to nearest:

Building: 5070 Feet  
Building Unit: 5070 Feet  
High Occupancy Building Unit: 5280 Feet  
Designated Outside Activity Area: 5280 Feet  
Public Road: 990 Feet  
Above Ground Utility: 5135 Feet  
Railroad: 5280 Feet  
Property Line: 1355 Feet

### INSTRUCTIONS:

- All measurements shall be provided from center of the Proposed Well to nearest of each cultural feature as described in Rule 303.a.(5).  
- Enter 5280 for distance greater than 1 mile.  
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.  
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

## DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: ☐ Buffer Zone  
☐ Exception Zone  
☐ Urban Mitigation Area

- Buffer Zone – as described in Rule 604.a.(2), within 1,000' of a Building Unit  
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.  
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

## SPACING and UNIT INFORMATION

Distance from Completed Portion of Wellbore to Nearest Wellbore Permitted or Completed in the same formation: 1000 Feet

Distance from Completed Portion of Wellbore to Nearest Unit Boundary 730 Feet (Enter 5280 for distance greater than 1 mile.)

Federal or State Unit Name (if appl): N/A Unit Number: N/A

## SPACING & FORMATIONS COMMENTS

Spacing established per Order No. 547-1 consisting of Sections 9, 15, 16 and N/2 of 22, all in Township 11S, Range 90W. BLM Communitization Agreement is pending.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
MANCOS	MNCS	547-1	2240	Sec 9 ALL

## DRILLING PROGRAM

Proposed Total Measured Depth: 13912 Feet

Distance to nearest permitted or existing wellbore penetrating objective formation: 1000 Feet (Including plugged wells)

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No (If Yes, attach an H<sub>2</sub>S Drilling Operations Plan)

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

## GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Methods: Commercial Disposal

Cuttings Disposal: OFFSITE Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted?

Reuse Facility ID:  or Document Number:

## CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26+0/0	20+0/0	106.5	0	80	137	80	0
SURF	16+0/0	13+3/8	54.5	0	400	185	400	0
1ST	12+1/4	9+5/8	40	0	5500	1295	5500	0
2ND	8+1/2	5+1/2	17	0	13912	1747	13912	5200

☐ Conductor Casing is NOT planned

## DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## GREATER WATTENBERG AREA LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 318A.a. Exception Location (GWA Windows).
- ☐ Rule 318A.c. Exception Location (GWA Twinning).

## RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number

## OTHER LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 318.c. Exception Location from Rule or Spacing Order Number \_\_\_\_\_
- ☐ Rule 603.a.(2) Exception Location (Property Line Setback).

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

## OPERATOR COMMENTS AND SUBMITTAL

Comments: This well will produce from multiple federal leases as shown on the attached Mineral Lease Map. The lease listed on the APD is the first lease encountered at the estimated top of production. This well will be located on the same well pad as the Federal 11-90-9 #4 and the previously permitted Federal 11-90-9 #3 (API 05-051-06112). A Form 2A has also previously been permitted to include all 3 wells (Doc # 400673696). The federal APD will be submitted when complete.

This application is in a Comprehensive Drilling Plan \_\_\_\_\_ CDP #: \_\_\_\_\_

Location ID: 430226

Is this application being submitted with an Oil and Gas Location Assessment application? No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Catherine Dickert

Title: Env & Permit Manager Date: 3/10/2015 Email: cdickert@sginterests.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 5/3/2015

Expiration Date: 05/02/2017

### API NUMBER

05 051 06146 00

## Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

### COA Type

### Description

- (1) Operator shall comply with the most current revision of the Northwest Notification Policy. See attached notice.
- (2) Operator shall provide cement coverage from the intermediate casing string (9+5/8" first string) to a minimum of 200' above all Mesa Verde Group (and Ohio Creek Formation, if present) oil, gas, and water-bearing sandstone and coalbed formations. Verify intermediate casing cement coverage with a cement bond log. Verify production string (5+1/2" second string) cement coverage from the heel of the horizontal wellbore segment up past the intermediate casing string shoe with a cement bond log.

## Best Management Practices

No	BMP/COA Type	Description

### Applicable Policies and Notices to Operators

NW Colorado Notification Policy.

Notice Concerning Operating Requirements for Wildlife Protection.

### Attachment Check List

Att Doc Num	Name
400673877	FORM 2 SUBMITTED
400685292	TOPO MAP
400776892	DEVIATED DRILLING PLAN
400776895	DIRECTIONAL DATA
400792912	LEASE MAP
400797726	WELL LOCATION PLAT
400806786	OffsetWellEvaluations Data

Total Attach: 7 Files

### General Comments

User Group	Comment	Comment Date
Permit	Added to mineral lease description the combination of two leases in order to more effectively describe acres covered in BLM Lands as per opr. Added Sec 16 to Unit Configuration as per opr. Final review complete.	4/28/2015 9:49:54 AM
Engineer	Evaluated existing offset oil and gas wells within 1,500 feet of this wellbore. No mitigation required.  Offset water well check: COGCC evaluated offset water wells within one mile of this proposed well's surface hole location. This information was used in addition to locally-available geophysical logs and hydrogeologic information to evaluate the adequacy of the operator's proposed surface casing setting depth. The deepest water well within one mile is 30 feet.	3/13/2015 2:24:08 PM
Permit	Passed completeness.	3/11/2015 3:20:19 PM

Total: 3 comment(s)