



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

BayHorse Petroleum, LLC.

22-18s-47w

2558 E Portsmouth Ave.
Salt Lake City, UT 84121

Tres Hombres 1-22

Job Ticket: 58651

DST#: 2

ATTN: Randy Say

Test Start: 2015.03.22 @ 20:09:00

GENERAL INFORMATION:

Formation: **Cherokee**

Deviated: No Whipstock: 0.00 ft (KB)

Time Tool Opened: 22:29:45

Time Test Ended: 01:03:00

Test Type: Conventional Straddle (Reset)

Tester: Justin Harris

Unit No: 71

Interval: **4350.00 ft (KB) To 4390.00 ft (KB) (TVD)**

Total Depth: 4350.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 4140.00 ft (KB)

4129.00 ft (CF)

KB to GR/CF: 11.00 ft

Serial #: 8674 Inside

Press @ Run Depth: 22.69 psig @ 4351.00 ft (KB)

Start Date: 2015.03.22

End Date:

2015.03.23

Start Time: 20:09:05

End Time:

01:02:59

Capacity: 8000.00 psig

Last Calib.: 2015.03.23


Time On Btm: 2015.03.22 @ 22:29:30

Time Off Btm: 2015.03.22 @ 23:15:45

TEST COMMENT: 15: Weak surface blow died at 12 mins.
15: No Return.
15: Weak surface blow died at 5 mins.
Pulled

PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2243.83	132.78	Initial Hydro-static
1	23.94	131.94	Open To Flow (1)
14	22.69	132.78	Shut-In(1)
31	52.25	133.33	End Shut-In(1)
32	17.75	133.31	Open To Flow (2)
46	23.74	133.71	Shut-In(2)
47	2022.67	134.49	Final Hydro-static



Recovery

Length (ft)	Description	Volume (bbl)
10.00	Mud	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

BayHorse Petroleum, LLC.

22-18s-47w

2558 E Portsmouth Ave.
Salt Lake City, UT 84121

Tres Hombres 1-22

Job Ticket: 58651

DST#: 2

ATTN: Randy Say

Test Start: 2015.03.22 @ 20:09:00

GENERAL INFORMATION:

Formation: **Cherokee**

Deviated: No Whipstock: 0.00 ft (KB)

Time Tool Opened: 22:29:45

Time Test Ended: 01:03:00

Test Type: Conventional Straddle (Reset)

Tester: Justin Harris

Unit No: 71

Interval: 4350.00 ft (KB) To 4390.00 ft (KB) (TVD)

Total Depth: 4350.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 4140.00 ft (KB)

4129.00 ft (CF)

KB to GR/CF: 11.00 ft

Serial #: 8672

Press @ Run Depth: psig @ ft (KB)

Start Date: 2015.03.22

End Date:

2015.03.23

Start Time: 20:09:05

End Time:

01:12:59

Capacity: 8000.00 psig


Last Calib.: 2015.03.23

Time On Btm:

Time Off Btm:

TEST COMMENT: 15: Weak surface blow died at 12 mins.
15: No Return.
15: Weak surface blow died at 5 mins.
Pulled

PRESSURE SUMMARY



Time
(Min.)

Pressure
(psig)

Temp
(deg F)

Annotation


Recovery

Length (ft)	Description	Volume (bbl)
10.00	Mud	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
--	----------------	-----------------	------------------

* Recovery from multiple tests



TRILOBITE
TESTING, INC.

DRILL STEM TEST REPORT

FLUID SUMMARY

BayHorse Petroleum, LLC.

22-18s-47w

2558 E Portsmouth Ave.
Salt Lake City , UT 84121

Tres Hombres 1-22

Job Ticket: 58651

DST#: 2

ATTN: Randy Say

Test Start: 2015.03.22 @ 20:09:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 49.00 sec/qt

Cushion Volume:

bbl

Water Loss: 7.60 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1800.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	Mud	0.049

Total Length: 10.00 ft Total Volume: 0.049 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Sampler Plugged


Serial #: 8674

Inside

BayHorse Petroleum, LLC.

Tres Hombres 1-22

DST Test Number: 2



Serial #: 8672

BayHorse Petroleum, LLC.

Tres Hombres 1-22

DST Test Number: 2

