

CEMENT JOB REPORT



CUSTOMER MARATHON OIL - XML		DATE 11-SEP-11	F.R. # 1001851693	SERV. SUPV. JOHN R WUDARCZYK	
LEASE & WELL NAME RAWHIDE FLATS 10-68-16 #1M - API 05069064350		LOCATION 16-10N-68W		COUNTY-PARISH-BLOCK Larimer Colorado	
DISTRICT Brighton		DRILLING CONTRACTOR RIG # H&P 321		TYPE OF JOB Long String	
SIZE & TYPE OF PLUGS		LIST-CSG-HARDWARE		PHYSICAL SLURRY PROPERTIES	
Cement Plug, Rubber, Top 5-1/2 in	Float Shoe 5-1/2 - 8rd	SACKS OF CEMENT	SLURRY WGT PPG	SLURRY YLD FT ³	WATER GPS
	Centralizer, with Pins, 5-1/2 in				
MATERIALS FURNISHED BY BJ					
50:50:3 + 0.4% FL-52+0.1% SMS+20%S-8 + 0.2% R-3		197	13.5	1.74	8.04
Fresh Water		0	8.34	0	00:00
Sealbond		0	8.5	0	00:00
Water + Claycare and Alpha-125		0	8.34	0	00:00
Premium Lite+.25#/skCF+5#/skKS+.4%FL52+3%Gel		816	12.5	1.93	04:30
Available Mix Water 500 Bbl. Available Displ. Fluid 500 Bbl.		TOTAL			549.25 235.27
HOLE		TBG-CSG-D.P.			COLLAR DEPTHS
SIZE	% EXCESS	DEPTH	SIZE	WGT.	TYPE
8.497	30	6765	5.5	20	CSG
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG	1241	P-110	
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	
VOLUME	UOM	TYPE	WGT.	CAL. MAX PSI	
148.8	BBLS	Fresh Water	8.34	0	
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	GRADE	
8.625	32	CSG			

CEMENT JOB REPORT



Problems Before Job (I.E. Running Casing, Circulating Well, ETC)

NONE

Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC)


NONE

Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC)

NONE

EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: NONE

PRESSURE/RATE DETAIL						EXPLANATION	
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>	
	PIPE	ANNULUS				TEST LINES	6825 PSI
						CIRCULATING WELL - RIG	<input checked="" type="checkbox"/> BJ <input type="checkbox"/>
10:10	0	0	0	0	0	PRE RIG UP SAFETY MEETING	
10:10	0	0	0	0	0	PRE JOB MEETING	
13:02	1962	0	0	0	H2O	LOW PRESSURE TEST	
13:03	6825	0	0	0	H2O	HIGH PRESSURE TEST	
13:06	367	0	4.8	20	H2O	CLAYCARE WATER	
13:11	313	0	4.8	40	H2O	SEALBOND SPACER	
13:22	157	0	4	280	LEAD	BATCH UP AND PUMP 816 SKS PLC+.25#/SACK CELLO FLAKE+5#/SACK KOL SEAL+.4%FL-52+3%BENTONITE@ 12.5#	
14:37	79	0	3.5	60	TAIL	MIX AND PUMP 197 SKS POZ/G+.25#/SACK CELLO FLAKE+5#/SACK KOL SEAL+.4%FL-52+3%BENTONITE+.1%SMS+20%S-8@13.5#	
15:10	0	0	0	0	H2O	DROP PLUG	
15:11	1296	0	6	100	H2O	START DISPLACEMENT	
15:28	1610	0	4.8	30	H2O	SLOW RATE	
15:34	1761	0	3	20	H2O	SLOW RATE	
15:40	2219	0	0	0	H2O	BUMP PLUG @ 150 BBLS	
15:50	0	0	0	0	0	POST JOB RIG DOWN SAFETY MEETING	

BUMPED PLUG	PSI TO BUMP PLUG	TEST FLOAT EQUIP.	BBL.CMT RETURNS/ REVERSED	TOTAL BBL PUMPED	PSI LEFT ON CSG	SPOT TOP OUT CEMENT	Service Supervisor Signature:
<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	2219	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	56	551	0	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	





BJ Services JobMaster Program Version 3.50

Job Number: 1001851693

Customer: MARATHON

Well Name: RAWHIDE FLATS #10-68-16-1M

