

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO19

DATE: 22-Feb-14, 06:00

Page: 1 of 1

| | | |
|--------------------------------|----------------------------|------|
| COMPANY | | |
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|--|-------|------------|--------------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 9.00 | 406.50 | 3,658.50 |
| Fuel Surcharge (hourly) | 9.00 | 10.00 | 90.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Labor - Floor | 10.00 | 55.00 | 550.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 4,606.50 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 4,606.50 |


| |
|-----------------------|
| CUSTOMER STAMP |
|-----------------------|

| ROD & TUBING DETAILS | | | | | | | | | |
|-----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|--------------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 22-Feb-14, 06:00 | 22-Feb-14, 16:00 | 10.00 | Well Services | crew travel to location have safety meeting held jsa check press /0 tih w. 47 jts tag mud @ 1528' lay down 1 jt rig up cementers pump cement to surfaces lay down 46 jts n.d bops and well head pump twice cement to the top rig down cementers crew drain pump lines rig down rig put the night cap shut well in clean out location crew home. |
| TOTAL TIME: 10.00 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 22-Feb-14, 06:00 | 10.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 22-Feb-14, 06:00 | 10.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 22-Feb-14, 06:00 | 10.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 22-Feb-14, 06:00 | 10.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Jessie Ramos | 22-Feb-14, 06:00 | 10.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | | |
|--|--|--|
| RIG MANAGER/SUPERVISOR'S SIGNATURE: | <p>The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto.</p> | <p>OPERATOR'S REP. SIGNATURE:</p> <p style="text-align: center;">X</p> <p style="text-align: center;">chris hohnstein 970-302-2963</p> |
|  | | |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO18

DATE: 21-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|--|-------|------------|--------------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 10.00 | 406.50 | 4,065.00 |
| Fuel Surcharge (hourly) | 10.00 | 10.00 | 100.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Labor - Floor | 11.00 | 55.00 | 605.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Washington Head Rubber Replacement | 1.00 | 450.00 | 450.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 5,648.00 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 5,648.00 |



| CUSTOMER STAMP |
|----------------|
| |

| ROD & TUBING DETAILS | | | | | |
|----------------------|-------|------------|------------------|--|--|
| ROD DETAILS | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| NOTES: | | | | | |
| TUBING DETAILS | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | |
| RAN | SIZE: | JOINTS: | TALLY: | | |
| LANDED AT: | | NIPPLE AT: | | | |
| NOTES: | | | | | |
| PUMP DETAILS | | | | | |
| SIZE: | TYPE: | SERIAL #: | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | | H2S (%): 0.0 | | |

| DETAILS OF OPERATIONS | | | | |
|--------------------------------|------------------|----------------|---------------|--|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 21-Feb-14, 06:00 | 21-Feb-14, 17:00 | 11.00 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit 3 drill collars 44 jts tag mud @ 1506' n.u w. rubber rig up power swivel break circulation start drill out 22' hard mud clean out to 1528' w. 3 drill collars 44 jts 4' out roll well clean n.d w. rubber rig down power swivel start tooh w. 44 jts 3 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 11.00 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 21-Feb-14, 06:00 | 11.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 21-Feb-14, 06:00 | 11.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 21-Feb-14, 06:00 | 11.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 21-Feb-14, 06:00 | 11.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | |
|---|--|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. <div style="text-align: center;">  chris hohnstein 970-302-2963 </div> |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO17

DATE: 20-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|--|-------|------------|-------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 11.50 | 406.50 | 4,674.75 |
| Fuel Surcharge (hourly) | 11.50 | 10.00 | 115.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Labor - Floor | 12.50 | 55.00 | 687.50 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Miscellaneous Equipment Rental (iserts: 2 7/8) | 1.00 | 100.00 | 100.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 6,005.25 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 6,005.25 |



| CUSTOMER STAMP |
|----------------|
| |

| ROD & TUBING DETAILS | | | | | |
|----------------------|-------|------------|------------------|--|--|
| ROD DETAILS | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| NOTES: | | | | | |
| TUBING DETAILS | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | |
| RAN | SIZE: | JOINTS: | TALLY: | | |
| LANDED AT: | | NIPPLE AT: | | | |
| NOTES: | | | | | |
| PUMP DETAILS | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|-------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 20-Feb-14, 06:00 | 20-Feb-14, 18:30 | 12.50 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit 3 drill collars 41 jts tag @ 1426' n.u w. rubber rig up power swivel break circulation start drill out clean out to 1506' w. 3 drill collars and 44 jts roll well clean rig down power swivel n.d w. rubber tooth w. 44 jts 3 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 12.50 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 20-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 20-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 20-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 20-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Rene Gaona | 20-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | |
|---|---|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. OPERATOR'S REP. SIGNATURE:  CHRIS HOHNSTEIN 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO15

DATE: 18-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|-----------------------------------|-------|------------|-------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 12.00 | 406.50 | 4,878.00 |
| Fuel Surcharge (hourly) | 12.00 | 10.00 | 120.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Tong Heads/Back Up Jaws | 1.00 | 250.00 | 250.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 5,676.00 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 5,676.00 |



| CUSTOMER STAMP |
|----------------|
| |

| ROD & TUBING DETAILS | | | | | |
|----------------------|-------|------------|------------------|--|--|
| ROD DETAILS | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| NOTES: | | | | | |
| TUBING DETAILS | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | |
| RAN | SIZE: | JOINTS: | TALLY: | | |
| LANDED AT: | | NIPPLE AT: | | | |
| NOTES: | | | | | |
| PUMP DETAILS | | | | | |
| SIZE: | TYPE: | SERIAL #: | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | | H2S (%): 0.0 | | |

| DETAILS OF OPERATIONS | | | | |
|-------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 18-Feb-14, 06:00 | 18-Feb-14, 19:00 | 13.00 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit 4 drill collars, 31 jts tag @ 1140' n.u.w. rubber, rig up power swivel, break circulation start drill out clean out to 1400' w. 4 drill collars, 39 jts roll well clean rig down power swivel n.d.w. rubber tooth w. 39 jts 4 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 13.00 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 18-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 18-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 18-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 18-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | |
|---|---|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. OPERATOR'S REP. SIGNATURE:  CHRIS HOHNSTEIN 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO16

DATE: 19-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|-----------------------------------|-------|------------|-------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 12.00 | 406.50 | 4,878.00 |
| Fuel Surcharge (hourly) | 12.00 | 10.00 | 120.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Tong Heads/Back Up Jaws | 1.00 | 250.00 | 250.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 5,676.00 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 5,676.00 |



| CUSTOMER STAMP |
|----------------|
| |

| ROD & TUBING DETAILS | | | | | | | | | |
|----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | TEMP: 0 °F | H2S (%): 0.0 | | | | |

| DETAILS OF OPERATIONS | | | | |
|-------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 19-Feb-14, 06:00 | 19-Feb-14, 19:00 | 13.00 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up meal 4 drill collars 35 jts tag mud pick up 3 more jts n.u w. rubber rig up power swivel start pump down the tubing plug out rig down power swivel n.d w. rubber tooth w. 38 jts 4 drill collars meal string was full water tih w. meal 3 drill collars 38 jts n.u w. rubber rig power swivel start drill out clean out 1426' roll well rig down power swivel n.d w. rubber tooth 41 jts 3 drill collars meal shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 13.00 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 19-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 19-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 19-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 19-Feb-14, 06:00 | 13.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | | |
|---|---|--|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. | OPERATOR'S REP. SIGNATURE:  chris hohnstein 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO14

DATE: 17-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | A/E: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|--|-------|------------|--------------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 12.50 | 406.50 | 5,081.25 |
| Fuel Surcharge (hourly) | 12.50 | 10.00 | 125.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Washington Head Rubber Replacement | 1.00 | 450.00 | 450.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 6,084.25 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 6,084.25 |



| |
|----------------|
| CUSTOMER STAMP |
|----------------|

| ROD & TUBING DETAILS | | | | | | | | | |
|----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | | H2S (%): 0.0 | | |

| DETAILS OF OPERATIONS | | | | |
|--------------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 17-Feb-14, 06:00 | 17-Feb-14, 19:30 | 13.50 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit 4 drill collars 22 jts tag @ 870' n.u w. rubber, rig up power swivel break circulation start drill out to 1140' w. 4 drill collars and 31 jts roll well clean rig down power swivel n.d w. rubber tooth w. 31 jts 4 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 13.50 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 17-Feb-14, 06:00 | 13.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 17-Feb-14, 06:00 | 13.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 17-Feb-14, 06:00 | 13.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 17-Feb-14, 06:00 | 13.50 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | | |
|---|---|--|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. | OPERATOR'S REP. SIGNATURE:  chris hohnstein 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO13

DATE: 15-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|--|-------|------------|--------------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 11.50 | 406.50 | 4,674.75 |
| Fuel Surcharge (hourly) | 11.50 | 10.00 | 115.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 5,217.75 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 5,217.75 |



| CUSTOMER STAMP |
|----------------|
| |

| ROD & TUBING DETAILS | | | | | | | | | |
|----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|--------------------------------|------------------|----------------|---------------|--|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 15-Feb-14, 06:00 | 15-Feb-14, 18:30 | 12.50 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit, 4 drill collars, 18 jts tag @ 715' n.u w. rubber, rig up power swivel, break circulation start drill out clean out to 870' w. 22 jts, 4 drill collars, roll well clean rig down power swivel start tooh w. 22 jts 4 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 12.50 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 15-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 15-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 15-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 15-Feb-14, 06:00 | 12.50 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | | |
|--|--|--|
| RIG MANAGER/SUPERVISOR'S SIGNATURE: | <p>The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto.</p> | OPERATOR'S REP. SIGNATURE: |
|  | |  chris hohnstein 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO12

DATE: 14-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|--|-------|------------|--------------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 13.50 | 406.50 | 5,487.75 |
| Fuel Surcharge (hourly) | 13.50 | 10.00 | 135.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 6,050.75 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 6,050.75 |



| |
|----------------|
| CUSTOMER STAMP |
|----------------|

| ROD & TUBING DETAILS | | | | | | | | | |
|----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | TEMP: 0 °F | | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|--------------------------------|------------------|----------------|---------------|--|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 14-Feb-14, 06:00 | 14-Feb-14, 20:30 | 14.50 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit 4 drill collars 13 jts tag@ 552' n.u w. rubber rig up power swivel break circulation start drill out clean out to 715' w. 4 drill collars 18 jts roll well clean rig down power swivel n.d w. rubber tooth w. 18 jts 4 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 14.50 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 14-Feb-14, 06:00 | 14.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 14-Feb-14, 06:00 | 14.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 14-Feb-14, 06:00 | 14.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 14-Feb-14, 06:00 | 14.50 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | | |
|---|---|--|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. | OPERATOR'S REP. SIGNATURE:  CHRIS HOHNSTEIN 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO11

DATE: 13-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|---|-------|------------|-------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 14.00 | 406.50 | 5,691.00 |
| Fuel Surcharge (hourly) | 14.00 | 10.00 | 140.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Labor - Floor | 15.00 | 55.00 | 825.00 |
| Flange - 7 1/16" Larkin Adaptor Flange x 3000 | 1.00 | 275.00 | 275.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 7,359.00 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 7,359.00 |



| CUSTOMER STAMP |
|----------------|
|----------------|

| ROD & TUBING DETAILS | | | | | |
|----------------------|-------|------------|------------------|--|--|
| ROD DETAILS | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: PONYS: | | |
| NOTES: | | | | | |
| TUBING DETAILS | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | |
| RAN | SIZE: | JOINTS: | TALLY: | | |
| LANDED AT: | | NIPPLE AT: | | | |
| NOTES: | | | | | |
| PUMP DETAILS | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|-------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 13-Feb-14, 06:00 | 13-Feb-14, 21:00 | 15.00 | Well Services | crew travel to location have safety meeting held jsa check press /0 pick up bit 4 drill collars 5 jts tag cement @ 290' n.u w. rubber, rig up power swivel break circulation start drill out clean out to 552' w. 4 drill collars and 13 jts roll well clean rig down power swivel n.d bop start tool w. 13 jts 4 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 15.00 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 13-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 13-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Derrickhand | Raul Navarro | 13-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 13-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 13-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | |
|---|---|
| RIG MANAGER/SUPERVISOR'S SIGNATURE:  | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. OPERATOR'S REP. SIGNATURE:  CHRIS HOHNSTEIN 970-302-2963 |

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO10

DATE: 12-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|-----------------------------------|-------|------------|-------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 14.00 | 406.50 | 5,691.00 |
| Fuel Surcharge (hourly) | 14.00 | 10.00 | 140.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Labor - Floor | 15.00 | 55.00 | 825.00 |
| Washington Circulating Head | 1.00 | 120.00 | 120.00 |
| Tubing Wiper Rubber | 1.00 | 48.00 | 48.00 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 7,084.00 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 7,084.00 |



| CUSTOMER STAMP |
|----------------|
|----------------|

| ROD & TUBING DETAILS | | | | | | | | | |
|----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|-------------------------|------------------|----------------|---------------|--|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 12-Feb-14, 06:00 | 12-Feb-14, 21:00 | 15.00 | Well Services | crew travel to location have safety meeting check press /0 n.u well head and bop function test bop test o.k pick up bit 2 drill collars tag cement w. 80' n.u w. rubber rig up power swivel break circulation start drill out 232' press test to 200 psi test good continue drill out to 290' w. 2 drill collars and 7 jts roll well clean rig down power swivel n.d w. rubber tooth 7 jts 2 drill collars bit shut well in drain pump lines clean out location crew home. |
| TOTAL TIME: 15.00 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|----------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 12-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 12-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Derrickhand | Raul Navarro | 12-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 12-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 12-Feb-14, 06:00 | 15.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | |
|-------------------------------------|---|
| RIG MANAGER/SUPERVISOR'S SIGNATURE: | <div style="display: flex; justify-content: space-between;"> <div style="width:45%">  </div> <div style="width:45%"> <p>The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto.</p> </div> </div> |
| | <div style="display: flex; justify-content: space-between;"> <div style="width:45%">  </div> <div style="width:45%"> <p>OPERATOR'S REP. SIGNATURE:</p> <p>chris hohnstein 970-302-2963</p> </div> </div> |



ENSIGN WELL SERVICES

24020 Weld County Road 46, LaSalle, Colorado 80645
Telephone (970) 284-6006

Driving to Zero

RIG/UNIT #: 322
TOUR: Day Shift

DAILY WORK RECORD

Ticket No: 2446294-SO9

DATE: 11-Feb-14, 06:00

Page: 1 of 1

| COMPANY | | |
|--------------------------------|----------------------------|------|
| NOBLE ENERGY PRODUCTION | LOCATION: BRADBURY #1 (CO) | PO: |
| 1625 BROADWAY SUITE 2200 | | AFE: |
| DENVER, Colorado, USA 80202 | | |

| CHARGES & EXPENDABLES | | | |
|-----------------------------------|-------|------------|-------------|
| NAME | QTY | UNIT PRICE | EXT. PRICE |
| Rig Hours | 10.50 | 406.50 | 4,268.25 |
| Fuel Surcharge (hourly) | 10.50 | 10.00 | 105.00 |
| Crew Travel | 1.00 | 220.00 | 220.00 |
| Labor - Floor | 11.50 | 55.00 | 632.50 |
| Thread Dope | 1.00 | 40.00 | 40.00 |
| CHARGES & EXPENDABLES SUB-TOTAL | | | 5,265.75 |
| FIELD ESTIMATE (TAX NOT INCLUDED) | | | \$ 5,265.75 |

| CUSTOMER STAMP |
|----------------|
| |

| ROD & TUBING DETAILS | | | | | | | | | |
|----------------------|-------|------------|-----------|--------|--|--|--|--|--|
| ROD DETAILS | | | | | | | | | |
| PULLED | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| RAN | SIZE: | PLAIN: | SCRAPERS: | PONYS: | | | | | |
| NOTES: | | | | | | | | | |
| TUBING DETAILS | | | | | | | | | |
| PULLED | SIZE: | JOINTS: | TALLY: | | | | | | |
| RAN | SIZE: | JOINTS: | TALLY: | | | | | | |
| LANDED AT: | | NIPPLE AT: | | | | | | | |
| NOTES: | | | | | | | | | |
| PUMP DETAILS | | | | | | | | | |
| SIZE: | | TYPE: | SERIAL #: | | | | | | |

| PRESSURE TESTS | | | | | | | | |
|--------------------------------|---------------------|------------------------|------------|---------------------------------|--------------|------------------|--|--|
| FUNCTION BOP | TIME TO OPERATE (s) | LOW (psi) | TIME (min) | HIGH (psi) | TIME (min) | TEST DATE & TIME | | |
| INITIAL ACCUM. PRESSURE: | | FINAL ACCUM. PRESSURE: | | RECHARGE TIME: | | | | |
| DAILY WALK AROUND: Not run | | RAM SAVER: NO | | EMERGENCY HORN TEST: Not run | | | | |
| LEL TEST: Not run | | CROWN SAVER: Not run | | EMERGENCY ENGINE KILLS: Not run | | | | |
| DETAILED INSPECTION DATE: | | | | SCBA DRILL DATE: | | | | |
| MAN DOWN DRILL DATE: | | | | RIG RESCUE DRILL DATE: | | | | |
| BOP DRILL DATE: | | | | BOP DRILL DURATION: | | | | |
| IADC DETAILED INSPECTION DATE: | | | | | | | | |
| WEATHER: | | WIND: | | TEMP: 0 °F | H2S (%): 0.0 | | | |

| DETAILS OF OPERATIONS | | | | |
|-------------------------|------------------|----------------|---------------|---|
| FROM | TO | DURATION (hrs) | ACTIVITY | DETAILS |
| 11-Feb-14, 06:00 | 11-Feb-14, 17:30 | 11.50 | Well Services | crew travel to location have safety meeting held jsa check press /0 n.u surfaces head changed over to 5 1/2 equipment pick up 5 jts roll well rig up cementers crew pump cement rig down cementers crew drain pump lines shut well in clean out location crew home. |
| TOTAL TIME: 11.50 hours | | | | |

| CREW DETAILS | | | | | | | | | |
|---------------------|---------------------------|------------------|----------------|-------------------|------------|------------------|------|--------------------|-------------|
| ROLE | NAME | START TIME | DURATION (hrs) | TRAVEL TIME (hrs) | PERS. VEH. | TRAVEL DIST (mi) | SUB. | DIST FROM RES (mi) | INJURY FREE |
| Service Rig Manager | Jorge Romo | 11-Feb-14, 06:00 | 11.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Vicente Silva | 11-Feb-14, 06:00 | 11.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Derrickhand | Raul Navarro | 11-Feb-14, 06:00 | 11.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Operator | Herrera Arenas, Raul | 11-Feb-14, 06:00 | 11.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Sergio Alva | 11-Feb-14, 06:00 | 11.50 | 0.00 | No | 0.00 | | 0.00 | Yes |
| Floorhand | Rodriguez Olivas, Otoniel | 11-Feb-14, 06:00 | 6.00 | 0.00 | No | 0.00 | | 0.00 | Yes |

| SIGNATURES | | |
|-------------------------------------|---|------------------------------|
| RIG MANAGER/SUPERVISOR'S SIGNATURE: | The customer agrees that the contractor ("Ensign") will perform the work and supply the materials ("the work") as described within and in accordance with the conditions set out in the IADC contract and in accordance with all exhibits, specifications, schedules and/or parts (if any) attached hereto. | OPERATOR'S REP. SIGNATURE: |
| | | |
| | | CHRIS HOHNSTEIN 970-302-2963 |