



05-007-05179

Loc# 325065

OGCC FORM 4  
Rev. 1/78STATE OF COLORADO  
OIL AND GAS CONSERVATION COMMISSION  
DEPARTMENT OF NATURAL RESOURCES

FOR OFFICE USE			
ET	FE	UC	SE

File in duplicate for Patented and Federal lands.  
File in triplicate for State lands.

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER Cathodic Protection Well	5. LEASE DESIGNATION & SERIAL NO. 19323
2. NAME OF OPERATOR ARCO Oil & Gas Company	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Southern Ute
3. ADDRESS OF OPERATOR 1816 E. Mojave Farmington, NM 87401	7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface  At proposed prod. zone 1620' FNL & 1190' FEL <i>SENZ</i>	8. FARM OR LEASE NAME Southern Ute
	9. WELL NO. #2-1
	10. FIELD AND POOL, OR WILDCAT Ignacio Blanco
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NE/4 Sec. 2, T-32N, R-8W
14. PERMIT NO. 0506705179	12. COUNTY La Plata
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 7044' GL	13. STATE CO

## 16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL.

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON

CHANGE PLANS:

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

18. Date of work \_\_\_\_\_

\* Must be accompanied by a cement verification report.

Please find attached the records kept on this Cathodic Protection Well. The table below summarizes some of the data requested on this well:

Distance from Conventional Well:	183 feet
Total Depth of Protection Well:	218 feet
Date Completed:	1976
Water Encountered:	Yes
Number of Anodes:	10
Diameter of Holes:	6 3/4"
Installation:	See attached Procedure with summary page.

RECEIVED

MAR 13 1989


19. I hereby certify that the foregoing is true and correct

COLORADO OIL &amp; GAS CONSERVATION COMMISSION

PRINT Glenn F. DoranSIGNED *Glenn F. Doran* TITLE Production Engineer DATE 3/3/89

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:



RECEIVED

MAR 13 1989

COLO. OIL & GAS CONS. COM.

ANode Current	
1. 1.2	6. 1.0
2. .8	7. .6
3. 1.2	8. .8
4. 1.2	9. .8
5. 1.2	10. 1.0

Rect. Output
5.64 Volt
10 Amp

**CATHODIC PROTECTION SERVICE**  
CORROSION ENGINEERS  
HOUSTON, TEXAS

Atlantic Richfield Co.  
Deepwell Grd. Bed Install.  
Well- Southern Ute 2-1, 32-8

DR. BY GEM  
SCALE None

JOB NO. 2449-1  
DATE 5-22-76

DWG. NO.  
2449-1-05

