

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

05/29/2015

Document Number:

666801000

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	420318	420296	Murray, Richard	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 10531Name of Operator: VANGUARD OPERATING LLCAddress: 5847 SAN FELIPE #3000City: HOUSTON State: TX Zip: 77057

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Axelson, Aaron	970-230-0926	aaxelson@vnrlc.com	Sr. Production Foreman
Ghan, Scott		sghan@vnrlc.com	Sr. EH&S

Compliance Summary:QtrQtr: SWNE Sec: 21 Twp: 6S Range: 92W**Inspector Comment:****Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
420317	WELL	PR	04/18/2012	GW	045-20119	CBS 31C-21-692	PR	<input checked="" type="checkbox"/>
420318	WELL	PR	03/23/2012	GW	045-20120	CBS 32B-21-692	PR	<input checked="" type="checkbox"/>
420319	WELL	PR	04/18/2012	GW	045-20121	CBS 41C-21-692	PR	<input checked="" type="checkbox"/>
420320	WELL	PR	04/18/2012	GW	045-20122	CBS 31B-21-692	PR	<input checked="" type="checkbox"/>
420321	WELL	PR	04/18/2012	GW	045-20123	CBS 41D-21-692	PR	<input checked="" type="checkbox"/>
420322	WELL	PR	03/22/2012	GW	045-20124	CBS 41B-21-692	PR	<input checked="" type="checkbox"/>
420323	WELL	PR	04/18/2012	GW	045-20125	CBS 31D-21-692	PR	<input checked="" type="checkbox"/>
420324	WELL	PR	03/23/2012	GW	045-20126	CBS 42D-21-692	PR	<input checked="" type="checkbox"/>
420325	WELL	PR	03/22/2012	GW	045-20127	CBS 32D-21-692	PR	<input checked="" type="checkbox"/>
420326	WELL	PR	03/23/2012	GW	045-20128	CBS 42B-21-692	PR	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Inspector Name: Murray, Richard

Special Purpose Pits: _____	Drilling Pits: <u>1</u>	Wells: <u>10</u>	Production Pits: _____
Condensate Tanks: <u>4</u>	Water Tanks: <u>2</u>	Separators: <u>3</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>2</u>
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

Equipment:

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Horizontal Heated Separator	10	SATISFACTORY			
Emission Control Device	1	SATISFACTORY			
Gas Meter Run	1	SATISFACTORY			
Ancillary equipment	1	SATISFACTORY	Chemical unit at separator		
Plunger Lift	10	SATISFACTORY			

Venting:

Yes/No	Comment
YES	Bradenhead valve open

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
------	------------------------------	---------	-------------------	---------

Predrill

Location ID: 420318

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	The access road will be constructed as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.	09/29/2010

OGLA	kubeczkod	Location is in a sensitive area because of proximity to surface water; therefore, operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., BMPs associated with stormwater management) sufficiently protective of the nearby surface water. If fluids are conveyed via pipeline, operator must implement best management practices to contain any unintentional release of fluids.	09/29/2010
OGLA	kubeczkod	Operator must implement best management practices to contain any unintentional release of fluids.	09/29/2010
OGLA	kubeczkod	Location is in a sensitive area because of proximity to a domestic water well and shallow groundwater; therefore either a lined drilling pit or closed loop system (which Bill Barrett has already indicated on the Form 2A) must be implemented.	09/29/2010
OGLA	kubeczkod	The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.	09/29/2010
OGLA	kubeczkod	No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.	09/29/2010
OGLA	kubeczkod	Location is in a sensitive area because of proximity to a domestic water well and shallow groundwater; therefore production, completion, or frac pits (if constructed) must be lined.	09/29/2010
OGLA	kubeczkod	Any pit containing fluids (if constructed) must be lined or closed loop system (which Bill Barrett has already indicated on the Form 2A) must be implemented during drilling.	09/29/2010

S/A/V: SATISFACTORY

Comment:

No visal sigs of pits or cuttings

CA:

Date:

Wildlife BMPs:

BMP Type	Comment
Wildlife	<p data-bbox="358 132 980 159">BBC WILDLIFE BEST MANAGEMENT PRACTICES</p> <p data-bbox="358 191 1235 218">GENERAL WILDLIFE AND ENVIRONMENTAL PROTECTION MEASURES</p> <ul data-bbox="358 249 1479 485" style="list-style-type: none"> • Establish policies to protect wildlife (e.g., no poaching, no firearms, no dogs on location, no feeding of wildlife, etc.) • Promptly report spills that affect wildlife to the Water Quality Control Division of CDPHE and CDOW • Avoid location staging, refueling, and storage areas within 300 feet, of any reservoir, lake, wetland, or natural perennial or seasonal flowing stream or river. • Bear proof dumpsters and trash receptacles for food-related trash at all facilities that generate such trash will be installed and utilized <p data-bbox="358 516 1192 543">INFRASTRUCTURE LAYOUT WILDLIFE PROTECTION MEASURES</p> <ul data-bbox="358 575 997 632" style="list-style-type: none"> • Implementing fugitive dust control measures • Limit parking to disturbed areas as much as possible <p data-bbox="358 663 1365 690">DRILLING AND PRODUCTION OPERATION WILDLIFE PROTECTION MEASURES</p> <ul data-bbox="358 722 1495 869" style="list-style-type: none"> • Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multifunction contractors, where practicable. • Install exclusionary device to prevent bird and other wildlife access to equipment stacks, vents and openings. • Establish company guidelines to minimize wildlife mortality from vehicle collision on roads. <p data-bbox="358 900 1037 928">FLUID PIT/POND WILDLIFE PROTECTION MEASURES</p> <ul data-bbox="358 959 1511 1079" style="list-style-type: none"> • Install and maintain adequate measures to exclude all types of wildlife (e.g., big game and birds) from all fluid pits/ponds with fencing, flagging and other appropriate exclusion measures). BBC currently installs 6' wildlife proof fences on all pits and freshwater ponds with free liquids. In addition, BBC will install bird netting over "inactive" pits with free liquids after 30 days of inactivity. <p data-bbox="358 1110 971 1138">INVASIVE/NON-NATIVE VEGETATION CONTROL</p> <ul data-bbox="358 1138 1289 1165" style="list-style-type: none"> • Educate employees and contractors about noxious and invasive weed issues. <p data-bbox="358 1197 1037 1224">RESTORATION, RECLAMATION AND ABANDONMENT</p> <ul data-bbox="358 1255 1474 1339" style="list-style-type: none"> • Avoid aggressive non-native grasses and shrubs in mule deer and elk habitat restorations. • Revegetate with seed mixtures that are of the surface owner's preference that are compatible with both livestock and wildlife.

Drilling/Completion Operations	<p data-bbox="362 81 711 111">BBC GENERAL PRACTICES</p> <p data-bbox="362 174 566 201">NOTIFICATIONS</p> <ul data-bbox="362 203 1406 231" style="list-style-type: none">• Proper notifications required by COGCC regulations or policy memos will be adhered to <p data-bbox="362 291 925 319">TRENCHES/PITS/TEMPORARY FRAC TANKS</p> <ul data-bbox="362 350 1503 1026" style="list-style-type: none">• Unlined pits will not be constructed on fill material.• Drill cuttings from the wellbore will be directed into a lined and bermed surface containment. Any free liquids accumulated in the containment would be removed as soon as practicable.• Drilling pits utilized for completion operations will be permitted (if applicable) and lined, operated in accordance with COGCC regulations, specifically Rule 903 and Rule 904. All permitted pits (Form 15) will be closed per Rule 905 and non-permitted drilling pits would be closed in accordance with Rule 1003.• Drilling pits used for completion will be fenced with appropriate wildlife mesh on the bottom portion. Appropriate netting will be installed within 30 days of the pit becoming inactive.• Flowback and stimulation fluids from the wells being completed will be sent to tanks and/or filters to allow the sand to settle out before the fluids are placed into the pit for reuse or disposal at a BBC SWD facility.• All flowback water will be confined to the lined completion pit or storage tanks for a period not to exceed ninety days and will be recycled for re-use, piped or trucked offsite to one of the approved disposal facilities below. Flowback sands stored on location will be remediated and buried on location or hauled to a state approved disposal facility.<ul data-bbox="362 825 1203 940" style="list-style-type: none">o Circle B Land 33A-35-692SWD, API# 05-045-18493, UIC# 159277o GGU Rodreick #21B-31-691 SWD, API# 05-045-13803, UIC# 159176o Specialty #13A-28-692 SWD, API# 05-045-14054, UIC# 159212o Scott 41D-36-692 SWD, API# 05-045-11169, UIC# 159159• Temporary frac tanks installed on location will have proper secondary containment according to SPCC regulations such as either putting a perimeter berm around location or around the frac tanks.
--------------------------------	--

Storm Water/Erosion Control	<p>BBC STORM WATER AND SPILL CONTROL PRACTICES</p> <p>GENERAL</p> <ul style="list-style-type: none"> • Utilize diking and other forms of containment and diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads • Use drip pans, sumps, or liners where appropriate • Limit the amount of land disturbed during construction of pad, access road, and facilities • Employ spill response plan (SPCC) for all facilities • Dispose properly offsite any wastes fluids and other materials <p>MATERIAL HANDLING, ACTIVITIES, PRACTICES AND STORM WATER DIVERSION</p> <ul style="list-style-type: none"> • Secondary containment of tanks, drums, and storage areas is mandatory to prohibit discharges to surface waters. A minimum of 110% capacity required of largest storage tank within a containment area • Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters • Proper loading, and transportation procedures to be followed for all materials to and from locations <p>EROSION CONTROL</p> <ul style="list-style-type: none"> • Pad and access road to be designed to minimize erosion • Pad and access road to implement appropriate erosion control devices where necessary to minimize erosion • Routine inspections of sites and controls to be implemented with additions, repairs, and optimization to occur as necessary to minimize erosion <p>SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING</p> <ul style="list-style-type: none"> • All employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually • Conduct internal storm water inspections per applicable stormwater regulations • Conduct routine informal inspections of all tanks and storage facilities at least weekly • All containment areas are to be inspected weekly or following a heavy rain event. • Any excessive precipitation accumulation within containment should be removed as appropriate and disposed of properly • All structural berms, dikes, and containment will be inspected periodically to ensure they are operating correctly <p>SPILL RESPONSE</p> <ul style="list-style-type: none"> • Spill response procedures as per the BBC field SPCC Plan <p>VEHICLE & LOCATION PROCEDURES</p> <ul style="list-style-type: none"> • Vehicles entering location are to be free of chemical, oil, mud, weeds, trash, and debris • Location to be treated to kill weeds and bladed when necessary <p>Bill Barrett Corp. – CDPHE Stormwater Permit Number: COR-039752</p>
-----------------------------	---

S/A/V: SATISFACTORY **Comment:** No drilling or completions being preformed at time of inspection

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Inspector Name: Murray, Richard

Operator Rep. Contact Information:

Landman Name: _____

Phone Number: _____

Date Onsite Request Received: _____

Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____

Phone Number: _____

Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 420317 Type: WELL API Number: 045-20119 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420318 Type: WELL API Number: 045-20120 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420319 Type: WELL API Number: 045-20121 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420320 Type: WELL API Number: 045-20122 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420321 Type: WELL API Number: 045-20123 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420322 Type: WELL API Number: 045-20124 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420323 Type: WELL API Number: 045-20125 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift, Bradenhead piped into produced water tank

Facility ID: 420324 Type: WELL API Number: 045-20126 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Inspector Name: Murray, Richard

Facility ID: 420325 Type: WELL API Number: 045-20127 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 420326 Type: WELL API Number: 045-20128 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Environmental

Spills/Releases:

Type of Spill: Description: Estimated Spill Volume:
Comment:
Corrective Action: Date:
Reportable: GPS: Lat Long
Proximity to Surface Water: Depth to Ground Water:

Water Well:

DWR Receipt Num: Owner Name: GPS : Lat Long

Field Parameters:

Sample Location:

Emission Control Burner (ECB): Y

Comment:

Pilot: ON Wildlife Protection Devices (fired vessels): YES

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: IMPROVED PASTURE

Comment:

1003a. Debris removed? Pass CM

CA CA Date

Waste Material Onsite? In CM landfarm

CA CA Date

Unused or unneeded equipment onsite? Pass CM

CA CA Date

Pit, cellars, rat holes and other bores closed? Pass CM

CA CA Date

Guy line anchors removed? CM

CA CA Date

Guy line anchors marked? Pass CM

CA CA Date

1003b. Area no longer in use? Pass Production areas stabilized ? Pass1003c. Compacted areas have been cross ripped? Pass1003d. Drilling pit closed? Pass Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: IMPROVED PASTURE

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
		Culverts	Pass			
Berms	Pass					
		Gravel	Pass			
Blankets	Pass					Showing signs of wear
		Ditches	Pass			

Inspector Name: Murray, Richard

S/A/V: SATISFACTOR Corrective Date: _____
Y _____

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT