

**FORM INSP**  
Rev 05/11

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:  
06/16/2015

Document Number:  
667500371

Overall Inspection:  
SATISFACTORY

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>435959</u>	<u>435960</u>	<u>Rickard, Jeff</u>	<input type="checkbox"/>	

**Operator Information:**

OGCC Operator Number: 8960

Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY

Address: 410 17TH STREET SUITE #1400

City: DENVER State: CO Zip: 80202

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Jones,		EHSRC@bonanzacrk.com	All Bonanza Creek Inspections

**Compliance Summary:**

QtrQtr: NWNW Sec: 3 Twp: 4N Range: 62W

**Inspector Comment:**

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
435956	WELL	PR	08/29/2014	OW	123-38881	State Seventy Holes F-J-3HNB	PR	<input checked="" type="checkbox"/>
435957	WELL	PR	08/29/2014	OW	123-38882	State Seventy Holes 11-14-3HNB	PR	<input checked="" type="checkbox"/>
435958	WELL	PR	08/29/2014	OW	123-38883	State Seventy Holes A-E-3HNB	PR	<input checked="" type="checkbox"/>
435959	WELL	PR	08/29/2014	OW	123-38884	STATE SEVENTY HOLES F11-J14-3HNC	PR	<input checked="" type="checkbox"/>
435961	WELL	PR	08/29/2014	OW	123-38885	STATE SEVENTY HOLES A11-E14-3HNC	PR	<input checked="" type="checkbox"/>

**Equipment:**

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>7</u>	Production Pits: _____
Condensate Tanks: <u>4</u>	Water Tanks: <u>7</u>	Separators: <u>7</u>	Electric Motors: <u>16</u>
Gas or Diesel Mortors: <u>7</u>	Cavity Pumps: _____	LACT Unit: <u>2</u>	Pump Jacks: <u>7</u>
Electric Generators: <u>4</u>	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: <u>10</u>	VOC Combustor: <u>8</u>	Oil Tanks: <u>25</u>	Dehydrator Units: <u>1</u>
Multi-Well Pits: _____	Pigging Station: <u>1</u>	Flare: <u>1</u>	Fuel Tanks: _____

**Location**

Emergency Contact Number (S/A/V): \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:**

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

**Venting:**

Yes/No	Comment
--------	---------

**Flaring:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
------	------------------------------	---------	-------------------	---------

**Predrill**

Location ID: 435959

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/A/V:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	andrewsd	Should a failure of TLVST integrity occur, operator shall notify COGCC upon discovery, report the incident to COGCC on a Form 22-Accident Report within 10 days, and shall conduct a root cause analysis and provide it to the COGCC on a Form 4-Sundry Notice within 30 days of the failure.	01/03/2014
OGLA	andrewsd	All TLVST liner seams shall be welded at the liner manufacturers facility; field welded liners shall not be used. Liners shall not be reused.	01/03/2014
OGLA	andrewsd	Best Management Practices (BMPs) shall be employed to prevent injuries, property damage or environmental impacts, such as erosion of onsite sediment into nearby surface water.	01/03/2014
OGLA	andrewsd	Operator shall be onsite and inspect for leaks during the initial filling of TLVST. If leaks are observed, filling shall cease and the leaks be repaired and the integrity of the tank evaluated.	01/03/2014
OGLA	andrewsd	Once in operation, TLVST shall be inspected daily and any deficiencies repaired as soon as practicable.	01/03/2014
OGLA	andrewsd	Signs shall be posted on each TLVST to indicate contents are freshwater and that no E&P waste fluids are allowed. Location and additional signage shall conform to Rule 210.	01/03/2014
OGLA	andrewsd	TLVSTs may only be utilized for the storage of freshwater. E&P wastes, including produced water, treated E&P wastes, and flowback from hydraulic fracturing operations, are not allowed.	01/03/2014
OGLA	andrewsd	TLVSTs shall not be located on non-engineered fill material. Subgrade preparation shall be verified by proof-rolling prior to installation of TLVST.	01/03/2014
OGLA	andrewsd	Operator will submit a Form 4 Sundry Notice with a revised Reference Area Map and Reference Area Pictures that depict a single specified Reference Area by December 31, 2014.	01/03/2014
OGLA	andrewsd	COGCC Rules 604.a. and 605.a.(2,3,5,6,7, and 8), as applicable to tank setbacks at the time of installation shall apply to the siting of TLVSTs.	01/03/2014
OGLA	andrewsd	TLVSTs shall be constructed and operated in accordance with a design certified by a Colorado Licensed Professional Engineer.	01/03/2014
OGLA	andrewsd	TLVSTs shall be operated with a minimum of 1 foot freeboard.	01/03/2014

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Construction	<p>The following procedure describes BCEI standard construction practices for setting a partially buried pre-cast cement water vault and new tank battery construction.</p> <ol style="list-style-type: none"> <li>1) The excavation will first be lined with 4" of clay or other low permeability soil.</li> <li>2) A 30 mil liner will be installed on top of the low permeability soil. The 30 mil liner will be a contiguous liner which will underlay the entire tank battery.</li> <li>3) The tank battery / water vault liner will be keyed into a galvanized steel containment ring installed surrounding the tank battery.</li> <li>4) Sand bedding will be installed to protect the synthetic liner prior to placing equipment in the containment area.</li> </ol>

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 435956 Type: WELL API Number: 123-38881 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

**BradenHead**

Comment: Braden head is exposed at surface.

CA: \_\_\_\_\_

CA Date: \_\_\_\_\_

Facility ID: 435957 Type: WELL API Number: 123-38882 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

**BradenHead**

Comment: Braden head is exposed at surface.

CA:

CA Date:

Facility ID: 435958 Type: WELL API Number: 123-38883 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

**BradenHead**

Comment: Braden head is exposed at surface.

CA:

CA Date:

Facility ID: 435959 Type: WELL API Number: 123-38884 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

**BradenHead**

Comment: Braden head is exposed at surface.

CA:

CA Date:

Facility ID: 435961 Type: WELL API Number: 123-38885 Status: PR Insp. Status: PR

**Producing Well**

Comment: PR

**BradenHead**

Comment: Braden head is exposed at surface.

CA:

CA Date:

**Environmental**

**Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:

Comment:

Corrective Action: Date:

Reportable: GPS: Lat Long

Proximity to Surface Water: Depth to Ground Water:

**Water Well:**

DWR Receipt Num: Owner Name: GPS: Lat Long

**Field Parameters:**

Sample Location:

Emission Control Burner (ECB): N \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: \_\_\_\_\_

1003a. Debris removed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Waste Material Onsite? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Unused or unneeded equipment onsite? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? In \_\_\_\_\_ Production areas stabilized? Pass \_\_\_\_\_

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND

Reminder: \_\_\_\_\_

Inspector Name: Rickard, Jeff

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation

Well Release on Active Location

Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass					
Berms	Pass					

S/A/V: SATISFACTOR Y Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT