



STATE OF
COLORADO

EnviroScan - DNR, OGCC <dnr_ogcc.enviroscan@state.co.us>

Fwd: COGCC Complaint #200433248 - Water Well Concerns

1 message

Axelson - DNR, John <john.axelson@state.co.us>
To: Brent Ramsey <paintbykrustyllc@yahoo.com>
Cc: OGCC EnviroScan - DNR <ogcc.enviroscan@state.co.us>

Tue, Jul 7, 2015 at 2:12 PM

Mr. Ramsey,

I left a phone message regarding the status of repairs to your water well. Please let me know if you would still like the water well sampled and if the repairs were made.

Thank you,

John E. Axelson, P.G.
East Environmental Supervisor



P 303.894.2100 x5115 | F 303.894.2109 | C 303-916-0527
1120 Lincoln Street, Suite 801, Denver, CO 80203
john.axelson@state.co.us | www.colorado.gov/cogcc

Cc. Complaint #200433248 - Correspondence

----- Forwarded message -----

From: **Axelson - DNR, John** <john.axelson@state.co.us>
Date: Tue, Jun 2, 2015 at 1:06 PM
Subject: Re: COGCC Complaint #200433248 - Water Well Concerns
To: Brent Ramsey <paintbykrustyllc@yahoo.com>
Cc: OGCC EnviroScan - DNR <ogcc.enviroscan@state.co.us>

Mr. Ramsey,

I will plan to have your water well sampled using a third party consultant - Terracon. When you have made the repairs to the well, please give me a call or send an email and I will schedule the sampling.

Thank you,

John E. Axelson, P.G.
East Environmental Supervisor



P 303.894.2100 x5115 | F 303.894.2109 | C 303-916-0527
1120 Lincoln Street, Suite 801, Denver, CO 80203
john.axelson@state.co.us | www.colorado.gov/cogcc

Cc. Complaint #200433248 - Correspondence

On Tue, Jun 2, 2015 at 12:36 PM, Brent Ramsey <paintbykrustylc@yahoo.com> wrote:

John,

If you could please test our well water again, I think it would be more accurate, as it has been nearly a year since we had it tested. However, our well is not running at the moment, but the repair on it has been scheduled. I can let you know as soon as the repair has been made and our well is running again. I understand that the ground water may not have been affected, but the timing of the decline in quality is our concern.

I appreciate your fast response.

Thank you.

Brent Ramsey

Paint By Krusty, LLC
20430 County Road 33
La Salle, CO 80645
[970-405-6373](tel:970-405-6373)

On Jun 2, 2015, at 8:51 AM, Axelson - DNR, John <john.axelson@state.co.us> wrote:

Mr. Ramsey,

I received your complaint regarding concerns about your irrigation water well. I am following up to see if you would like the Colorado Oil & Gas Conservation

Commission (COGCC) to review the analytical data you received from Weld County or if you would like us to collect another sample from the water well.

I also wanted to let you know we recently investigated a complaint at the Triton Water Disposal facility related to spills. The facility has a monitoring network of seven monitor wells to track shallow groundwater quality. To date there have been no indications of any impacts to shallow groundwater at the facility.

Your concerns regarding noise will be handled separately by the COGCC Field Inspection Unit. Please let me know if you would like to have your water well sampled. If you would, please confirm that the Division of Water Resources Permit #64229 is the correct well.

Thank you,
John

John E. Axelson, P.G.

East Environmental Supervisor

co_dnr_div_ogcc_300_rgb_ltrhd_v3

P 303.894.2100 x5115 | F 303.894.2109 | C 303-916-0527

1120 Lincoln Street, Suite 801, Denver, CO 80203

john.axelson@state.co.us | www.colorado.gov/cogcc

Cc. Complaint #200433248 - Correspondence