

WELL NAME:	DT Martinez 3-5-6					OPERATOR: Extraction Oil & Gas				
FIELD:	Greeley					FORMATION: Niobrara				
SHL:	qtr-qtr	NWNE	Section	5	Township	5N	Range	65W		
BHL:	qtr-qtr	NWSW	Section	6	Township	5N	Range	65W		
COUNTY:	Weld		STATE:	CO		API:		05-123-41030		

SURFACE CASING	
SIZE:	9 5/8"
WEIGHT:	36#
GRADE:	J-55
CONNECTION:	LTC
HOLE DEPTH:	1,170
CSG DEPTH:	1,108
INCL @ SHOE:	2°
CEMENT:	662 sx 15.8#
TOC:	Surface
HOLE SIZE:	13 1/2"

INTERMEDIATE CASING	
SIZE:	7"
WEIGHT:	26#
GRADE:	P-110
CONNECTION:	LTC
HOLE DEPTH:	7,987
CSG DEPTH:	7,954
INCL @ SHOE:	85°
CEMENT:	489 sx 12.5#
	530 sx 15.8#
TOC:	Surface
HOLE SIZE:	8 3/4"

TIE-BACK STRING	
SIZE:	
WEIGHT:	
GRADE:	
CONNECTION:	
CSG DEPTH:	

GROUND LEVEL:	4,640'
KELLY BUSHING:	20.0'
SPUD DATE:	2/20/2015
COMP DATE:	

PRODUCTION LINER	
SIZE:	4 1/2"
WEIGHT:	13.5#
GRADE:	P-110
CONNECTION:	TXP
HOLE DEPTH:	14,887
LINER TOP:	6,992
INCL @ LT:	25°
LINER SHOE:	14,883
CEMENT:	876 sx 13.8 ppg
TOC:	6,992
HOLE SIZE:	6 1/8"

PRODUCTION TUBING	
SIZE:	
WEIGHT:	
GRADE:	
DEPTH:	
INCL @ EOT:	

Stage	Plug Depth	Perf Cluster 1	Perf Cluster 2	Perf Cluster 3	Perf Cluster 4	Perf Cluster 5	Total ft of Perfs	SPF	# of Holes	Stage Length	Fluid (bbl)	Sand (lbs)	Stage	Plug Depth	Perf Cluster	Perf Cluster 2	Perf Cluster	Perf Cluster	Perf Cluster 5	Total ft of Perfs	SPF	# of Holes	Stage Length	Fluid (bbl)	Sand (lbs)
1		11920-25	11905-10	11895-200	11880-85	11860-65	25	6	150	3,387															
2	11,500									250															
3	11,250									250															
4	11,000									105															
5	10,895									105															
6	10,790									105															
7	10,685									105															
8	10,580									105															
9	10,475									105															
10	10,370									105															
11	10,265									105															
12	10,160									105															
13	10,055									105															
14	9,950									105															
15	9,845									105															
16	9,740									105															
17	9,635									105															
18	9,530									105															
19	9,425									105															
20	9,320									105															

293' Avg Stage Length

Frac Stimulation	
Total Fluid:	bbls
Total Sand:	lbs 40/70
	lbs 30/45
	lbs 20/40
	lbs
	0 lbs/ft

Completion Notes  
\*  
\*  
\*  
\*

Liner Shoe @ 1481

MD 14,887  
TVD 6,934



9 5/8" csg @  
1108' (2° incl)

EOT @ ' ( incl)

Liner Top @ 6992' (25° incl)

8 3/4" hole @ 7987'  
7" csg @ 7954' (85° incl)

KOP - 7,043'

62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1