

WELL NAME: DT-Martinez 1-5-6
FIELD: Greeley - Wattenberg
SHL: qtr-qtr NWNE Section 5 Township 5N Range 65W
BHL: qtr-qtr SWNW Section 6 Township 5N Range 65W
COUNTY: Weld STATE: CO API: 05-123-41029

OPERATOR: Extration Oil & Gas
FORMATION: Niobrara

GROUND LEVEL: 4,640'
KELLY BUSHING: 20.0'
SPUD DATE: 3/30/2015
COMP DATE:

SURFACE CASING
SIZE: 9 5/8"
WEIGHT: 36#
GRADE: J-55
CONNECTION: LTC
HOLE DEPTH: 1,085
CSG DEPTH: 1,036
INCL @ SHOE: 4°
CEMENT: 636 sx 15.8#
TOC: Surface
HOLE SIZE: 13 1/2"

INTERMEDIATE CASING
SIZE: 7"
WEIGHT: 26#
GRADE: P-110
CONNECTION: LTC
HOLE DEPTH: 7,658
CSG DEPTH: 7,641
INCL @ SHOE: 89°
CEMENT: 547 sx 12.5#
537sx 15.8#
TOC: Surface
HOLE SIZE: 8 3/4"

TIE-BACK STRING
SIZE:
WEIGHT:
GRADE:
CONNECTION:
CSG DEPTH:

PRODUCTION LINER
SIZE: 4 1/2"
WEIGHT: 13.5#
GRADE: P-110
CONNECTION: TXP
HOLE DEPTH: 14,727
LINER TOP: 6,815
INCL @ LT: 21°
LINER SHOE: 14,723
CEMENT: 876 sx 13.8 ppg
TOC: 6,815
HOLE SIZE: 6 1/8"

PRODUCTION TUBING
SIZE:
WEIGHT:
GRADE:
DEPTH:
INCL @ EOT:

Stage	Plug Depth	Perf Cluster 1	Perf Cluster 2	Perf Cluster 3	Perf Cluster 4	Perf Cluster 5	Total ft of Perfs	SPF	# of Holes	Stage Length	Fluid (bbl)	Sand (lbs)	Stage	Plug Depth	Perf Cluster	Perf Cluster 2	Perf Cluster	Perf Cluster	Perf Cluster 5	Total ft of Perfs	SPF	# of Holes	Stage Length	Fluid (bbl)	Sand (lbs)
1		11920-25	11905-10	11895-200	11880-85	11860-65	25	6	150	3,227															
2	11,500									250															
3	11,250									250															
4	11,000									105															
5	10,895									105															
6	10,790									105															
7	10,685									105															
8	10,580									105															
9	10,475									105															
10	10,370									105															
11	10,265									105															
12	10,160									105															
13	10,055									105															
14	9,950									105															
15	9,845									105															
16	9,740									105															
17	9,635									105															
18	9,530									105															
19	9,425									105															
20	9,320									105															

285' Avg Stage Length

Frac Stimulation
Total Fluid: bbls
Total Sand: lbs 40/70
lbs 30/45 white
lbs 20/40 resin
- lbs
0 lbs/ft

Completion Notes
*
*
*
*

Liner Shoe @ 14723'

MD 14,727
TVD 6,897



9 5/8" csg @ 1036' (4° incl)

EOT @ ' (incl)

Liner Top @ 6815' (21° incl)

8 3/4" hole @ 7658'
7" csg @ 7641' (89° incl)

KOP - -6,900'

62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1