
PETROLEUM
MAIN LOG
PETROLEUM
MAIN LOG





REPEAT SECTION

Pioneer Energy Services

Database File:	sprague 3h-9h-n267.db
Dataset Pathname:	pass4
Presentation Format:	scbl ecan
Dataset Creation:	Thu Apr 16 06:48:38 2015 by Log SCH 120430
Charted by:	Depth in Feet scaled 1:240

Calibration Report

Database File:	sprague 3h-9h-n267.db
Dataset Pathname:	pass6
Dataset Creation:	Thu Apr 16 06:54:25 2015 by Log SCH 120430

Gamma Ray Calibration Report

Serial Number:	110249	
Tool Model:	Probe	
Performed:	Thu Apr 16 06:11:18 2015	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	111205	
Tool Model:	Probe275	
Calibration Casing Diameter:	7.000	in
Calibration Depth:	78.283	ft

Master Calibration, performed Fri Apr 10 19:41:23 2015:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.002	0.777	1.500	62.165	78.312	1.324
CAL	0.015	1.006				
5'	0.001	0.845	1.500	62.165	71.899	1.409
SUM						
S1	0.003	0.767	0.000	100.000	130.979	-0.428
S2	0.003	0.815	0.000	100.000	123.158	-0.385
S3	0.002	0.857	0.000	100.000	116.915	-0.234
S4	0.001	0.857	0.000	100.000	116.882	-0.160
S5	0.001	0.809	0.000	100.000	123.844	-0.151
S6	0.003	0.749	0.000	100.000	134.013	-0.353
S7	0.004	0.730	0.000	100.000	137.672	-0.497
S8	0.003	0.745	0.000	100.000	134.755	-0.395

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.015	1.006	1.000	0.000

Air Zero Calibration, performed Fri Apr 10 17:41:27 2015:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

PIONEER

Pioneer Energy Services

Company	ENCANA OIL AND GAS
Well	SPRAGUE 3H-9H-N267
Field	WATTENBURG
County	WELD
State	COLORADO