



EnCana Oil & Gas (USA)

DJ Wattenberg
S9-T2N-R67W (Sprague)
Sprague 3I-9H-N267

Hz

Design: Hz

Survey Report - Geographic

28 April, 2015





Company:	EnCana Oil & Gas (USA)	Local Co-ordinate Reference:	Well Sprague 3I-9H-N267
Project:	DJ Wattenberg	TVD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Site:	S9-T2N-R67W (Sprague)	MD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Well:	Sprague 3I-9H-N267	North Reference:	True
Wellbore:	Hz	Survey Calculation Method:	Minimum Curvature
Design:	Hz	Database:	Casper District

Project	DJ Wattenberg, Weld County, CO		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site	S9-T2N-R67W (Sprague)				
Site Position:		Northing:	1,298,441.30 usft	Latitude:	40.151070
From:	Lat/Long	Easting:	3,167,086.79 usft	Longitude:	-104.902260
Position Uncertainty:	0.00 ft	Slot Radius:	13.200 in	Grid Convergence:	0.39 °

Well	Sprague 3I-9H-N267, 521' FSL 1757' FWL Sec 9 T2N R67W					
Well Position	+N/-S	0.00 ft	Northing:	1,296,969.75 usft	Latitude:	40.147010
	+E/-W	0.00 ft	Easting:	3,168,192.57 usft	Longitude:	-104.898340
Position Uncertainty		0.00 ft	Wellhead Elevation:	ft	Ground Level:	4,982.00 ft

Wellbore	Hz				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2014	4/17/2015	8.51	66.68	52,457

Design	Hz				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	0.00	

Survey Program	Date	4/28/2015			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
347.00	819.00	Survey #1 - Surface (Hz)	SDI MWD	SDI MWD - Standard ver 1.0.1	
908.00	7,737.00	Survey #2 - Intermediate (Hz)	SDI MWD	SDI MWD - Standard ver 1.0.1	
7,817.00	12,900.00	Survey #3 - Lateral (Hz)	SDI MWD	SDI MWD - Standard ver 1.0.1	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
0.00	0.00	0.00	0.00	0.00	0.00	1,296,969.75	3,168,192.57	40.147010	-104.898340	
347.00	1.96	111.14	346.93	-2.14	5.54	1,296,967.65	3,168,198.12	40.147004	-104.898320	
First SDI MWD Survey										
441.00	3.93	111.21	440.80	-3.89	10.04	1,296,965.93	3,168,202.63	40.146999	-104.898304	
534.00	6.39	110.04	533.42	-6.81	17.87	1,296,963.06	3,168,210.48	40.146991	-104.898276	
628.00	7.92	118.72	626.69	-11.72	28.47	1,296,958.22	3,168,221.11	40.146978	-104.898238	
721.00	8.88	125.15	718.69	-18.93	39.96	1,296,951.09	3,168,232.65	40.146958	-104.898197	

Company:	EnCana Oil & Gas (USA)	Local Co-ordinate Reference:	Well Sprague 3I-9H-N267
Project:	DJ Wattenberg	TVD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Site:	S9-T2N-R67W (Sprague)	MD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Well:	Sprague 3I-9H-N267	North Reference:	True
Wellbore:	Hz	Survey Calculation Method:	Minimum Curvature
Design:	Hz	Database:	Casper District

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
819.00	10.73	125.52	815.26	-28.58	53.57	1,296,941.53	3,168,246.33	40.146932	-104.898149	
Last SDI MWD Surface Survey										
908.00	13.54	124.68	902.26	-39.33	68.88	1,296,930.89	3,168,261.71	40.146902	-104.898094	
First SDI MWD Inter. Survey										
1,002.00	14.09	118.79	993.54	-51.10	87.96	1,296,919.25	3,168,280.87	40.146870	-104.898026	
1,096.00	16.03	119.19	1,084.31	-62.94	109.32	1,296,907.55	3,168,302.31	40.146837	-104.897949	
1,189.00	16.09	115.22	1,173.68	-74.70	132.19	1,296,895.95	3,168,325.26	40.146805	-104.897867	
1,283.00	16.20	116.13	1,263.98	-86.02	155.74	1,296,884.79	3,168,348.89	40.146774	-104.897783	
1,376.00	16.31	113.33	1,353.26	-96.91	179.38	1,296,874.06	3,168,372.60	40.146744	-104.897699	
1,470.00	16.82	111.36	1,443.36	-107.09	204.17	1,296,864.05	3,168,397.46	40.146716	-104.897610	
1,563.00	16.23	110.30	1,532.52	-116.50	228.89	1,296,854.81	3,168,422.24	40.146690	-104.897521	
1,657.00	15.45	107.51	1,622.95	-124.82	253.15	1,296,846.65	3,168,446.56	40.146667	-104.897435	
1,750.00	15.60	107.88	1,712.56	-132.39	276.87	1,296,839.24	3,168,470.32	40.146647	-104.897350	
1,844.00	16.28	109.74	1,802.94	-140.72	301.30	1,296,831.08	3,168,494.81	40.146624	-104.897262	
1,937.00	15.87	108.27	1,892.31	-149.11	325.64	1,296,822.85	3,168,519.21	40.146601	-104.897175	
2,032.00	16.89	108.41	1,983.45	-157.54	351.07	1,296,814.60	3,168,544.70	40.146578	-104.897084	
2,126.00	16.12	105.83	2,073.58	-165.41	376.58	1,296,806.90	3,168,570.26	40.146556	-104.896993	
2,221.00	16.12	105.64	2,164.84	-172.56	401.97	1,296,799.92	3,168,595.70	40.146536	-104.896902	
2,316.00	16.01	108.75	2,256.13	-180.33	427.08	1,296,792.32	3,168,620.86	40.146515	-104.896813	
2,410.00	16.43	108.96	2,346.39	-188.82	451.92	1,296,784.00	3,168,645.76	40.146492	-104.896724	
2,505.00	15.76	110.75	2,437.67	-197.75	476.69	1,296,775.23	3,168,670.59	40.146467	-104.896635	
2,601.00	14.90	113.50	2,530.25	-207.29	500.21	1,296,765.85	3,168,694.17	40.146441	-104.896551	
2,695.00	14.60	116.11	2,621.15	-217.33	521.93	1,296,755.97	3,168,715.96	40.146413	-104.896473	
2,789.00	14.76	111.87	2,712.09	-227.00	543.68	1,296,746.44	3,168,737.77	40.146387	-104.896395	
2,884.00	16.36	110.00	2,803.60	-236.09	567.48	1,296,737.52	3,168,761.64	40.146362	-104.896310	
2,979.00	18.02	111.53	2,894.36	-246.06	593.73	1,296,727.73	3,168,787.95	40.146335	-104.896216	
3,073.00	16.82	108.72	2,984.05	-255.76	620.13	1,296,718.21	3,168,814.42	40.146308	-104.896122	
3,168.00	16.91	108.24	3,074.96	-264.49	646.27	1,296,709.65	3,168,840.62	40.146284	-104.896028	
3,262.00	16.82	110.04	3,164.92	-273.43	672.03	1,296,700.88	3,168,866.44	40.146259	-104.895936	
3,357.00	15.66	108.70	3,256.13	-282.25	697.09	1,296,692.23	3,168,891.56	40.146235	-104.895847	
3,451.00	14.87	108.89	3,346.81	-290.23	720.52	1,296,684.42	3,168,915.04	40.146213	-104.895763	
3,547.00	13.87	109.47	3,439.81	-298.05	743.03	1,296,676.75	3,168,937.60	40.146192	-104.895682	
3,641.00	13.78	111.33	3,531.08	-305.88	764.08	1,296,669.06	3,168,958.70	40.146170	-104.895607	
3,737.00	13.68	110.43	3,624.34	-314.00	785.36	1,296,661.09	3,168,980.04	40.146148	-104.895531	
3,831.00	14.37	111.55	3,715.54	-322.16	806.63	1,296,653.07	3,169,001.36	40.146126	-104.895455	
3,926.00	15.69	110.12	3,807.29	-330.91	829.66	1,296,644.47	3,169,024.45	40.146102	-104.895372	
4,020.00	16.77	112.69	3,897.54	-340.52	854.11	1,296,635.04	3,169,048.96	40.146075	-104.895285	
4,115.00	15.24	113.37	3,988.85	-350.76	878.21	1,296,624.96	3,169,073.14	40.146047	-104.895199	
4,209.00	15.65	111.46	4,079.46	-360.30	901.35	1,296,615.58	3,169,096.34	40.146021	-104.895116	
4,304.00	16.48	111.48	4,170.75	-369.92	925.82	1,296,606.12	3,169,120.87	40.145995	-104.895029	
4,398.00	15.60	110.84	4,261.09	-379.30	950.04	1,296,596.91	3,169,145.15	40.145969	-104.894942	
4,493.00	15.30	112.90	4,352.66	-388.72	973.52	1,296,587.65	3,169,168.70	40.145943	-104.894858	
4,587.00	14.24	109.26	4,443.55	-397.36	995.86	1,296,579.16	3,169,191.10	40.145919	-104.894778	
4,682.00	15.11	110.13	4,535.45	-405.47	1,018.52	1,296,571.20	3,169,213.81	40.145897	-104.894697	
4,776.00	17.25	114.77	4,625.73	-415.53	1,042.68	1,296,561.30	3,169,238.04	40.145869	-104.894610	
4,871.00	17.13	113.69	4,716.48	-427.05	1,068.28	1,296,549.95	3,169,263.72	40.145838	-104.894519	
4,965.00	15.41	112.18	4,806.72	-437.33	1,092.53	1,296,539.84	3,169,288.03	40.145809	-104.894432	
5,060.00	13.64	111.57	4,898.68	-446.22	1,114.63	1,296,531.11	3,169,310.20	40.145785	-104.894353	
5,154.00	14.78	112.46	4,989.80	-454.87	1,136.02	1,296,522.60	3,169,331.65	40.145761	-104.894277	
5,249.00	17.04	113.51	5,081.15	-465.05	1,159.99	1,296,512.58	3,169,355.68	40.145733	-104.894191	
5,343.00	15.98	113.79	5,171.28	-475.77	1,184.46	1,296,502.03	3,169,380.22	40.145704	-104.894103	
5,438.00	14.65	112.13	5,262.90	-485.57	1,207.55	1,296,492.38	3,169,403.38	40.145677	-104.894021	
5,533.00	12.14	109.65	5,355.31	-493.46	1,228.09	1,296,484.64	3,169,423.98	40.145655	-104.893947	

Company:	EnCana Oil & Gas (USA)	Local Co-ordinate Reference:	Well Sprague 3I-9H-N267
Project:	DJ Wattenberg	TVD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Site:	S9-T2N-R67W (Sprague)	MD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Well:	Sprague 3I-9H-N267	North Reference:	True
Wellbore:	Hz	Survey Calculation Method:	Minimum Curvature
Design:	Hz	Database:	Casper District

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
5,627.00	10.53	107.14	5,447.47	-499.31	1,245.61	1,296,478.90	3,169,441.53	40.145639	-104.893885
5,722.00	9.23	103.85	5,541.06	-503.69	1,261.30	1,296,474.63	3,169,457.26	40.145627	-104.893828
5,816.00	7.98	109.56	5,634.01	-507.68	1,274.77	1,296,470.73	3,169,470.75	40.145616	-104.893780
5,911.00	6.73	118.59	5,728.23	-512.55	1,285.87	1,296,465.93	3,169,481.89	40.145603	-104.893741
6,006.00	5.33	118.65	5,822.70	-517.33	1,294.63	1,296,461.21	3,169,490.68	40.145590	-104.893709
6,100.00	4.75	105.64	5,916.34	-520.48	1,302.21	1,296,458.12	3,169,498.28	40.145581	-104.893682
6,195.00	2.87	102.66	6,011.12	-522.06	1,308.32	1,296,456.58	3,169,504.40	40.145577	-104.893660
6,289.00	0.23	254.54	6,105.09	-522.63	1,310.44	1,296,456.03	3,169,506.52	40.145575	-104.893653
6,384.00	0.40	349.56	6,200.08	-522.35	1,310.19	1,296,456.30	3,169,506.27	40.145576	-104.893654
6,478.00	0.48	357.05	6,294.08	-521.63	1,310.11	1,296,457.02	3,169,506.19	40.145578	-104.893654
6,573.00	0.59	358.61	6,389.08	-520.75	1,310.08	1,296,457.90	3,169,506.15	40.145580	-104.893654
6,667.00	0.86	316.65	6,483.07	-519.75	1,309.59	1,296,458.90	3,169,505.65	40.145583	-104.893656
6,761.00	0.63	329.15	6,577.06	-518.79	1,308.84	1,296,459.85	3,169,504.89	40.145586	-104.893658
6,856.00	0.90	310.51	6,672.05	-517.86	1,308.00	1,296,460.78	3,169,504.05	40.145588	-104.893661
6,950.00	2.53	342.92	6,766.01	-515.40	1,306.83	1,296,463.23	3,169,502.86	40.145595	-104.893666
7,045.00	13.39	8.54	6,859.97	-502.47	1,307.85	1,296,476.16	3,169,503.79	40.145631	-104.893662
7,139.00	17.74	3.69	6,950.51	-477.41	1,310.39	1,296,501.24	3,169,506.16	40.145699	-104.893653
7,233.00	26.54	355.20	7,037.51	-442.11	1,309.55	1,296,536.53	3,169,505.09	40.145796	-104.893656
7,328.00	37.29	358.62	7,118.04	-392.04	1,307.08	1,296,586.59	3,169,502.27	40.145934	-104.893665
7,423.00	44.65	0.27	7,189.72	-329.80	1,306.54	1,296,648.82	3,169,501.31	40.146105	-104.893667
7,517.00	57.09	354.99	7,248.95	-257.15	1,303.24	1,296,721.45	3,169,497.51	40.146304	-104.893678
7,612.00	69.34	354.66	7,291.68	-172.85	1,295.59	1,296,805.69	3,169,489.29	40.146535	-104.893706
7,706.00	73.60	358.58	7,321.56	-83.92	1,290.37	1,296,894.59	3,169,483.48	40.146780	-104.893724
7,737.00	75.37	359.37	7,329.85	-54.05	1,289.84	1,296,924.45	3,169,482.74	40.146862	-104.893726
Last SDI MWD Inter. Survey									
7,817.00	82.97	0.48	7,344.87	24.46	1,289.75	1,297,002.96	3,169,482.12	40.147077	-104.893727
First SDI MWD Lateral Survey									
7,911.00	91.04	0.63	7,349.78	118.25	1,290.66	1,297,096.76	3,169,482.39	40.147335	-104.893723
8,006.00	90.81	0.13	7,348.24	213.24	1,291.29	1,297,191.74	3,169,482.37	40.147595	-104.893721
8,100.00	90.47	0.87	7,347.19	307.23	1,292.11	1,297,285.74	3,169,482.56	40.147853	-104.893718
8,195.00	89.83	0.10	7,346.95	402.22	1,292.91	1,297,380.73	3,169,482.72	40.148114	-104.893715
8,289.00	90.27	1.03	7,346.86	496.22	1,293.84	1,297,474.73	3,169,483.00	40.148372	-104.893712
8,383.00	89.40	359.85	7,347.13	590.21	1,294.56	1,297,568.73	3,169,483.09	40.148630	-104.893709
8,478.00	90.54	359.53	7,347.18	685.21	1,294.04	1,297,663.72	3,169,481.93	40.148891	-104.893711
8,573.00	89.70	359.48	7,346.99	780.20	1,293.22	1,297,758.71	3,169,480.46	40.149152	-104.893714
8,667.00	88.29	359.82	7,348.63	874.18	1,292.65	1,297,852.68	3,169,479.25	40.149410	-104.893716
8,762.00	87.21	359.49	7,352.36	969.11	1,292.08	1,297,947.60	3,169,478.04	40.149670	-104.893718
8,856.00	88.29	358.75	7,356.05	1,063.02	1,290.64	1,298,041.50	3,169,475.96	40.149928	-104.893723
8,951.00	89.13	357.77	7,358.19	1,157.95	1,287.75	1,298,136.41	3,169,472.43	40.150189	-104.893734
9,045.00	89.70	356.95	7,359.15	1,251.85	1,283.42	1,298,230.27	3,169,467.46	40.150446	-104.893749
9,140.00	90.98	358.25	7,358.59	1,346.76	1,279.44	1,298,325.15	3,169,462.84	40.150707	-104.893763
9,234.00	90.37	359.22	7,357.48	1,440.73	1,277.37	1,298,419.11	3,169,460.13	40.150965	-104.893771
9,329.00	90.30	359.54	7,356.93	1,535.72	1,276.34	1,298,514.09	3,169,458.46	40.151226	-104.893774
9,423.00	89.02	358.83	7,357.48	1,629.71	1,275.00	1,298,608.06	3,169,456.48	40.151484	-104.893779
9,518.00	90.27	359.50	7,358.07	1,724.69	1,273.62	1,298,703.04	3,169,454.45	40.151744	-104.893784
9,612.00	90.10	359.54	7,357.77	1,818.69	1,272.83	1,298,797.03	3,169,453.03	40.152002	-104.893787
9,707.00	88.22	358.57	7,359.16	1,913.66	1,271.27	1,298,891.99	3,169,450.82	40.152263	-104.893792
9,801.00	88.69	357.60	7,361.70	2,007.57	1,268.13	1,298,985.87	3,169,447.04	40.152521	-104.893804
9,896.00	90.91	357.62	7,362.03	2,102.48	1,264.16	1,299,080.76	3,169,442.43	40.152782	-104.893818
9,990.00	91.31	358.39	7,360.21	2,196.41	1,260.89	1,299,174.66	3,169,438.53	40.153039	-104.893829
10,085.00	90.84	359.01	7,358.42	2,291.36	1,258.74	1,299,269.60	3,169,435.73	40.153300	-104.893837
10,179.00	90.47	359.73	7,357.35	2,385.35	1,257.70	1,299,363.57	3,169,434.06	40.153558	-104.893841
10,274.00	89.53	0.98	7,357.35	2,480.35	1,258.29	1,299,458.57	3,169,434.00	40.153819	-104.893839

Company:	EnCana Oil & Gas (USA)	Local Co-ordinate Reference:	Well Sprague 3I-9H-N267
Project:	DJ Wattenberg	TVD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Site:	S9-T2N-R67W (Sprague)	MD Reference:	GL 4982' & KB 28.5' @ 5010.50ft (Patterson 272)
Well:	Sprague 3I-9H-N267	North Reference:	True
Wellbore:	Hz	Survey Calculation Method:	Minimum Curvature
Design:	Hz	Database:	Casper District

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
10,369.00	90.30	1.24	7,357.49	2,575.33	1,260.13	1,299,553.56	3,169,435.20	40.154080	-104.893832
10,464.00	89.26	1.47	7,357.86	2,670.30	1,262.38	1,299,648.55	3,169,436.80	40.154340	-104.893824
10,558.00	88.69	0.88	7,359.54	2,764.26	1,264.31	1,299,742.52	3,169,438.09	40.154598	-104.893817
10,653.00	88.72	359.36	7,361.68	2,859.24	1,264.51	1,299,837.49	3,169,437.64	40.154859	-104.893816
10,748.00	91.11	0.07	7,361.83	2,954.23	1,264.03	1,299,932.48	3,169,436.52	40.155120	-104.893818
10,843.00	90.34	0.07	7,360.62	3,049.22	1,264.15	1,300,027.47	3,169,436.00	40.155380	-104.893818
10,937.00	91.64	359.60	7,359.00	3,143.20	1,263.88	1,300,121.45	3,169,435.09	40.155638	-104.893819
11,031.00	91.24	359.67	7,356.64	3,237.17	1,263.28	1,300,215.41	3,169,433.85	40.155896	-104.893821
11,126.00	89.97	358.92	7,355.63	3,332.16	1,262.11	1,300,310.38	3,169,432.04	40.156157	-104.893825
11,220.00	91.38	358.23	7,354.53	3,426.12	1,259.77	1,300,404.33	3,169,429.06	40.156415	-104.893833
11,315.00	90.70	358.29	7,352.80	3,521.06	1,256.89	1,300,499.25	3,169,425.54	40.156676	-104.893844
11,409.00	88.69	357.88	7,353.30	3,615.00	1,253.75	1,300,593.16	3,169,421.76	40.156934	-104.893855
11,503.00	89.23	358.73	7,355.01	3,708.94	1,250.97	1,300,687.08	3,169,418.34	40.157191	-104.893865
11,598.00	90.30	357.77	7,355.40	3,803.89	1,248.07	1,300,782.01	3,169,414.79	40.157452	-104.893875
11,693.00	90.20	358.26	7,354.98	3,898.84	1,244.78	1,300,876.93	3,169,410.86	40.157713	-104.893887
11,787.00	90.47	359.51	7,354.43	3,992.81	1,242.95	1,300,970.90	3,169,408.39	40.157971	-104.893893
11,881.00	89.80	358.72	7,354.21	4,086.80	1,241.50	1,301,064.87	3,169,406.30	40.158229	-104.893898
11,975.00	89.13	0.59	7,355.09	4,180.79	1,240.93	1,301,158.85	3,169,405.10	40.158487	-104.893900
12,070.00	89.23	0.20	7,356.45	4,275.78	1,241.59	1,301,253.84	3,169,405.11	40.158748	-104.893898
12,164.00	90.67	0.27	7,356.53	4,369.77	1,241.97	1,301,347.84	3,169,404.86	40.159006	-104.893897
12,259.00	90.44	0.29	7,355.61	4,464.77	1,242.44	1,301,442.84	3,169,404.68	40.159266	-104.893895
12,353.00	90.81	359.85	7,354.59	4,558.76	1,242.55	1,301,536.83	3,169,404.16	40.159524	-104.893895
12,448.00	91.51	359.40	7,352.66	4,653.74	1,241.93	1,301,631.80	3,169,402.89	40.159785	-104.893897
12,542.00	90.24	359.06	7,351.23	4,747.72	1,240.67	1,301,725.77	3,169,400.99	40.160043	-104.893901
12,637.00	89.87	358.80	7,351.14	4,842.70	1,238.89	1,301,820.74	3,169,398.57	40.160304	-104.893908
12,732.00	90.57	358.12	7,350.77	4,937.67	1,236.34	1,301,915.68	3,169,395.37	40.160564	-104.893917
12,826.00	90.47	358.51	7,349.92	5,031.62	1,233.57	1,302,009.61	3,169,391.97	40.160822	-104.893927
12,836.00	90.37	358.53	7,349.85	5,041.62	1,233.32	1,302,019.61	3,169,391.65	40.160850	-104.893928
Last SDI MWD Survey									
12,900.00	90.37	358.53	7,349.43	5,105.60	1,231.67	1,302,083.57	3,169,389.57	40.161025	-104.893933
Projection to TD									

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment	
		+N/-S (ft)	+E/-W (ft)		
347.00	346.93	-2.14	5.54	First SDI MWD Survey	
819.00	815.26	-28.58	53.57	Last SDI MWD Surface Survey	
908.00	902.26	-39.33	68.88	First SDI MWD Inter. Survey	
7,737.00	7,329.85	-54.05	1,289.84	Last SDI MWD Inter. Survey	
7,817.00	7,344.87	24.46	1,289.75	First SDI MWD Lateral Survey	
12,836.00	7,349.85	5,041.62	1,233.32	Last SDI MWD Survey	
12,900.00	7,349.43	5,105.60	1,231.67	Projection to TD	

Checked By: _____ Approved By: _____ Date: _____