

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>400873434</div>			
Date Received: <div>07/23/2015</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10459	Contact Name Kristi McRedmond	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: EXTRACTION OIL & GAS LLC	Phone: (303) 928-7128	
Address: 370 17TH STREET	Fax: (303) 218-5678	
City: DENVER State: CO Zip: 80202 Email: kmcredmond@petro-fs.com		
API Number : 05- 123 41933 00	OGCC Facility ID Number: 442592	Survey Plat
Well/Facility Name: Cox	Well/Facility Number: 1	Directional Survey
Location QtrQtr: NENW Section: 22 Township: 12N Range: 64W Meridian: 6		Srhc Eqpmt Diagram
County: WELD Field Name: WILDCAT		Technical Info Page
Federal, Indian or State Lease Number:		Other

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

0

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

0

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Submitting a Form 4 Sundry based on the fact that there are no available wells located within a half mile of the COX 22-B Pad located in 12N64W22. The closest water well is approximately 1.0 mile from the proposed COX 22-B Pad. Please attached this sundry request to all five Cox wells on the pad: COX 1 API - 05-123-41933, COX 2 API - 05-123-41934, COX 3 API - 05-123-41932, COX 4 API - 05-123-41936, and COX 5 API - 05-123-41935.

Please forward to Arthur Koepsell.

Operator Comments:

Please forward to Arthur Koepsell.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kristi McRedmond
Title: Environmental Specialist Email: kmcredmond@petro-fs.com Date: 7/23/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOESELL, ARTHUR Date: 7/24/2015

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

User Group	Comment	Comment Date
Environmental Data	A review of DWR data on the COGCC website indicates that there are no water features that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	7/24/2015 8:05:40 AM
Environmental Data	Returned to draft at the operators request.	7/23/2015 3:53:32 PM

Total: 2 comment(s)

Attachment Check List**Att Doc Num****Name**

400873434	FORM 4 SUBMITTED
-----------	------------------

Total Attach: 1 Files