

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 400876910

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10261
2. Name of Operator: BAYSWATER EXPLORATION AND PRODUCTION
3. Address: 730 17TH ST STE 610
City: DENVER State: CO Zip: 80202
4. Contact Name: Joe Richardson
Phone: (303) 242-1844
Fax:
Email: jrichardson@bayswater.us

5. API Number 05-123-40794-00
6. County: WELD
7. Well Name: Matrix
Well Number: N-29HC
8. Location: QtrQtr: SESW Section: 29 Township: 6N Range: 65W Meridian: 6
9. Field Name: GREELEY Field Code: 32760

Completed Interval

FORMATION: CODELL Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/28/2015 End Date: 06/02/2015 Date of First Production this formation: 06/08/2015
Perforations Top: 7873 Bottom: 11676 No. Holes: 56 Hole size: 1

Provide a brief summary of the formation treatment: Open Hole:
20 Stages (slidding sleeve) with 56901 bbls. trident x-link/slickwater 3000117 lbs. 30/50 sand

This formation is commingled with another formation: Yes No
Total fluid used in treatment (bbl): 56901 Max pressure during treatment (psi): 6690
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: Min frac gradient (psi/ft): 0.85
Total acid used in treatment (bbl): Number of staged intervals: 20
Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 4734
Fresh water used in treatment (bbl): 56901 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 3000117 Rule 805 green completion techniques were utilized:
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/25/2015 Hours: 24 Bbl oil: 218 Mcf Gas: 481 Bbl H2O: 253
Calculated 24 hour rate: Bbl oil: 218 Mcf Gas: 481 Bbl H2O: 253 GOR: 2206
Test Method: flowing Casing PSI: 1290 Tubing PSI: Choke Size: 12
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1264 API Gravity Oil: 52
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Joe Richardson  
Title: Sr. Ops Engineer Date: \_\_\_\_\_ Email: jrichardson@bayswater.us  
:

### Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400876936	WELLBORE DIAGRAM

Total Attach: 1 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)