

**Well Name:** Bonifacio Gallegos A3

**Location:** SWSE Sec. 2, T33N, R8W N.M.P.M.

**Elevation:** GL 6634', KB 6645'

**Date:** 23-Jun-2015

**API #:** 05-067-09930-00

**Spud Date:** 8-Jun-2015

8.625", 24 #/ft, J-55 Casing

TOC = surface (circulated 30bbls to surface)  
behind 8.625" casing

Casing set at 392'

Note: This is a directional well. This diagram reflects measured depths but not lateral aspects of the wellbore.

TOC = surface (circulated 1bbl to surface)  
behind 5.5" casing

Tbg: 7/2/2014	Jts	Lgth	TS
TUBING HANGER, 3.5 X 7.0625	1	1	10
3.5" poly tbg	104	3315	11
3.5" x 2.875" xover	1	1	3326
2.875 x 2.28 F-Nipple	1	1	3326
2.875" nipple with hole	1	1	3327
2.875 bare tbg	1	32	3328
3.5 MULE SHOE	1	4	3360
EOT			3364

Perforations 3072' - 3078'  
3098' - 3104'  
3114' - 3124'  
3136' - 3138'  
3144' - 3146'  
3150' - 3158'  
3162' - 3164'  
3229' - 3241'

Rods: 7/15/2014	Jts	Lgth	TS
ROD, POLISHED: 1.25 X 26 FT	1	26	6
Molded Guide Rods	1	25	32
RODS, PONY: 0.75 X 4 GRD. D	1	4	57
CO-ROD #2E	1	3256	61
RODS, PONY: 0.75 X 4 GRD. D	1	4	3317
21K 1" SHEAR TOOL	1	1	3321
RODS, PONY: 0.75 GRD. D	1	4	3322
PUMP, RWAC, 2.5 X 2.0 X 12	1	12	3326
EOR			3338

3.5 poly", 9.94 #/ft, J-55 Tubing  
5.5", 15.5 #/ft, J-55 Casing

Tubing landed at 3363.52'  
PBTD: 3476'

Casing set at 3519'

TD: 3533'