



Critter Creek 556-2128H

Sec.21-T11N-R63W
Weld County, Colorado

Surface Location			
NAD 1927 (NADCON CONUS) Colorado North 501			
Ground Elevation: 5256.0 RKB @ 5281.0usft (KB GL+25')			
Northing	Easting	Latitude	Longitude
577317.23	2293241.72	40° 54' 47.940 N	104° 26' 20.674 W



Project: DJ - Hereford Ranch
Site: Critter Creek C21 NENW
Well: Critter Creek 556-2128H
Plan: APD Plan (Plat Cert 4/6/15)

SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	7040.0	0.00	0.00	7040.0	0.0	0.0	0.00	0.00	0.0	
3	7940.0	90.00	168.30	7613.0	-561.1	116.2	10.00	168.30	562.9	
4	8329.9	90.00	180.00	7613.0	-948.2	155.9	3.00	90.00	950.7	Critter Creek 556-2128H PBHL
5	16673.6	90.00	180.00	7613.0	-9292.0	156.3	0.00	0.00	9293.3	Critter Creek 556-2128H PBHL
TARGET DETAILS										
Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape		
Critter Creek 556-2128H PBHL	7613.0	-9292.0	156.3	568027.77	2293509.18	40° 53' 16.128 N	104° 26' 18.639 W	Point		

Denver Division- Colorado

**DJ - Hereford Ranch
Crittter Creek C21 NENW
Crittter Creek 556-2128H**

OH

Plan: APD Plan (Plat Cert 4/6/15)

Standard Planning Report

29 April, 2015

EOG Resources, Inc.

Planning Report

Database:	EDM_DENVER	Local Co-ordinate Reference:	Well Critter Creek 556-2128H
Company:	Denver Division- Colorado	TVD Reference:	RKB @ 5281.0usft (KB GL+25')
Project:	DJ - Hereford Ranch	MD Reference:	RKB @ 5281.0usft (KB GL+25')
Site:	Critter Creek C21 NENW	North Reference:	True
Well:	Critter Creek 556-2128H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	APD Plan (Plat Cert 4/6/15)		

Project	DJ - Hereford Ranch, Weld County		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	Colorado North 501		

Site	Critter Creek C21 NENW		
Site Position:		Northing:	577,300.00 usft
From:	Map	Easting:	2,293,200.00 usft
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "
		Latitude:	40° 54' 47.775 N
		Longitude:	104° 26' 21.220 W
		Grid Convergence:	0.69 °

Well	Critter Creek 556-2128H		
Well Position	+N/-S	16.7 usft	Northing:
	+E/-W	41.9 usft	Easting:
Position Uncertainty	0.0 usft	Wellhead Elevation:	0.0 usft
		Latitude:	40° 54' 47.940 N
		Longitude:	104° 26' 20.674 W
		Ground Level:	5,256.0 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	4/29/2015	8.30	67.37	52,932

Design	APD Plan (Plat Cert 4/6/15)			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	179.04

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
7,040.0	0.00	0.00	7,040.0	0.0	0.0	0.00	0.00	0.00	0.00	
7,940.0	90.00	168.30	7,613.0	-561.1	116.2	10.00	10.00	0.00	168.30	
8,329.9	90.00	180.00	7,613.0	-948.2	155.9	3.00	0.00	3.00	90.00	Critter Creek 556-212
16,673.6	90.00	180.00	7,613.0	-9,292.0	156.3	0.00	0.00	0.00	0.00	Critter Creek 556-212

EOG Resources, Inc.

Planning Report

Database:	EDM_DENVER	Local Co-ordinate Reference:	Well Critter Creek 556-2128H
Company:	Denver Division- Colorado	TVD Reference:	RKB @ 5281.0usft (KB GL+25')
Project:	DJ - Hereford Ranch	MD Reference:	RKB @ 5281.0usft (KB GL+25')
Site:	Critter Creek C21 NENW	North Reference:	True
Well:	Critter Creek 556-2128H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	APD Plan (Plat Cert 4/6/15)		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,399.0	0.00	0.00	1,399.0	0.0	0.0	0.0	0.00	0.00	0.00
9 5/8" Surface									
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.0	0.00	0.00	0.00
2,100.0	0.00	0.00	2,100.0	0.0	0.0	0.0	0.00	0.00	0.00
2,200.0	0.00	0.00	2,200.0	0.0	0.0	0.0	0.00	0.00	0.00
2,300.0	0.00	0.00	2,300.0	0.0	0.0	0.0	0.00	0.00	0.00
2,400.0	0.00	0.00	2,400.0	0.0	0.0	0.0	0.00	0.00	0.00
2,500.0	0.00	0.00	2,500.0	0.0	0.0	0.0	0.00	0.00	0.00
2,600.0	0.00	0.00	2,600.0	0.0	0.0	0.0	0.00	0.00	0.00
2,700.0	0.00	0.00	2,700.0	0.0	0.0	0.0	0.00	0.00	0.00
2,800.0	0.00	0.00	2,800.0	0.0	0.0	0.0	0.00	0.00	0.00
2,900.0	0.00	0.00	2,900.0	0.0	0.0	0.0	0.00	0.00	0.00
3,000.0	0.00	0.00	3,000.0	0.0	0.0	0.0	0.00	0.00	0.00
3,100.0	0.00	0.00	3,100.0	0.0	0.0	0.0	0.00	0.00	0.00
3,200.0	0.00	0.00	3,200.0	0.0	0.0	0.0	0.00	0.00	0.00
3,300.0	0.00	0.00	3,300.0	0.0	0.0	0.0	0.00	0.00	0.00
3,400.0	0.00	0.00	3,400.0	0.0	0.0	0.0	0.00	0.00	0.00
3,500.0	0.00	0.00	3,500.0	0.0	0.0	0.0	0.00	0.00	0.00
3,600.0	0.00	0.00	3,600.0	0.0	0.0	0.0	0.00	0.00	0.00
3,700.0	0.00	0.00	3,700.0	0.0	0.0	0.0	0.00	0.00	0.00
3,800.0	0.00	0.00	3,800.0	0.0	0.0	0.0	0.00	0.00	0.00
3,900.0	0.00	0.00	3,900.0	0.0	0.0	0.0	0.00	0.00	0.00
4,000.0	0.00	0.00	4,000.0	0.0	0.0	0.0	0.00	0.00	0.00
4,100.0	0.00	0.00	4,100.0	0.0	0.0	0.0	0.00	0.00	0.00
4,200.0	0.00	0.00	4,200.0	0.0	0.0	0.0	0.00	0.00	0.00
4,300.0	0.00	0.00	4,300.0	0.0	0.0	0.0	0.00	0.00	0.00
4,400.0	0.00	0.00	4,400.0	0.0	0.0	0.0	0.00	0.00	0.00
4,500.0	0.00	0.00	4,500.0	0.0	0.0	0.0	0.00	0.00	0.00
4,600.0	0.00	0.00	4,600.0	0.0	0.0	0.0	0.00	0.00	0.00
4,700.0	0.00	0.00	4,700.0	0.0	0.0	0.0	0.00	0.00	0.00
4,800.0	0.00	0.00	4,800.0	0.0	0.0	0.0	0.00	0.00	0.00
4,900.0	0.00	0.00	4,900.0	0.0	0.0	0.0	0.00	0.00	0.00
5,000.0	0.00	0.00	5,000.0	0.0	0.0	0.0	0.00	0.00	0.00
5,100.0	0.00	0.00	5,100.0	0.0	0.0	0.0	0.00	0.00	0.00

EOG Resources, Inc.

Planning Report

Database:	EDM_DENVER	Local Co-ordinate Reference:	Well Critter Creek 556-2128H
Company:	Denver Division- Colorado	TVD Reference:	RKB @ 5281.0usft (KB GL+25')
Project:	DJ - Hereford Ranch	MD Reference:	RKB @ 5281.0usft (KB GL+25')
Site:	Critter Creek C21 NENW	North Reference:	True
Well:	Critter Creek 556-2128H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	APD Plan (Plat Cert 4/6/15)		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,200.0	0.00	0.00	5,200.0	0.0	0.0	0.0	0.00	0.00	0.00
5,300.0	0.00	0.00	5,300.0	0.0	0.0	0.0	0.00	0.00	0.00
5,400.0	0.00	0.00	5,400.0	0.0	0.0	0.0	0.00	0.00	0.00
5,500.0	0.00	0.00	5,500.0	0.0	0.0	0.0	0.00	0.00	0.00
5,600.0	0.00	0.00	5,600.0	0.0	0.0	0.0	0.00	0.00	0.00
5,700.0	0.00	0.00	5,700.0	0.0	0.0	0.0	0.00	0.00	0.00
5,800.0	0.00	0.00	5,800.0	0.0	0.0	0.0	0.00	0.00	0.00
5,900.0	0.00	0.00	5,900.0	0.0	0.0	0.0	0.00	0.00	0.00
6,000.0	0.00	0.00	6,000.0	0.0	0.0	0.0	0.00	0.00	0.00
6,100.0	0.00	0.00	6,100.0	0.0	0.0	0.0	0.00	0.00	0.00
6,200.0	0.00	0.00	6,200.0	0.0	0.0	0.0	0.00	0.00	0.00
6,300.0	0.00	0.00	6,300.0	0.0	0.0	0.0	0.00	0.00	0.00
6,400.0	0.00	0.00	6,400.0	0.0	0.0	0.0	0.00	0.00	0.00
6,500.0	0.00	0.00	6,500.0	0.0	0.0	0.0	0.00	0.00	0.00
6,600.0	0.00	0.00	6,600.0	0.0	0.0	0.0	0.00	0.00	0.00
6,700.0	0.00	0.00	6,700.0	0.0	0.0	0.0	0.00	0.00	0.00
6,800.0	0.00	0.00	6,800.0	0.0	0.0	0.0	0.00	0.00	0.00
6,900.0	0.00	0.00	6,900.0	0.0	0.0	0.0	0.00	0.00	0.00
7,000.0	0.00	0.00	7,000.0	0.0	0.0	0.0	0.00	0.00	0.00
7,040.0	0.00	0.00	7,040.0	0.0	0.0	0.0	0.00	0.00	0.00
7,100.0	6.00	168.30	7,099.9	-3.1	0.6	3.1	10.00	10.00	0.00
7,200.0	16.00	168.30	7,197.9	-21.7	4.5	21.8	10.00	10.00	0.00
7,300.0	26.00	168.30	7,291.2	-56.8	11.8	57.0	10.00	10.00	0.00
7,400.0	36.00	168.30	7,376.8	-107.2	22.2	107.5	10.00	10.00	0.00
7,500.0	46.00	168.30	7,452.2	-171.3	35.5	171.9	10.00	10.00	0.00
7,600.0	56.00	168.30	7,515.0	-247.3	51.2	248.1	10.00	10.00	0.00
7,700.0	66.00	168.30	7,563.4	-332.9	68.9	334.0	10.00	10.00	0.00
7,800.0	76.00	168.30	7,595.9	-425.3	88.1	426.7	10.00	10.00	0.00
7,900.0	86.00	168.30	7,611.6	-521.9	108.1	523.7	10.00	10.00	0.00
7,940.0	90.00	168.30	7,613.0	-561.1	116.2	562.9	10.00	10.00	0.00
7" Intermediate (Opt 2)									
8,000.0	90.00	170.10	7,613.0	-620.0	127.4	622.0	3.00	0.00	3.00
8,100.0	90.00	173.10	7,613.0	-718.9	142.0	721.2	3.00	0.00	3.00
8,200.0	90.00	176.10	7,613.0	-818.4	151.4	820.9	3.00	0.00	3.00
8,300.0	90.00	179.10	7,613.0	-918.3	155.6	920.8	3.00	0.00	3.00
8,329.9	90.00	180.00	7,613.0	-948.2	155.9	950.7	3.00	0.00	3.00
8,400.0	90.00	180.00	7,613.0	-1,018.3	155.9	1,020.8	0.00	0.00	0.00
8,500.0	90.00	180.00	7,613.0	-1,118.3	155.9	1,120.8	0.00	0.00	0.00
8,600.0	90.00	180.00	7,613.0	-1,218.3	155.9	1,220.8	0.00	0.00	0.00
8,700.0	90.00	180.00	7,613.0	-1,318.3	155.9	1,320.8	0.00	0.00	0.00
8,800.0	90.00	180.00	7,613.0	-1,418.3	155.9	1,420.8	0.00	0.00	0.00
8,900.0	90.00	180.00	7,613.0	-1,518.3	155.9	1,520.8	0.00	0.00	0.00
9,000.0	90.00	180.00	7,613.0	-1,618.3	155.9	1,620.7	0.00	0.00	0.00
9,100.0	90.00	180.00	7,613.0	-1,718.3	155.9	1,720.7	0.00	0.00	0.00
9,200.0	90.00	180.00	7,613.0	-1,818.3	155.9	1,820.7	0.00	0.00	0.00
9,300.0	90.00	180.00	7,613.0	-1,918.3	155.9	1,920.7	0.00	0.00	0.00
9,400.0	90.00	180.00	7,613.0	-2,018.3	155.9	2,020.7	0.00	0.00	0.00
9,500.0	90.00	180.00	7,613.0	-2,118.3	155.9	2,120.7	0.00	0.00	0.00
9,600.0	90.00	180.00	7,613.0	-2,218.3	155.9	2,220.7	0.00	0.00	0.00
9,700.0	90.00	180.00	7,613.0	-2,318.3	155.9	2,320.6	0.00	0.00	0.00
9,800.0	90.00	180.00	7,613.0	-2,418.3	155.9	2,420.6	0.00	0.00	0.00
9,900.0	90.00	180.00	7,613.0	-2,518.3	156.0	2,520.6	0.00	0.00	0.00
10,000.0	90.00	180.00	7,613.0	-2,618.3	156.0	2,620.6	0.00	0.00	0.00

EOG Resources, Inc.

Planning Report

Database:	EDM_DENVER	Local Co-ordinate Reference:	Well Critter Creek 556-2128H
Company:	Denver Division- Colorado	TVD Reference:	RKB @ 5281.0usft (KB GL+25')
Project:	DJ - Hereford Ranch	MD Reference:	RKB @ 5281.0usft (KB GL+25')
Site:	Critter Creek C21 NENW	North Reference:	True
Well:	Critter Creek 556-2128H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	APD Plan (Plat Cert 4/6/15)		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,100.0	90.00	180.00	7,613.0	-2,718.3	156.0	2,720.6	0.00	0.00	0.00
10,200.0	90.00	180.00	7,613.0	-2,818.3	156.0	2,820.6	0.00	0.00	0.00
10,300.0	90.00	180.00	7,613.0	-2,918.3	156.0	2,920.6	0.00	0.00	0.00
10,400.0	90.00	180.00	7,613.0	-3,018.3	156.0	3,020.5	0.00	0.00	0.00
10,500.0	90.00	180.00	7,613.0	-3,118.3	156.0	3,120.5	0.00	0.00	0.00
10,600.0	90.00	180.00	7,613.0	-3,218.3	156.0	3,220.5	0.00	0.00	0.00
10,700.0	90.00	180.00	7,613.0	-3,318.3	156.0	3,320.5	0.00	0.00	0.00
10,800.0	90.00	180.00	7,613.0	-3,418.3	156.0	3,420.5	0.00	0.00	0.00
10,900.0	90.00	180.00	7,613.0	-3,518.3	156.0	3,520.5	0.00	0.00	0.00
11,000.0	90.00	180.00	7,613.0	-3,618.3	156.0	3,620.5	0.00	0.00	0.00
11,100.0	90.00	180.00	7,613.0	-3,718.3	156.0	3,720.4	0.00	0.00	0.00
11,200.0	90.00	180.00	7,613.0	-3,818.3	156.0	3,820.4	0.00	0.00	0.00
11,300.0	90.00	180.00	7,613.0	-3,918.3	156.0	3,920.4	0.00	0.00	0.00
11,400.0	90.00	180.00	7,613.0	-4,018.3	156.0	4,020.4	0.00	0.00	0.00
11,500.0	90.00	180.00	7,613.0	-4,118.3	156.0	4,120.4	0.00	0.00	0.00
11,600.0	90.00	180.00	7,613.0	-4,218.3	156.0	4,220.4	0.00	0.00	0.00
11,700.0	90.00	180.00	7,613.0	-4,318.3	156.0	4,320.4	0.00	0.00	0.00
11,800.0	90.00	180.00	7,613.0	-4,418.3	156.0	4,420.3	0.00	0.00	0.00
11,900.0	90.00	180.00	7,613.0	-4,518.3	156.1	4,520.3	0.00	0.00	0.00
12,000.0	90.00	180.00	7,613.0	-4,618.3	156.1	4,620.3	0.00	0.00	0.00
12,100.0	90.00	180.00	7,613.0	-4,718.3	156.1	4,720.3	0.00	0.00	0.00
12,200.0	90.00	180.00	7,613.0	-4,818.3	156.1	4,820.3	0.00	0.00	0.00
12,300.0	90.00	180.00	7,613.0	-4,918.3	156.1	4,920.3	0.00	0.00	0.00
12,400.0	90.00	180.00	7,613.0	-5,018.3	156.1	5,020.3	0.00	0.00	0.00
12,500.0	90.00	180.00	7,613.0	-5,118.3	156.1	5,120.2	0.00	0.00	0.00
12,600.0	90.00	180.00	7,613.0	-5,218.3	156.1	5,220.2	0.00	0.00	0.00
12,700.0	90.00	180.00	7,613.0	-5,318.3	156.1	5,320.2	0.00	0.00	0.00
12,800.0	90.00	180.00	7,613.0	-5,418.3	156.1	5,420.2	0.00	0.00	0.00
12,900.0	90.00	180.00	7,613.0	-5,518.3	156.1	5,520.2	0.00	0.00	0.00
13,000.0	90.00	180.00	7,613.0	-5,618.3	156.1	5,620.2	0.00	0.00	0.00
13,100.0	90.00	180.00	7,613.0	-5,718.3	156.1	5,720.2	0.00	0.00	0.00
13,200.0	90.00	180.00	7,613.0	-5,818.3	156.1	5,820.2	0.00	0.00	0.00
13,300.0	90.00	180.00	7,613.0	-5,918.3	156.1	5,920.1	0.00	0.00	0.00
13,400.0	90.00	180.00	7,613.0	-6,018.3	156.1	6,020.1	0.00	0.00	0.00
13,500.0	90.00	180.00	7,613.0	-6,118.3	156.1	6,120.1	0.00	0.00	0.00
13,600.0	90.00	180.00	7,613.0	-6,218.3	156.1	6,220.1	0.00	0.00	0.00
13,700.0	90.00	180.00	7,613.0	-6,318.3	156.1	6,320.1	0.00	0.00	0.00
13,800.0	90.00	180.00	7,613.0	-6,418.3	156.2	6,420.1	0.00	0.00	0.00
13,900.0	90.00	180.00	7,613.0	-6,518.3	156.2	6,520.1	0.00	0.00	0.00
14,000.0	90.00	180.00	7,613.0	-6,618.3	156.2	6,620.0	0.00	0.00	0.00
14,100.0	90.00	180.00	7,613.0	-6,718.3	156.2	6,720.0	0.00	0.00	0.00
14,200.0	90.00	180.00	7,613.0	-6,818.3	156.2	6,820.0	0.00	0.00	0.00
14,300.0	90.00	180.00	7,613.0	-6,918.3	156.2	6,920.0	0.00	0.00	0.00
14,400.0	90.00	180.00	7,613.0	-7,018.3	156.2	7,020.0	0.00	0.00	0.00
14,500.0	90.00	180.00	7,613.0	-7,118.3	156.2	7,120.0	0.00	0.00	0.00
14,600.0	90.00	180.00	7,613.0	-7,218.3	156.2	7,220.0	0.00	0.00	0.00
14,700.0	90.00	180.00	7,613.0	-7,318.3	156.2	7,319.9	0.00	0.00	0.00
14,800.0	90.00	180.00	7,613.0	-7,418.3	156.2	7,419.9	0.00	0.00	0.00
14,900.0	90.00	180.00	7,613.0	-7,518.3	156.2	7,519.9	0.00	0.00	0.00
15,000.0	90.00	180.00	7,613.0	-7,618.3	156.2	7,619.9	0.00	0.00	0.00
15,100.0	90.00	180.00	7,613.0	-7,718.3	156.2	7,719.9	0.00	0.00	0.00
15,200.0	90.00	180.00	7,613.0	-7,818.3	156.2	7,819.9	0.00	0.00	0.00
15,300.0	90.00	180.00	7,613.0	-7,918.3	156.2	7,919.9	0.00	0.00	0.00
15,400.0	90.00	180.00	7,613.0	-8,018.3	156.2	8,019.8	0.00	0.00	0.00

EOG Resources, Inc.

Planning Report

Database:	EDM_DENVER	Local Co-ordinate Reference:	Well Critter Creek 556-2128H
Company:	Denver Division- Colorado	TVD Reference:	RKB @ 5281.0usft (KB GL+25')
Project:	DJ - Hereford Ranch	MD Reference:	RKB @ 5281.0usft (KB GL+25')
Site:	Critter Creek C21 NENW	North Reference:	True
Well:	Critter Creek 556-2128H	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	APD Plan (Plat Cert 4/6/15)		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
15,500.0	90.00	180.00	7,613.0	-8,118.3	156.2	8,119.8	0.00	0.00	0.00	
15,600.0	90.00	180.00	7,613.0	-8,218.3	156.2	8,219.8	0.00	0.00	0.00	
15,700.0	90.00	180.00	7,613.0	-8,318.3	156.3	8,319.8	0.00	0.00	0.00	
15,800.0	90.00	180.00	7,613.0	-8,418.3	156.3	8,419.8	0.00	0.00	0.00	
15,900.0	90.00	180.00	7,613.0	-8,518.3	156.3	8,519.8	0.00	0.00	0.00	
16,000.0	90.00	180.00	7,613.0	-8,618.3	156.3	8,619.8	0.00	0.00	0.00	
16,100.0	90.00	180.00	7,613.0	-8,718.3	156.3	8,719.7	0.00	0.00	0.00	
16,200.0	90.00	180.00	7,613.0	-8,818.3	156.3	8,819.7	0.00	0.00	0.00	
16,300.0	90.00	180.00	7,613.0	-8,918.3	156.3	8,919.7	0.00	0.00	0.00	
16,400.0	90.00	180.00	7,613.0	-9,018.3	156.3	9,019.7	0.00	0.00	0.00	
16,500.0	90.00	180.00	7,613.0	-9,118.3	156.3	9,119.7	0.00	0.00	0.00	
16,600.0	90.00	180.00	7,613.0	-9,218.3	156.3	9,219.7	0.00	0.00	0.00	
16,673.0	90.00	180.00	7,613.0	-9,291.3	156.3	9,292.7	0.00	0.00	0.00	
5 1/2" Prod (Opt 1) - 4 1/2" Liner (Opt 2)										
16,673.6	90.00	180.00	7,613.0	-9,292.0	156.3	9,293.3	0.00	0.00	0.00	

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude		Longitude
- hit/miss target										
- Shape										
Critter Creek 556-2128H	0.00	0.00	7,613.0	-9,292.0	156.3	568,027.77	2,293,509.18	40° 53' 16.128 N		104° 26' 18.639 W
- plan hits target center										
- Point										

Casing Points						
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")		
1,399.0	1,399.0	9 5/8" Surface	9-5/8	13-1/2		
7,940.0	7,613.0	7" Intermediate (Opt 2)	7	8-3/4		
16,673.0	7,613.0	5 1/2" Prod (Opt 1)	5-1/2	7-7/8		
16,673.0	7,613.0	4 1/2" Liner (Opt 2)	4-1/2	6-1/8		