



Bison Oil Well Cementing Single Cement Surface Pipe

Date: 6/24/2015
 Invoice # 90009
 API# 05-123-41496
 Foreman: Nick

Customer: Anadarko Petroleum Corporation
Well Name: English Farms 34C-9HZ

County: Weld Consultant: Cody
 State: Colorado Rig Name & Number: Noble 2
 Distance To Location: 20
 Sec: 8 Units On Location: 024/3210/4027/3106/3105/320
 Twp: 1N Time Requested: 23:30
 Range: 65W Time Arrived On Location: 21:30
 Time Left Location: 9:45

WELL DATA	Cement Data
Casing Size OD (in) : <u>9.625</u>	Cement Name: <u>BFN III</u>
Casing Weight (lb) : <u>36.00</u>	Cement Density (lb/gal) : <u>14.2</u>
Casing Depth (ft.) : <u>1,856</u>	Cement Yield (cuft) : <u>1.49</u>
Total Depth (ft) : <u>1866</u>	Gallons Per Sack: <u>7.48</u>
Open Hole Diameter (in.) : <u>13.50</u>	% Excess: <u>10%</u>
Conductor Length (ft) : <u>47</u>	Displacement Fluid lb/gal: <u>8.3</u>
Conductor ID : <u>15.25</u>	BBL to Pit: <u>0.0</u>
Shoe Joint Length (ft) : <u>41</u>	Fluid Ahead (bbls): <u>30.0</u>
Landing Joint (ft) : <u>10</u>	H2O Wash Up (bbls): <u>20.0</u>
Max Rate: <u>6</u>	Spacer Ahead Makeup
Max Pressure: <u>1750</u>	<u>30 bbl dye in second 10</u>

Calculated Results	Pressure of cement in annulus
cuft of Shoe <u>17.80</u> cuft (Casing ID Squared) X (.005454) X (Shoe Joint ft)	Displacement: <u>141.09</u> bbls (Casing ID Squared) X (.0009714) X (Casing Depth + Landing Joint - Shoe Joint)
cuft of Conductor <u>35.87</u> cuft (Conductor Width Squared) - (Casing Size OD Squared) X (.005454) X (Conductor Length ft)	Hydrostatic Pressure: <u>1369.17</u> PSI
cuft of Casing <u>972.52</u> cuft (Open Hole Squared) - (Casing Size Squared) X (.005454) X (Casing Depth - Conductor Length)	Pressure of the fluids inside casing
Total Slurry Volume <u>1026.19</u> cuft (cuft of Shoe) + (cuft of Conductor) + (cuft of Casing)	Displacement: <u>782.59</u> psi
bbls of Slurry <u>182.76</u> bbls (Total Slurry Volume) X (.1781)	Shoe Joint: <u>30.25</u> psi
Sacks Needed <u>689</u> sk (Total Slurry Volume) ÷ (Cement Yield) X (% Excess Cement)	Total <u>812.84</u> psi
Mix Water <u>122.66</u> bbls (Sacks Needed) X (Gallons Per Sack) ÷ 42	Differential Pressure: <u>556.33</u> psi
	Collapse PSI: <u>2020.00</u> psi
	Burst PSI: <u>3520.00</u> psi
	Total Water Needed: <u>313.74</u> bbls

X [Signature]
 Authorization To Proceed

Customers hereby acknowledges and specifically agrees to the terms and condition on this work order, including, without limitation, the provisions on this work order.

English Farms 34C-9HZ

