

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>400907099</u>			
Date Received: <u>09/30/2015</u>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	100322	Contact Name	Julie Webb
Name of Operator:	NOBLE ENERGY INC	Phone:	(720) 587-2223
Address:	1625 BROADWAY STE 2200	Fax:	()
City:	DENVER	State:	CO
Zip:	80202	Email:	jwebb@progressivepcs.net
API Number :	05- 123 39480 00	OGCC Facility ID Number:	437310
Well/Facility Name:	FIVE RIVERS	Well/Facility Number:	K09-67-1HN
Location QtrQtr:	SWNW	Section:	9
		Township:	4N
		Range:	66W
		Meridian:	6
County:	WELD	Field Name:	WATTENBERG
Federal, Indian or State Lease Number:			

Complete the Attachment

Checklist

OP

OGCC

Survey Plat		
Directional Survey		
Srhc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Noble requests an exception to Rule 318.A.f for the FIVE RIVERS K09-67-1HN well pad. A qualifying baseline sample (9060337) was collected for this location on June 25, 2014. Since this initial sample, the well has become inoperable, with the motor removed (photo attached).

This exception request applies to the following wells on the pad

FIVE RIVERS K08-66-1HN 05-123-39474
FIVE RIVERS K08-67-1HN 05-123-39475
FIVE RIVERS K09-66-1AHN 05-123-39479
FIVE RIVERS K09-67-1HN 05-123-39480
FIVE RIVERS K09-66-1HN 05-123-39482

Operator Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Julie Webb
Title: Regulatory Analyst Email: jwebb@progressivepcs.net Date: 9/30/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 10/2/2015

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

--	--	--

Total: 0 comment(s)

Attachment Check List**Att Doc Num****Name**

400908845	LOCATION PICTURES
-----------	-------------------

Total Attach: 1 Files