



# Upstream

Petroleum Management, Inc.

7000 S. Yosemite St., Suite 290B  
Englewood, CO 80112  
phone 303.942.0506  
www.upstreampm.com

## VIA EFORMS

Mr. Matt Lepore  
Colorado Oil & Gas Conservation Commission  
1120 Lincoln Street, Suite 801  
Denver, CO 80203

September 28, 2015

RE: Rule 318.A.a Exception Location Request  
Ward Petroleum Corporation  
**Anderson 18-3-11HC**  
**Document #400905680**  
SHL: 945' FSL 1,086' FWL (SW/4 SW/4)  
Sec. 18 T1S R66W  
BHL:  $\pm 460'$  FNL  $\pm 880'$  FWL (NW/4 NW/4)  
Adams County, Colorado  
Surface: Fee  
Mineral Lease: Fee

Dear Mr. Lepore:

Ward Petroleum Corporation (Ward) respectfully requests that the Director grant an exception location to Colorado Oil and Gas Conservation Commission (COGCC) Rule 318A.a., for the above referenced wells. The planned locations were agreed upon by Ward and the surface owner through multiple conversations and meetings due to topography and to maximize future land use possibilities by the surface owner.

COGCC Rule 318.A.a stipulates that a Greater Wattenberg Area (GWA) well surface location must be within a 400' by 400' drilling window centered at the center of each quarter-quarter section, or inside a 800' by 800' drilling window centered at the center of each quarter section. The above referenced wells fall outside of these drilling windows.

Ward requests the Director approve the proposed exception location. The surface owner acknowledges and agrees with the staked surface location of the well. Please see the enclosed waivers.

Please send a copy of all correspondence to Upstream Petroleum Management, Inc. at 7000 S. Yosemite St., Suite 290B, Englewood, CO 80112. Please contact me at 303-942-0506 or at [agross@upstreampm.com](mailto:agross@upstreampm.com) if you have any questions.

Sincerely,

Andrea J. Gross  
Permit Agent for Ward Petroleum Corporation  
AJG:ajg

## Your Assets / Our Expertise

- Regulatory
- Storm-water Management Plans
- Project Coordination
- Permitting
- Government Relations
- EA/EIS Assistance