

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:
10/06/2015Document Number:
669300888Overall Inspection:
SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection <input type="checkbox"/>
	441282	441283	NEIDEL, KRIS	2A Doc Num: _____

Operator Information:OGCC Operator Number: 10524Name of Operator: GRMR OIL & GAS LLCAddress: 370 INTERLOCKEN BLVD SUITE 550City: BROOMFIELD State: CO Zip: 80021

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
blauvelt, scott	724-935-8948	sblauvelt@emslp.com	

Compliance Summary:QtrQtr: NESW Sec: 19 Twp: 5N Range: 90W**Inspector Comment:**

Environmental staff was on location to inspect cuttings management during drilling. The Operator has chosen to dispose of cuttings on the location in a cuttings trench. The trench is on the Northwest side of the location. Cuttings were being placed in the trench at a "de minimis" moisture content. A "saw dust" type material was being blended with the cuttings, in the trench. Operator should submit a "waste management plan" describing the management of the cuttings that includes; lat/long of cuttings trench, an analytical sampling plan (specifically "pay zone" cuttings sampling schedule) and final disposal plan of the cuttings with consideration for rule 1003.d. If drilling plans change to not use oil based mud as stated in APD and payzone cuttings are to be disposed of on location, notice should be provided via sundry form 4.

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
441282	WELL	XX	03/27/2015		081-07818	Myers 19-11HA	EI	<input checked="" type="checkbox"/>

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: _____	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>1</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: <u>1</u>	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): _____

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Inspector Name: NEIDEL, KRIS

☐ Multiple Spills and Releases?

Venting:

Yes/No

Comment

Flaring:

Type

Satisfactory/Action Required

Comment

Corrective Action

CA Date

Predrill

Location ID: 441282

Site Preparation:

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	<p>If the operator requires to obtain water from the nearby Williams Fork River, the pump and pipeline system must be capable of preventing any backflow into the river after pump shutdown. Any water pumped from the Williams Fork River, but not used during the drilling and completion operations, must be disposed of offsite, not back into the river.</p> <p>COA 11 - As indicated on the Form 2A, since oil base foam drilling mud will be used for the horizontal portion of the wellbore, a closed loop system must be implemented during drilling. All cuttings generated during drilling with oil based mud or high chloride/TDS mud must be kept in the lined drilling pit (if permitted and constructed), tanks/containers, or placed on a lined/bermed portion of the well pad; prior to disposition. The moisture content of any drill cuttings in a cuttings containment area or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. After drilling and completion operations have been completed, the drill cuttings that will remain on the well pad location (cuttings management area, the cut portion of the pad, cuttings trench, dry cuttings drilling pit), must meet the applicable standards of Table 910-1. Any material which does not meet Table 910-1 criteria will either be manifested and disposed offsite at an approved commercial facility, or amended further onsite to comply with Table 910-1. After the drill cuttings have been amended (if necessary or applicable) and placed on the well pad, sampling frequency of the drill cuttings (to be determined by the operator) shall be representative of the material left on location. If operator determines that long-term onsite management of oil based mud or high chloride/TDS mud cuttings is necessary, an approved Form 27 remediation plan will be required. No offsite disposal of cuttings to another oil and gas location shall occur without prior approval of a Waste Management Plan (submitted via a Form 4 Sundry Notice) specifying disposal location and waste characterization method. Commercial disposal of drill cuttings will only require notification to COGCC via a Form 4 Sundry Notice. All liners associated with oil based or high chloride/TDS drilling mud and cuttings must be disposed of offsite per CDPHE rules and regulations.</p> <p>If the well(s) is (are) to hydraulically stimulated, then flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>	03/20/2015

OGLA	kubeczkd	<p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days and after precipitation events), and maintained in good condition.</p> <p>The access road will be constructed and maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>The access road location is in an area of moderate to high run-on/run-off potential; therefore standard stormwater BMPs must be implemented; prior to, during, and after construction, as well as during drilling, completion, and production operations; at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (corrugated steel with poly liner) to contain any spilled or released material around permanent crude oil, condensate, and produced water storage tanks.</p>	03/20/2015
OGLA	kubeczkd	<p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, start of hydraulic stimulation operations (if applicable), and start of flowback operations (if applicable and/or if different that start of hydraulic stimulation operations) using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p>	03/20/2015

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Wildlife	<p>1. Operator will use water from the Williams Fork River, therefore, methods should be used such as suction hoses, decontamination or back-flow preventers to ensure that the untreated water does not re-enter the river.</p> <p>2. Operator will monitor all open trenches daily (if applicable) and backfill as soon as possible to keep wildlife from entering trenches.</p>

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

Inspector Name: NEIDEL, KRIS

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 441282 Type: WELL API Number: 081-07818 Status: XX Insp. Status: EI

Well Drilling

Rig: Rig Name: _____ Pusher/Rig Manager: _____
Permit Posted: _____ Access Sign: _____

Well Control Equipment:

Pipe Ram: _____ Blind Ram: _____ Hydril Type: _____
Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: _____

Drill Fluids Management:

Lined Pit: _____ Unlined Pit: YES Closed Loop: YES Semi-Closed Loop: _____
Multi-Well: NO Disposal Location: cuttings trench on northwest side of

Comment:

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
Comment: _____
Corrective Action: _____ Date: _____
Reportable: _____ GPS: Lat _____ Long _____
Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Inspector Name: NEIDEL, KRIS

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____
CA _____ CA Date _____
Waste Material Onsite? _____ CM _____
CA _____ CA Date _____
Unused or unneeded equipment onsite? _____ CM _____
CA _____ CA Date _____
Pit, cellars, rat holes and other bores closed? _____ CM _____
CA _____ CA Date _____
Guy line anchors removed? _____ CM _____
CA _____ CA Date _____
Guy line anchors marked? _____ CM _____
CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Inspector Name: NEIDEL, KRIS

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
669300888	INSPECTION APPROVED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3693207