

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

10/13/2015

Document Number:

674701912

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	424630	424630	LONGWORTH, MIKE	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 100185Name of Operator: ENCANA OIL & GAS (USA) INCAddress: 370 17TH ST STE 1700City: DENVER State: CO Zip: 80202-

- ☒ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Inspections, General	970-285-2665	cogcc.inspections@encana.com	EnCana Inspection email

Compliance Summary:QtrQtr: Lot 4 Sec: 36 Twp: 4S Range: 96W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
08/13/2015	674701717			ACTION REQUIRED			No
10/03/2013	663902261			ACTION REQUIRED	F		No

Inspector Comment:

Follow up to 8/13/15 inspection doc # 674701717. Corrective actions have been made.

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
424642	WELL	PR	08/08/2013	GW	045-20914	STORY GULCH 8504D-36 D36496	PR	<input checked="" type="checkbox"/>
424645	WELL	PR	05/14/2013	GW	045-20915	STORY GULCH 8504A-36 D36496	PR	<input checked="" type="checkbox"/>
424646	WELL	PR	08/23/2013	GW	045-20916	STORY GULCH 8507A-35 D36496	PR	<input checked="" type="checkbox"/>
424647	WELL	PR	09/12/2013	GW	045-20917	STORY GULCH 8502D-35 D36496	PR	<input checked="" type="checkbox"/>
424652	WELL	PR	09/14/2013	GW	045-20918	STORY GULCH 8512E-36 D36496	PR	<input checked="" type="checkbox"/>
424653	WELL	PR	08/08/2013	GW	045-20919	STORY GULCH 8504B-36 D36496	PR	<input checked="" type="checkbox"/>
424655	WELL	PR	07/12/2013	GW	045-20920	STORY GULCH 8513E-25 D36496	PR	<input checked="" type="checkbox"/>
424656	WELL	PR	08/21/2013	GW	045-20921	STORY GULCH 8507B-35 D36496	PR	<input checked="" type="checkbox"/>
424657	WELL	PR	08/28/2013	GW	045-20922	STORY GULCH 8512D-36 D36496	PR	<input checked="" type="checkbox"/>

424658	WELL	PR	06/14/2013	GW	045-20923	STORY GULCH 8515E-25 D36496	PR	X
424659	WELL	PR	08/08/2013	GW	045-20924	STORY GULCH 8504C-36 D36496	PR	X
424661	WELL	PR	09/12/2013	GW	045-20925	STORY GULCH 8502B-35 D36496	PR	X
424662	WELL	PR	11/14/2013	GW	045-20926	STORY GULCH 8513A-36 D36496	PR	X
424663	WELL	PR	07/12/2013	GW	045-20927	STORY GULCH 8502A-35 D36496	PR	X
424664	WELL	PR	05/14/2013	GW	045-20928	STORY GULCH 8515E-26 D36496	PR	X
424665	WELL	PR	11/14/2013	GW	045-20929	STORY GULCH 8513B-36 D36496	PR	X
424666	WELL	PR	05/01/2013	GW	045-20930	STORY GULCH 8513D-25 D36496	PR	X
424668	WELL	PR	08/21/2013	GW	045-20931	STORY GULCH 8507E-35 D36496	PR	X
424672	WELL	PR	09/12/2013	GW	045-20932	STORY GULCH 8502C-35 D36496	PR	X
424673	WELL	PR	07/03/2013	GW	045-20933	STORY GULCH 8504E-36 D36496	PR	X
424674	WELL	PR	05/01/2013	GW	045-20934	STORY GULCH 8515D-25 D36496	PR	X
424676	WELL	PR	08/28/2013	GW	045-20935	STORY GULCH 8512C-36D36496	PR	X
424677	WELL	PR	09/03/2013	GW	045-20936	STORY GULCH 8512A-36 D36496	PR	X
424678	WELL	PR	08/22/2013	GW	045-20937	STORY GULCH 8507C-35 D36496	PR	X
424679	WELL	PR	06/14/2013	GW	045-20938	STORY GULCH 8515D-26 D36496	PR	X
424680	WELL	PR	11/14/2013	GW	045-20939	STORY GULCH 8513C-36 D36496	PR	X
424684	WELL	PR	03/01/2013	GW	045-20940	STORY GULCH 8512B-36 D36496	PR	X
424687	WELL	PR	08/29/2013	GW	045-20941	STORY GULCH 8502E-35 D36496	PR	X

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: <u>1</u>	Wells: <u>28</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>4</u>	Separators: <u>28</u>	Electric Motors: <u>6</u>
Gas or Diesel Mortors: <u>5</u>	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: <u>3</u>	Gas Pipeline: <u>2</u>	Oil Pipeline: _____	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: <u>1</u>	Fuel Tanks: <u>2</u>

Location**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
BATTERY	SATISFACTORY			

Inspector Name: LONGWORTH, MIKE

CONTAINERS	SATISFACTORY			
WELLHEAD	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: 800-791-7691

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Facilities:**☐ New Tank

Tank ID: _____

Contents	#	Capacity	Type	SE GPS
OTHER	1	500 BBLS	STEEL AST	,

S/A/V: SATISFACTORY

Comment: _____

Corrective Action: _____

Corrective Date: _____

Paint

Condition	Adequate
-----------	----------

Other (Content) Brine water

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth				

Corrective Action _____

Corrective Date _____

Comment _____

Facilities:☐ New Tank

Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	500 BBLS	STEEL AST	,

S/A/V: SATISFACTORY

Comment: _____

Corrective Action: _____

Corrective Date: _____

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action _____

Corrective Date _____

Comment _____

Facilities:☐

Inspector Name: LONGWORTH, MIKE

New Tank		Tank ID:		
Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	100 BBLS	STEEL AST	,
S/A/V:	SATISFACTORY		Comment:	
Corrective Action:			Corrective Date:	
Paint				
Condition	Adequate			
Other (Content) _____				
Other (Capacity) _____				
Other (Type) _____				
Berms				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	
Corrective Action			Corrective Date	
Comment				
Venting:				
Yes/No		Comment		
NO				
Flaring:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Predrill				
Location ID: 424630				
Site Preparation:				
Lease Road Adeq.:		Pads:	Soil Stockpile:	
S/A/V: _____				
Corrective Action:		Date:	CDP Num.:	
Form 2A COAs:				

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Reserve pit (or any other pit used to contain/hold fluids) must be lined or a closed loop system must be implemented during drilling.</p> <p>The nearby hillside must be monitored for any day-lighting of drilling fluids throughout the drilling of the surface casing interval.</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.</p> <p>Operator must comply with all provisions of the June 12, 2008 Notice to Operators (NTO) Drilling Wells Within ¾ Mile of the Rim of the Roan Plateau in Garfield County – Pit Design, Construction, and Monitoring Requirements.</p>	07/08/2011

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Construction	<p>-Use multiple gathering lines placed in a single trench to minimize disturbance and construction, where appropriate, economically and technically feasible.</p> <p>-Install pipeline crossings at right angles to the drainages, wetlands, and perennial water bodies, where appropriate, economically and technically feasible.</p> <p>-Maintain a minimum of five feet of soil cover between the pipeline and the lowest point of the drainage or water body channel.</p>

Wildlife	-Install trench plugs (sloped to allow wildlife or livestock to exit the trench should they enter) at known wildlife or livestock trails to allow safe crossing on long spans of open trench, where appropriate, economically and technically feasible. -Perform biological surveys (on-site) for each new development, using the most recent data sets for wildlife and aquatic resources. -Perform pre-disturbance surveys when the on-site inspection and commencement of disturbance occur in different field seasons using the most recent data sets for wildlife and aquatic resources. -Utilize the Encana Wildlife Resources Matrix to identify and document (where appropriate) potential impacts or concerns during the project planning phase for proposed drilling operations and construction of roads, pads and pipelines. -Use enclosed, locking garbage receptacles or implement a strict daily trash removal regime on each temporary or permanent work location.
Site Specific	-Use solar panels as an alternative energy source for on-location production equipment, where appropriate, economically and technically feasible. -Prohibit Encana employees and contractors from carrying projectile weapons on Encana property, except during company organized events. -Prohibit pets on Encana property. -Strategically apply fugitive dust control measures, including enforcing established speed limits on Encana private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

--

Summary of Operator Response to Landowner Issues:

--

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

--

Facility

Facility ID: 424642 Type: WELL API Number: 045-20914 Status: PR Insp. Status: PR

Producing Well

Comment: Producing well

Facility ID: 424645 Type: WELL API Number: 045-20915 Status: PR Insp. Status: PR

Producing Well									
Comment: Producing well									
Facility ID:	424646	Type:	WELL	API Number:	045-20916	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424647	Type:	WELL	API Number:	045-20917	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424652	Type:	WELL	API Number:	045-20918	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424653	Type:	WELL	API Number:	045-20919	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424655	Type:	WELL	API Number:	045-20920	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424656	Type:	WELL	API Number:	045-20921	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424657	Type:	WELL	API Number:	045-20922	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424658	Type:	WELL	API Number:	045-20923	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424659	Type:	WELL	API Number:	045-20924	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424661	Type:	WELL	API Number:	045-20925	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									
Facility ID:	424662	Type:	WELL	API Number:	045-20926	Status:	PR	Insp. Status:	PR
Producing Well									
Comment: Producing well									

Facility ID:	424663	Type:	WELL	API Number:	045-20927	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424664	Type:	WELL	API Number:	045-20928	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424665	Type:	WELL	API Number:	045-20929	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424666	Type:	WELL	API Number:	045-20930	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424668	Type:	WELL	API Number:	045-20931	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424672	Type:	WELL	API Number:	045-20932	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424673	Type:	WELL	API Number:	045-20933	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424674	Type:	WELL	API Number:	045-20934	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424676	Type:	WELL	API Number:	045-20935	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424677	Type:	WELL	API Number:	045-20936	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424678	Type:	WELL	API Number:	045-20937	Status:	PR	Insp. Status:	PR
Producing Well									
Comment:	Producing well								
Facility ID:	424679	Type:	WELL	API Number:	045-20938	Status:	PR	Insp. Status:	PR

Producing WellComment: **Producing well**

Facility ID: 424680 Type: WELL API Number: 045-20939 Status: PR Insp. Status: PR

Producing WellComment: **Producing well**

Facility ID: 424684 Type: WELL API Number: 045-20940 Status: PR Insp. Status: PR

Producing WellComment: **Producing well**

Facility ID: 424687 Type: WELL API Number: 045-20941 Status: PR Insp. Status: PR

Producing WellComment: **Producing well****Environmental****Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:

Comment:

Corrective Action: Date:

Reportable: GPS: Lat Long

Proximity to Surface Water: Depth to Ground Water:

Water Well:

DWR Receipt Num: Owner Name: GPS : Lat Long

Field Parameters:

Sample Location:

Emission Control Burner (ECB):

Comment:

Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: RANGELAND

Comment:

1003a. Debris removed? Pass CM

CA CA Date

Waste Material Onsite? Pass CM

CA CA Date

Unused or unneeded equipment onsite? Pass CM

CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____
 1003c. Compacted areas have been cross ripped? _____
 1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
 Cuttings management: _____
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
 Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____
 Debris removed _____ No disturbance /Location never built _____
 Access Roads Regraded _____ Contoured _____ Culverts removed _____
 Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
				MHSP	Pass	
Berms	Pass					
		Ditches	Pass			
		Culverts	Pass			
Gravel	Pass					
Hydro Mulch	Pass					

S/A/V: SATISFACTOR
Y

Corrective Date: _____

Comment:

CA:

Pits: ☒ NO SURFACE INDICATION OF PIT**COGCC Comments**

Comment	User	Date
Follow up to 8/13/15 inspection doc # 674701717. Corrective actions have been made.	longworm	10/13/2015