

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:
10/15/2015Document Number:
666801536Overall Inspection:
SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	427937	427850	Murray, Richard	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: PO BOX 370City: PARACHUTE State: CO Zip: 81635

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
, Inspections		COGCCInspectionReports@wpxenergy.com	Field Inspections

Compliance Summary:QtrQtr: SWNE Sec: 26 Twp: 6S Range: 91W**Inspector Comment:**Inspection is for wells with the status of Abandoned Location**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
427930	WELL	XX	02/18/2014	LO	045-21398	CPW KP 341-26	XX	<input type="checkbox"/>
427931	WELL	XX	02/18/2014	LO	045-21399	CPW KP 22-26	XX	<input type="checkbox"/>
427932	WELL	XX	02/18/2014	LO	045-21400	CPW KP 541-26	XX	<input type="checkbox"/>
427933	WELL	XX	02/18/2014	LO	045-21401	CPW KP 342-26	XX	<input type="checkbox"/>
427934	WELL	XX	01/20/2015	LO	045-21402	KP 431-26	XX	<input type="checkbox"/>
427935	WELL	AL	06/01/2012	LO	045-21403	CDOW KP 31-26	AL	<input checked="" type="checkbox"/>
427936	WELL	AL	06/01/2012	LO	045-21404	CDOW KP 432-26	AL	<input checked="" type="checkbox"/>
427937	WELL	XX	02/18/2014	LO	045-21405	CPW KP 542-26	XX	<input type="checkbox"/>
427939	WELL	AL	06/01/2012	LO	045-21407	CDOW KP 32-26	AL	<input checked="" type="checkbox"/>
427940	WELL	XX	02/18/2014	LO	045-21408	CPW KP 421-26	XX	<input type="checkbox"/>
429632	WELL	XX	02/18/2014	LO	045-21642	CPW KP 422-26	XX	<input type="checkbox"/>
429633	WELL	XX	02/18/2014	LO	045-21643	CPW KP 531-26	XX	<input type="checkbox"/>

Inspector Name: Murray, Richard

429634	WELL	XX	02/18/2014	LO	045-21644	CPW KP 332-26	XX	
429635	WELL	XX	02/18/2014	LO	045-21645	CPW KP 331-26	XX	

Equipment:

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>21</u>	Production Pits: _____
Condensate Tanks: <u>6</u>	Water Tanks: <u>4</u>	Separators: <u>10</u>	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: <u>1</u>
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): _____

Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?

Venting:

Yes/No	Comment

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 427937

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.</p>	01/27/2012

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Planning	<p>PLANNING BMP's</p> <ul style="list-style-type: none"> * Share/consolidate corridors for pipeline ROWs to the maximum extent possible. * Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. * Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river. * Locate roads outside of drainages where possible and outside of riparian habitat. * Avoid constructing any road segment in the channel of an intermittent or perennial stream * Minimize the number, length, and footprint of oil and gas development roads * Use existing roads where possible * Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors * Combine and share roads to minimize habitat fragmentation * Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development * Place roads to avoid obstructions to migratory routes for wildlife, and to avoid displacement of wildlife from public to private lands. * Design roads with visual and auditory buffers or screens (e.g., topographic barriers, vegetation, and distance). * Maximize the use of directional drilling to minimize habitat loss/fragmentation * Maximize use of remote telemetry for well monitoring to minimize traffic * Restrict oil and gas activities as practical during critical seasonal periods
Drilling/Completion Operations	<p>DRILLING/COMPLETIONS BMP's</p> <ul style="list-style-type: none"> * Conduct well completions with drilling operations to limit the number of rig moves and traffic.

Interim Reclamation	<p>PRODUCTION/RECLAMATION BMP's</p> <ul style="list-style-type: none"> * Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements * Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife * WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. * Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. * Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors. * Avoid dust suppression activities within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river where possible.
Site Specific	<p>Because this location is in a Sensitive Area (See attached SAD), Williams will employ the following BMPs to support protection of surface and ground water:</p> <ul style="list-style-type: none"> • Williams will ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. • Williams will implement best management practices to contain any unintentional release of fluids. • Either a lined drilling pit or closed loop system will be implemented.
Material Handling and Spill Prevention	<ul style="list-style-type: none"> • Williams will ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations. • Williams will implement best management practices to contain any unintentional release of fluids. • Either a lined drilling pit or closed loop system will be implemented.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: <u>427935</u>	Type: <u>WELL</u>	API Number: <u>045-21403</u>	Status: <u>AL</u>	Insp. Status: <u>AL</u>
Facility ID: <u>427936</u>	Type: <u>WELL</u>	API Number: <u>045-21404</u>	Status: <u>AL</u>	Insp. Status: <u>AL</u>
Facility ID: <u>427939</u>	Type: <u>WELL</u>	API Number: <u>045-21407</u>	Status: <u>AL</u>	Insp. Status: <u>AL</u>

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment:

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location:

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment:

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

Inspector Name: Murray, Richard

- 1003b. Area no longer in use? _____ Production areas stabilized ? _____
- 1003c. Compacted areas have been cross ripped? _____
- 1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
- Cuttings management: _____
- 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
- Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: **No visual sign of wells**

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Pass _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT